

bearing NO.	d	D	T	B	Cr	C0r	Weight
	mm	mm	mm	mm	kN	kN	kg
BT4B 332406/HA1	120.65	174.625	139.703	141.288	737	585	11.5
BT4B 330880/HA1	127	182.562	158.75	158.75	781	1760	14
331138 A	139.7	200.025	160.338	157.162	858	2080	15.5
331138 AG	139.7	200.025	160.338	157.162	858	2080	15.5
331329	152.4	222.25	174.625	174.625	1120	2500	22.5
BT4B 329121 G/HA1VA901	152.4	244.475	187.325	182.088	1300	2160	30
330835 C	165.1	225.425	168.275	165.1	858	2200	20.5
331480	177.8	247.65	192.088	192.088	1230	3000	29
BT4-0010/HA1VA903	177.8	247.65	192.088	192.088	1020	2500	27
BT4B 328881/HA1	187.325	269.875	211.138	211.138	1650	3800	33.5
331249	190.5	266.7	188.912	187.325	1340	3250	33.5
330899 A	198.438	284.162	225.425	225.425	1340	3250	33.5
BT4B 329123 G/HA1VA901	203.2	317.5	266.7	266.7	2480	4900	76
BT4B 328065/HA1	205	320	203.5	203.5	1900	3650	54.5
331486	206.375	282.575	190.5	190.5	1300	3350	36.5
331486 G	206.375	282.575	190.5	190.5	1300	3350	36.5
BT4-0013 G/HA1VA903	206.375	282.575	190.5	190.5	1140	2500	32
BT4B 329090 G/HA1VA901	206.375	282.575	226	226	1300	3350	40
BT4B 328853 G/HA1VA902	220	295	315	315	1510	4050	55
BT4B 328348/HA1	220	320	200	200	1760	4050	54
BT4B 328003/HA1	220	340	303.5	303.5	3080	6700	100
331156	220.662	314.325	239.712	239.712	2200	5200	61.5
331156 G	220.662	314.325	239.712	239.712	2200	5200	61.5
BT4-0007 G/HA1	220.662	314.325	239.712	239.712	2380	5200	61.5
BT4B 332637/HA1	228.6	311.15	200.025	200.025	1760	4050	43.5
BT4B 328918 G/HA1VA901	228.6	400.05	296.875	296.875	3360	5700	150
BT4B 328854 G/HA1VA901	240	338	340	340	2380	5500	88
331787	241.224	355.498	228.6	228.6	2160	5000	81.5
330782 A	241.478	349.148	228.6	228.6	2160	5000	74.5
330782 AG	241.478	349.148	228.6	228.6	2160	5000	74.5
330862 B	244.475	327.025	193.675	193.675	1830	4300	46
331275 A	254	358.775	269.875	269.875	2860	7100	88
BT4B 329071 G/HA1VA901	254	358.775	269.875	269.875	2330	5400	84
BT4B 329093 G/HA1VA902	260	365	340	340	3140	8000	110
BT4B 328551/HA1	260	440	298.5	298.5	3910	7350	190
BT4B 331487 BG/HA1	260.35	422.275	317.5	314.325	4460	8000	165
BT4B 331487 G/HA1	260.35	422.275	317.5	314.325	4130	8000	180
BT4-0014 G/HA1VA903	266.7	355.6	228.6	230.188	1870	4650	60.5
BT4B 328209/HA1	266.7	355.6	228.6	230.188	2200	5600	65.5
BT4B 328916 G/HA1VA901	266.7	355.6	228.6	230.188	1870	4650	60
BT4B 331168 B	269.875	381	282.575	282.575	3080	7500	105
BT4-0012 G/HA1VA901	276.225	393.7	269.875	269.875	2750	5850	98.5
BT4-0011 G/HA1VA901	279.4	393.7	269.875	269.875	2750	5850	95.5
330540 AG	279.578	380.898	244.475	244.475	2290	6400	86
BT4B 328882/HA1	280	395	288	288	2920	7500	115
BT4B 332441 G/HA1	280	460	324	324	4680	9300	215
330337 A	285.75	380.898	244.475	244.475	2290	6400	81
BT4B 331452 G/HA1	288.925	406.4	298.45	298.45	3580	9000	125
331968	292.1	422.275	269.875	269.875	3520	8000	125
BT4B 331968 BG/HA1	292.1	422.275	269.875	269.875	3800	8000	125
BT4B 328725 G/HA1	300	440	279.4	280.988	3190	7800	145
BT4B 334126 G/HA1VA901	300	440	279.4	280.99	3080	6700	135
BT4B 332472	300	460	388.5	388.5	5390	12500	240
331287	300.038	422.275	311.15	311.15	3800	9500	140

bearing NO.	d	D	T	B	Cr	C0r	Weight
	mm	mm	mm	mm	kN	kN	kg
331492	304.648	438.048	279.4	280.99	3470	8000	135
BT4B 328828 G/HA1	304.648	438.048	279.4	280.99	3080	6950	135
BT4B 334008 G/HA1VA901	304.648	438.048	279.4	280.99	3080	6700	129
BT4-8057 G/HA1VA901	304.8	419.1	269.875	269.875	2920	6700	105
BT4B 329067 G/HA1VA901	304.8	419.1	269.875	269.875	2860	6950	110
BT4B 331687/HA1	304.8	419.1	269.875	269.875	3360	8150	110
330693 C	304.8	482.6	377.825	365.125	5010	10400	265
BT4-8061 G/HA1VA901	304.8	495.3	342.9	342.9	5120	9300	245
BT4B 328909 G/HA1VA901	304.8	501.65	336.55	336.55	4730	9300	254
BT4-0004 G/HA1	304.902	412.648	266.7	266.7	3190	7500	100
BT4-0009 G/HA1VA901	304.902	412.648	266.7	266.7	2700	6700	99
BT4-0016 G/HA1VA901	304.902	412.648	266.7	266.7	2700	6700	99
BT4B 334076 G/HA1VA901	305	438.048	279.4	280.99	3080	6700	130
330870 A	317.5	422.275	269.875	269.875	3080	8150	105
330870 BG	317.5	422.275	269.875	269.875	3360	8150	105
BT4B 334023 E1/C675 *	317.5	422.275	269.875	269.875	3250	6550	94.5
BT4B 328952 A/HA1	317.5	438.15	276.225	276.225	3520	8300	135
BT4B 334020 G/HA4	317.5	438.15	276.225	276.225	3520	8300	125
BT4B 331161 AG/HA4	317.5	447.675	327.025	327.025	4400	10800	165
BT4B 331161 BG/HA1	317.5	447.675	327.025	327.025	4730	10800	165
BT4B 332647 G/HA1	330.2	444.5	301.625	301.625	3690	9650	135
331664	330.302	438.023	254	247.65	2600	7350	110
BT4B 331664 AG/HA1	330.302	438.023	254	247.65	2810	7350	105
331381	333.375	469.9	342.9	342.9	4570	11400	190
BT4-8017/HA1VA941	333.375	469.9	342.9	342.9	4130	10200	185
BT4B 328921 G/HA1VA901	333.375	469.9	342.9	342.9	4290	10400	180
BT4B 332963 B/HA1	340	520	323.5	323.5	5610	10400	240
BT4B 332963/HA1	340	520	323.5	323.5	5230	10400	245
BT4-8034 G/HA1	342.9	533.4	301.625	307.975	4730	8800	240
BT4B 331553/HA1	342.9	571.5	342.9	342.54	6270	11600	365
330661 E/C475 *	343.052	457.098	254	254	3450	6800	110
BT4B 328817 E1/C475 *	343.052	457.098	254	254	3350	6400	110
BT4B 328817 G/HA1VA902	343.052	457.098	254	254	2550	6400	110
BT4B 328986 G/HA1VA901	343.052	457.098	254	323.85	2700	6400	120
BT4B 334033 G/HA1VA901	343.052	457.098	254	254	2510	6100	110
BT4B 334106 BG/HA1VA901	343.052	457.098	254	254	2250	6000	105
BT4B 334106 G/HA1VA901	343.052	457.098	254	254	2330	6000	110
BT4B 334074/HA1	345.281	488.95	358.775	358.775	4950	12500	240
331228	346.075	488.95	358.775	358.775	4950	12500	220
BT4B 331077 AG/HA1	347.662	469.9	260.35	260.35	3800	10200	130
BT4B 331077 BG/HA1	347.662	469.9	260.35	260.35	3910	8500	125
331092 A	347.662	469.9	292.1	292.1	3800	10200	150
331508	355	490	316	316	4130	11000	185
BT4-8020 G/HA1VA901	355	490	316	316	4460	10000	170
330662 E/C480 *	355.6	482.6	269.875	265.113	4000	8000	140
BT4B 328870 EX1/C300 *	355.6	482.6	269.875	265.113	3550	7500	135
331271 BG	355.6	488.95	317.5	317.5	4460	11000	180
BT4B 328912 E3/C300 *	355.6	488.95	317.5	317.5	5100	10000	170
BT4B 328912 G/HA1VA901	355.6	488.95	317.5	317.5	4130	10000	170
332059	360	510	380	380	5610	14300	255
BT4B 328159/HA1	360	540	280	280	4400	9000	230
BT4-8015 G/HA1	360	540	325	325	5720	10800	250
331159 A	368.3	523.875	382.588	382.588	6270	15000	275
BT4B 332188/HA1	374.65	501.65	260.35	250.825	3360	8150	140

bearing NO.	d	D	T	B	Cr	C0r	Weight
	mm	mm	mm	mm	kN	kN	kg
BT4B 328294/HA1	380	560	325	325	5500	11800	265
BT4-8033 G/HA1	380	560	360	390	6710	13700	300
BT4B 328816/HA1	380	560	360	360	6160	13700	295
BT4B 332889/HA1	380	620	368	368	7040	13700	440
331149 A	384.175	546.1	400.05	400.05	6440	16600	310
BT4-8025 G/HA1VA903	384.175	546.1	400.05	400.05	6160	15000	300
BT4B 334128/HA1	384.175	546.1	400.05	400.05	6440	16600	340
331202	385.762	514.35	317.5	317.5	4290	12000	190
BT4B 334042 BG/HA1VA901	385.762	514.35	317.5	317.5	4180	10000	175
BT4B 334042 G/HA1VA901	385.762	514.35	317.5	317.5	3910	10000	175
BT4B 332824/HA1	395	545	288.9	268	3910	9500	195
331465	406.4	546.1	288.925	268.288	3910	9500	185
331465 BG	406.4	546.1	288.925	268.288	4180	9500	180
BT4-8014 G/HA1VA901	406.4	546.1	288.925	288.925	3080	7800	185
BT4B 328838 BG/HA1VA901	406.4	546.1	288.925	288.925	4180	9500	180
BT4B 328838 BG/HA1VA902	406.4	546.1	288.925	288.925	4180	9500	180
BT4B 328838 G/HA1VA901	406.4	546.1	288.925	288.925	3910	9500	185
BT4B 330650 E/C505 *	406.4	546.1	288.925	288.925	5000	10200	185
BT4B 334092 AG/HA1	406.4	546.1	330	330	5010	13200	225
BT4B 334093 BG/HA1VA902	406.4	546.1	330	330	4400	10200	200
BT4B 334093 G/HA1VA901	406.4	546.1	330	330	4020	10200	202
BT4B 331347 AG/HA1	406.4	565.15	381	381	6050	15600	300
BT4-8002 G/HA1	406.4	565.15	440	440	7650	18600	340
331133 A	406.4	590.55	400.05	400.05	6930	16600	370
BT4-8021 G/HA1VA919	409.575	546.1	334.962	334.962	4840	12000	205
BT4B 328967 A/HA4	409.575	546.1	334.962	334.962	4460	12500	220
BT4B 329004 BG/HA1VA901	409.575	546.1	334.962	334.962	4840	12000	205
BT4B 329004 G/HA1VA901	409.575	546.1	334.962	334.962	4570	12000	210
BT4B 331333 A/HA1	409.575	546.1	334.962	334.962	4680	13200	220
BT4B 331333 BG/HA1	409.575	546.1	334.962	334.962	5010	13200	220
BT4B 331333/HA1	409.575	546.1	334.962	334.962	4680	13200	220
331160 A	415.925	590.55	434.975	434.975	7210	19300	395
BT4B 328893 G/HA1VA901	415.925	590.55	434.975	434.975	7040	18000	380
BT4B 334130 G/HA1VA903	416	574	440	440	6050	17000	340
BT4B 328826 G/HA1	420	560	437	437	5830	16300	285
BT4-8018 G/HA1VA901	420	574	480	480	7210	18600	345
BT4B 328374/HA1	420	620	355	355	6440	14600	375
331192 A	430	570	336.55	336.55	4950	14000	240
BT4-8049 G/HA1	430	570	380	380	5280	14000	260
BT4-8006 BG/HA1	430	575	380	380	6400	16600	280
BT4B 334095 G/HA4VA901	430	575	380	380	5230	14300	265
BT4-8040 G/HA4	430	640	465	465	9520	21200	530
331125 A	431.8	571.5	279.4	279.4	3690	9650	200
BT4-8019 G/HA1VA901	431.8	571.5	279.4	279.4	3740	9000	185
BT4B 331125 BG/HA1	431.8	571.5	279.4	279.4	3690	9650	200
BT4-8003 G/HA1VA902	431.8	571.5	336.55	336.55	4840	12700	215
BT4B 331226 AG/HA1	431.8	571.5	336.55	336.55	4950	14000	240
BT4B 331226 BG/HA1	431.8	571.5	336.55	336.55	5280	14000	240
BT4B 331226/HA1	431.8	571.5	336.55	336.55	4950	14000	240
BT4-8067 G/HA1VA902	431.8	571.5	400	400	4840	12700	245
332060	431.8	635	355.6	355.6	6600	15000	385
BT4B 334019 G/HA1	431.8	635	355.6	440	6600	15000	405
BT4B 328829/HA1	440	580	420	420	6050	17600	300
BT4B 334055 ABG/HA1VA902	440	590	480	480	7650	20000	365

bearing NO.	d	D	T	B	Cr	C0r	Weight
	mm	mm	mm	mm	kN	kN	kg
BT4B 334055 G/HA1VA902	440	590	480	480	7040	19200	370
332313	440	650	353.5	353.5	6600	15000	410
BT4B 328944 G/HA1VA901	440	650	353.5	353.5	6160	13200	340
BT4B 328670	444.5	571.5	336.55	336.55	4950	14300	215
BT4-8039 G/HA1VA901	447.6	635	463.5	463.5	7650	20000	470
330608 C	447.675	635	463.55	463.55	8250	22000	485
BT4B 328161/HA1	450	580	450	450	6160	19600	280
BT4-8023 G/HA1VA919	450	595	368	368	5280	13700	265
BT4B 332773 E/C725 *	450	595	368	368	6800	16300	285
BT4B 328846 G/HA1VA901	450	595	398	398	5500	16300	300
BT4-8044 G/HA1VA902	450	595	404	404	5940	16300	305
BT4B 328365/HA1	450	595	404	404	5500	16300	305
BT4-8024 G/HA1	450	595	415	415	7040	19000	320
BT4B 328287 G/HA1	457.073	730.148	419.1	412.75	8970	19600	630
331169 A	457.2	596.9	279.4	276.225	4180	10800	200
331169 BG	457.2	596.9	279.4	276.225	4180	10800	200
331169 CG	457.2	596.9	279.4	276.225	4570	10800	200
BT4B 328827 E2/C300 *	457.2	596.9	279.4	276.225	4900	10000	190
BT4B 328827 G/HA4VA901	457.2	596.9	279.4	276.225	3960	10000	190
BT4B 334006	457.2	596.9	320	320	4840	13700	235
BT4B 328727 G/HA1VA901	460	610	360	360	5120	12900	270
BT4B 331977 E/C725 *	460	610	360	360	7500	16300	291
BT4B 328285	460	610	400	400	6270	17300	315
BT4B 332502/HA1	460	625	421	421	7210	20000	380
BT4B 328692	462	615.95	330.2	330.2	5500	15000	275
BT4B 328913 BG/HA1	475	600	368	368	5720	16600	250
BT4B 328913 G/HA1	475	600	368	368	5280	16600	250
BT4B 334078 G/HA1VA901	475	600	368	368	4730	14000	235
BT4-8035 G/HA1	475	640	360	360	5500	15300	335
BT4B 329007/HA1	475	660	450	450	8580	22400	460
330886 B	479.425	679.45	495.3	495.3	9350	22500	605
BT4B 330886 CG/HA1	479.425	679.45	495.3	495.3	10100	25500	585
BT4B 334057/HA4	479.425	679.45	495.3	495.3	9130	24500	645
BT4B 334116 BG/HA1VA901	479.425	679.45	495.3	495.3	9350	22400	565
BT4B 334116 G/HA1VA901	479.425	679.45	495.3	495.3	8580	22400	565
330641 ABG/HE1	482.6	615.95	330.2	330.2	5500	15300	240
330641 BG/HE1	482.6	615.95	330.2	330.2	5500	15300	240
	615.95	330.2	330.2	5120	15300	1120	330641 CA
330641 CG	482.6	615.95	330.2	330.2	5120	15300	245
330641 E/C725 *	482.6	615.95	330.2	330.2	6300	15300	240
332096	482.6	615.95	330.2	330.2	5120	15300	245
332096 BG	482.6	615.95	330.2	330.2	5500	15300	240
BT4B 328223 G/HA1VA901	482.6	615.95	330.2	406.4	4460	12200	235
BT4B 328842 E1/C725 *	482.6	615.95	330.2	330.2	6100	13700	230
BT4B 328842 E2/C725 *	482.6	615.95	330.2	330.2	6100	13700	230
BT4B 328887 G/HA1VA901	482.6	615.95	330.2	406.4	4950	13700	250
BT4B 331626 A/HA1	482.6	615.95	330.2	419.1	5120	15300	265
BT4B 331626 AG/HA1	482.6	615.95	330.2	419.1	5120	15300	265
BT4B 331626 BG/HA1	482.6	615.95	330.2	419.1	5500	15300	250
BT4B 334072 BG/HA1VA901	482.6	615.95	330.2	419.1	5280	13700	240
BT4B 334072 BG/HA1VA903	482.6	615.95	330.2	419.1	5280	13700	240
BT4B 334072 G/HA1VA901	482.6	615.95	330.2	419.1	4950	13700	245
BT4B 328974 G/HA1VA901	482.6	615.95	402.05	402.05	5610	17300	290
BT4-8062 G/HA1VA901	482.6	615.95	420	420	5500	15300	280

bearing NO.	d	D	T	B	Cr	C0r	Weight
	mm	mm	mm	mm	kN	kN	kg
BT4B 328773 G/HA1	482.6	630	420	420	6600	19300	345
BT4B 328930 G/HA1VA901	482.6	630	420	420	5940	17000	325
BT4B 334105 BG/HA1	482.6	635	421	421	7370	20400	365
331259	482.6	647.7	417.512	417.512	7210	20000	400
BT4B 328391 G/HA1	488.95	622.3	365.125	365.125	5610	17300	265
331090 E/C700 *	489.026	634.873	320.675	320.675	6300	14600	265
BT4B 328282/HA1	489.026	634.873	320.675	320.675	5010	14600	270
BT4B 334014 AAG/HA1VA901	489.026	634.873	320.675	320.675	5230	12500	240
BT4B 334014 BG/HA1VA901	489.026	634.873	320.675	320.675	4840	12500	250
BT4B 334014 G/HA1VA901	489.026	634.873	320.675	320.675	4840	12500	250
BT4B 334115 G/HA1VA901	489.026	634.873	320.675	320.675	4020	11200	245
BT4-8056 G/HA1	500	670	387.35	400.05	7210	19300	385
BT4B 328524/HA1	500	720	400	400	8250	20400	550
BT4B 331499 G/HA1	501.65	673.1	387.35	400.05	7210	19300	395
331081 A	501.65	711.2	520.7	520.7	10200	27500	755
BT4-8059 G/HA1VA901	501.65	711.2	520.7	520.7	8090	19600	610
332131	508	762	463.55	463.55	10100	23200	730
BT4B 331747 E/C775 *	510	655	379	377	7800	19000	325
BT4B 334022 G/HA1VA901	510	655	379	377	5720	16300	310
331157 A	514.35	673.1	422.275	422.275	7210	21600	410
331157 BG	514.35	673.1	422.275	422.275	7810	21600	405
BT4-8045 G/HA1VA901	514.35	673.1	422.275	422.275	6820	19000	395
BT4B 328965/HA1	515	700	420	420	7920	21600	515
331078 A	519.112	736.6	536.575	536.575	11400	31000	755
BT4B 331243 A/HA1	520.7	711.2	400.05	400.05	7480	19600	460
BT4-8043 G/HA1	530	680	440	440	8250	23600	405
BT4B 331174/HA1	536.575	761.873	558.8	558.8	11700	32000	835
331978	540	690	400	400	7040	21200	375
BT4-8108 E/C625 *	540	690	400	400	8150	19300	370
BT4B 334038 G/HA3	540	690	400	434	7040	21200	400
BT4B 334028 G/HA1VA901	540	690	434	434	7040	21200	390
BT4-8038 G/HA1VA901	540	690	440	440	7480	21200	395
BT4B 328864 G/HA4VA901	558.8	736.6	322.262	322.262	5830	14300	345
331165 A	558.8	736.6	322.268	322.265	6270	16600	375
331165 AG	558.8	736.6	322.268	322.265	6270	16600	375
330993 BG	558.8	736.6	409.575	409.575	7650	22000	475
BT4B 330993 AG/HA1	558.8	736.6	409.575	409.575	8250	22000	480
BT4B 334080 G/HA1VA901	558.8	736.6	409.575	409.575	6600	20000	475
BT4-8022 G/HA1VA919	558.8	736.6	457.2	455.612	8580	23200	515
BT4B 331346 A/HA1	558.8	736.6	457.2	455.612	8420	26000	545
BT4B 331346/HA1	558.8	736.6	457.2	455.612	8420	26000	545
BT4B 334136 G/HA1VA901	558.8	736.6	457.2	455.612	7920	23200	515
BT4B 328509/HA4	560	920	618	618	16500	34000	1700
330529 B	571.5	812.8	593.725	593.725	12100	32000	1000
BT4B 332666/HA1	571.5	812.8	593.725	593.725	13200	36000	1105
BT4B 334144 G/HA1VA901	571.5	812.8	593.725	593.725	11900	33500	1000
BT4B 331189 E/C600 *	584.2	730.25	349.25	342.9	6800	17000	327
331148 A	584.2	762	401.638	396.875	7650	22400	485
BT4B 328314 G/HA1	584.2	901.7	539.747	523.08	13400	28000	1250
331093 A	585.788	771.525	479.425	479.425	9900	30000	625
BT4B 328888 G/HA1VA901	585.788	771.525	479.425	479.425	9520	27500	595
BT4B 331093 BG/HA1	585.788	771.525	479.425	479.425	10600	30000	620
331300	595.312	844.55	615.95	615.95	13400	36500	1115
BT4B 331300 E/C775 *	595.312	844.55	615.95	615.95	17300	39000	1180

bearing NO.	d	D	T	B	Cr	C0r	Weight
	mm	mm	mm	mm	kN	kN	kg
331566	596.9	980	609.6	604.838	16800	36500	1920
BT4B 328350 G/HA1	600	870	488	488	12500	29000	940
331625	603.25	857.25	622.3	622.3	14700	40500	1235
331175 A	609.6	787.4	361.95	361.95	7370	21200	455
BT4B 328871 BG/HA1VA902	609.6	787.4	361.95	361.95	7370	18600	425
BT4B 328871 G/HA1VA901	609.6	787.4	361.95	361.95	6820	18600	430
331925	609.6	813.562	479.425	479.425	10600	30500	715
BT4B 334108 G/HA4VA901	609.6	813.562	479.425	479.425	9680	27500	695
332391	609.6	863.6	660.4	660.4	15100	41500	1240
BT4-8055 G/HA1VA902	620	800	363.5	363.5	7040	18000	440
BT4B 328510/HA1	620	800	363.5	363.5	7480	21600	465
BT4-8031 E/C800 *	625	815	480	480	13200	31000	660
330990 A	635	901.7	654.05	654.05	15700	45000	1420
BT4B 334141 G/HA1VA901	635	901.7	654.05	654.05	14500	41500	1355
BT4B 332671/HA1	646.112	857.25	542.925	542.925	12100	36500	875
BT4-8065 G/HA1	647	1030	560	560	16800	38000	1760
BT4-8063 G/HA1	648	1030	560	560	16800	38000	1760
BT4-8064 G/HA1VA901	648	1030	592	592	16800	38000	1825
332307	650	915	674	674	16100	45000	1430
BT4B 332827 AG/HA1	650	1030	560	560	16800	38000	1810
BT4B 332827/HA1	650	1030	560	560	16500	36500	1830
BT4-8009 G/HA1VA901	650	1030	592	592	16800	38000	1805
BT4-8036 G/HA1	650	1040	610	610	17600	36500	1970
BT4-8037 G/HA1VA901	650	1040	610	610	17600	36500	1970
330824 A	657.225	933.45	676.275	676.275	17200	49000	1575
BT4B 331065 AG/HA4	660	855	318.48	319.192	6160	17000	490
BT4B 334002 G/HA1VA901	660	855	318.48	400.842	6270	17300	490
BT4B 328511/HA1	660	855	318.5	318.5	7040	18600	490
BT4-8060 G/HA4VA901	660	1070	648	648	19000	38000	2260
331190	660.4	812.8	365.125	365.125	6710	22400	420
BT4B 328977 BG/HA1VA901	660.4	812.8	365.125	365.125	7210	20400	395
BT4B 328977 G/HA1VA901	660.4	812.8	365.125	365.125	6600	20400	395
BT4B 331190 BG/HA1	660.4	812.8	365.125	365.125	7210	22400	415
BT4B 332906/HA4	676	910	620	620	14200	41500	1150
BT4B 334016 AG/HA1VA901	679.45	901.7	542.45	635	12100	36000	1030
331700	679.45	901.7	552.45	552.45	12300	36500	975
BT4B 331700 AG/HA4	679.45	901.7	552.45	552.45	13000	39000	975
BT4B 334015 BG/HA1VA901	679.45	901.7	552.45	552.45	13200	36000	970
BT4B 334015 G/HA1VA901	679.45	901.7	552.45	552.45	12100	36000	975
BT4B 334016 G/HA1VA901	679.45	901.7	552.45	635	12100	36000	1030
BT4B 328349/HA1	680	930	700	700	18300	54000	1625
331503 G/HA4	682.625	965.2	701.675	701.675	17600	50000	1750
BT4B 328558/HA4	682.625	965.2	701.675	701.675	17200	49000	1825
BT4B 334060 G/HA1VA901	682.625	965.2	701.675	701.675	17200	49000	650
BT4B 331089 CG/HA1	685.8	876	355.6	352.425	7810	22000	525
331089	685.8	876.3	355.6	352.425	7210	22000	530
BT4B 328704 G/HA1	685.8	876.3	355.6	434.975	7210	22000	580
BT4B 328955 ABG/HA1VA902	685.8	876.3	355.6	352.425	7650	20000	505
BT4B 328955 BG/HA1VA902	685.8	876.3	355.6	352.425	7650	20000	505
BT4B 328955 G/HA1VA901	685.8	876.3	355.6	352.425	7210	20000	505
BT4B 331089 A/HA4	685.8	876.3	355.6	352.425	6930	20800	530
BT4B 332098 A/HA4	708.025	930.275	565.15	565.15	13000	39000	1030
331351	710	900	410	410	8800	26500	660
BT4B 331351 AG/HA1	710	900	410	410	8800	26500	660

bearing NO.	d	D	T	B	Cr	C0r	Weight
	mm	mm	mm	mm	kN	kN	kg
BT4B 331351 BG/HA1	710	900	410	410	9680	27000	620
BT4B 334051 G/HA1VA901	710	900	410	410	8250	24000	600
330882 C	711.2	914.4	317.5	317.5	7040	19300	525
BT4B 329010 G/HA1VA901	711.2	914.4	317.5	317.5	6600	17300	490
BT4B 328988 G/HA1VA901	711.2	914.4	387.35	425.45	7040	19300	600
BT4B 331358/HA4	714.375	1016	704.85	704.85	18700	53000	1950
332244	717.55	946.15	565.15	565.15	13400	40500	1090
331752	730	940	500	500	12100	36000	925
330803 A	730.25	1035.05	755.65	755.65	20500	58500	2170
331616	749.3	990.6	605	605	15100	45500	1250
BT4B 334082 G/HA1VA901	749.3	990.6	605	605	13200	40500	1275
331094 A	749.3	1066.8	736.6	723.9	20500	58500	2250
BT4-8048 E/C725 *	750	950	410	410	10800	26500	705
BT4B 328376/HA4	750	1130	690	690	20100	46500	2430
331907	762	1066.8	736.6	723.9	20500	58500	2145
BT4B 331907 BG/HA4	762	1066.8	736.6	723.9	22000	58500	2090
330676 B	762	1079.5	787.4	787.4	22400	65500	2480
BT4B 334075 G/HA1VA901	762	1079.5	787.4	787.4	21200	61000	2250
BT4-8114 E/C700	785	1040	560	560	16000	41500	1335
331248	812.8	1143	768.35	768.35	22000	63000	2590
BT4B 331066 A/HA4	825.5	1168.4	844.55	844.55	26000	76500	3050
BT4B 334135 G/HA4VA901	825.5	1168.4	844.55	844.55	24600	73500	2960
BT4B 334040/HA4	825.5	1168.4	844.6	844.6	23600	76500	2800
331069	850	1360	910	910	34700	83000	5440
BT4B 328857/HA4	863.6	1130.3	669.925	669.925	19800	62000	2000
BT4B 331123 B	863.6	1130.3	669.925	669.925	19800	62000	1900
BT4B 332967/HA4	863.6	1169.987	844.55	844.55	23800	76500	2700
BT4B 334150 G/HA4VA901	863.6	1169.987	844.55	844.55	23300	71000	2630
BT4B 331649/HA4	863.6	1181.1	666.75	666.75	20900	57000	2150
BT4B 330742 A/HA4	863.6	1219.2	889	876.3	28100	81500	3470
BT4B 332981/HA4	877.888	1220	844.55	844.55	26000	76500	3080
330903 A	901.7	1295.4	914.4	901.7	30800	86500	4170
330726 A	938.213	1270	825.5	825.5	26000	81500	3230
BT4B 330944 AG/HA4	939.8	1333.5	952.5	952.5	31900	95000	4510
BT4B 334031/HA4	1001	1360	800	800	27500	81500	3390
BT4B 331372/HA4	1003.3	1358.9	800.1	800.1	27500	81500	3450
BT4B 328100/HA4	1070	1400	889.762	889.762	30300	100000	3730
BT4B 331559/HA4	1080	1450	950	950	33600	108000	4450
BT4B 331334/HA4	1139.825	1509.712	923.925	923.925	33600	108000	4840
331440	1200.15	1593.85	990.6	990.6	38000	125000	5635
BT4B 328819 G/HA1	1250	1550	890	890	30300	114000	3820
BT4B 332124/HA4	1260	1640	1000	1000	39100	143000	5800
BT4B 331950/HA4	1300	1720	1040	1040	42900	140000	7000
BT4-8042 G/HA4	1346.2	1729.74	1143	1143	49500	163000	6980
331349	1370	1765	1050	1035	42900	153000	6960
BT4B 332078/HA4	1500	1900	1080	1080	46800	170000	7700
BT4B 331934/HA4	1580	1960	1080	1080	45700	176000	7800