

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
A2037	A2126	9.525	31.991	10.008	7.938	10.785	10.6	9.23	0.05
A2047	A2126	11.987	31.991	10.008	7.938	10.785	10.6	9.23	0.04
A4049	A4138	12.68	34.988	10.998	8.73	10.988	12.2	11.5	0.05
00050	00150	12.7	38.1	13.495	11.112	14.072	19.3	17.1	0.08
A4050	A4138	12.7	34.988	10.998	8.73	10.988	12.2	11.5	0.05
A4059	A4138	14.987	34.988	10.998	8.73	10.988	12.2	11.5	0.05
30302	30302	15	42	14.25	11	13	24.1	22.2	0.1
03062	03162	15.875	41.275	14.288	11.112	14.681	22.2	21.3	0.09
05062	05185	15.875	47	14.381	11.112	14.381	24.7	25.4	0.13
09062	09195	15.875	49.225	19.845	14.288	21.539	39.7	40.5	0.2
11590	11520	15.875	42.862	14.288	9.525	14.288	17.4	17.4	0.1
17580	17520	15.875	42.862	16.67	13.495	16.67	29.1	29.2	0.12
A6062	A6157	15.875	39.992	12.014	9.525	11.153	12.4	12.3	0.07
L21549	L21511	15.875	34.988	10.998	8.712	11	14.1	13.9	0.05
HM81649	HM81610	15.987	46.975	21	16	21	37.1	39.3	0.19
05066	05185	16.993	47	14.381	11.112	14.381	24.7	25.4	0.13
A6067	A6157	16.993	39.992	12.014	9.525	11.153	12.4	12.3	0.07
30203	30203	17	40	13.25	11	12	19.8	19.9	0.08
30303	30303	17	47	15.25	12	14	30.3	28.4	0.13
A5069	A5144	17.455	36.525	11.112	7.938	11.112	12.1	11.6	0.05
LM11749	LM11710	17.462	39.878	13.843	10.668	14.605	22.9	23.4	0.08
05075	05185	19.05	47	14.381	11.112	14.381	24.7	25.4	0.12
09067	09196	19.05	49.225	21.209	17.462	19.05	39.7	40.5	0.19
09067	09194	19.05	49.225	21.209	17.462	19.05	39.7	40.5	0.19
09067	09195	19.05	49.225	18.034	14.288	19.05	39.7	40.5	0.17
09074	09195	19.05	49.225	19.845	14.288	21.539	39.7	40.5	0.18
09078	09195	19.05	49.225	19.845	14.288	21.539	39.7	40.5	0.18
1775	1729	19.05	56.896	19.368	15.875	19.837	42	45.3	0.27
21075	21212	19.05	53.975	22.225	15.875	21.839	43	42.5	0.25
4A	6	19.05	44.45	12.7	9.525	11.908	19.9	20.6	0.09
A6075	A6157	19.05	39.992	12.014	9.525	11.153	12.4	12.3	0.07
A6075	A6162	19.05	41.275	11.905	8.73	11.153	12.4	12.3	0.07
LM11949	LM11910	19.05	45.237	15.494	12.065	16.637	30.6	32	0.12
05079	05185	19.987	47	14.381	11.112	14.381	24.7	25.4	0.12
07079	07196	20	50.005	13.495	9.525	14.26	27	29.6	0.14
30204	30204	20	47	15.25	12	14	31.4	33.8	0.12
30304	30304	20	52	16.25	13	15	35.7	34.5	0.18
32004X	32004X	20	42	15	12	15	25.7	29.4	0.1
09081	09195	20.625	49.225	19.845	14.288	21.539	39.7	40.5	0.17
12580	12520	20.638	49.225	19.845	15.875	19.845	40.4	43.2	0.18
M12649	M12610	21.43	50.005	17.526	13.97	18.288	40.8	43.5	0.17
LM12749	LM12711	21.987	45.974	15.494	12.065	16.637	30.2	35.3	0.14

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
LM12749	LM12710	21.987	45.237	15.494	12.065	16.637	30.2	35.3	0.13
07087	07196	22.225	50.005	13.495	9.525	14.26	27	29.6	0.13
1280	1220	22.225	57.15	22.225	17.462	22.225	51.2	55.1	0.28
1380	1329	22.225	53.975	19.368	14.288	20.168	44.3	48.3	0.22
1380	1328	22.225	52.388	19.368	14.288	20.168	44.3	48.3	0.2
1755	1729	22.225	56.896	19.368	15.875	19.837	42	45.3	0.25
1975	1932	22.225	58.738	19.05	15.08	19.355	44.8	50.2	0.27
2684	2631	22.225	66.421	23.812	19.05	25.433	71	81.7	0.46
LL52549	LL52510	22.225	42.07	11.176	8.636	11.176	15.3	16.8	0.07
M12648	M12610	22.225	50.005	17.526	13.97	18.288	40.8	43.5	0.16
LM72849	LM72810	22.606	47	15.5	12	15.5	27.5	33	0.13
07093	07196	23.812	50.005	13.495	9.525	14.26	27	29.6	0.12
1779	1729	23.812	56.896	19.368	15.875	19.837	42	45.3	0.25
23092	23256	23.812	65.088	22.225	15.875	21.463	50.6	55.8	0.37
3659	3620	23.812	61.912	28.575	23.812	30.416	82	89.8	0.44
L44640	L44610	23.812	50.292	14.224	10.668	14.732	27.8	32.9	0.13
JHM33449	JHM33410	24	55	25	21	25	62.1	71	0.29
07098	07196	24.981	50.005	13.495	9.525	14.26	27	29.6	0.12
17098	17244	24.981	62	16.002	14.288	16.566	40	44.1	0.25
07097	07196	25	50.005	13.495	9.525	14.26	27	29.6	0.12
30205	30205	25	52	16.25	13	15	31.6	34.4	0.16
30305	30305	25	62	18.25	15	17	50.6	50.6	0.25
32005X	32005X	25	47	15	11.5	15	28.5	35.4	0.11
32205-B	32205-B	25	52	19.25	15	18	36.7	46.3	0.19
32305	32305	25	62	25.25	20	24	67.1	72.4	0.37
33205	33205	25	52	22	18	22	51.1	63.6	0.22
07096	07196	25.159	50.005	13.495	9.525	14.26	27	29.6	0.12
07100	07196	25.4	50.005	13.495	9.525	14.26	27	29.6	0.12
07100-S	07196	25.4	50.005	13.495	9.525	14.26	27	29.6	0.12
15100	15245	25.4	62	19.05	14.288	20.638	46.8	53.9	0.29
15101	15245	25.4	62	19.05	14.288	20.638	46.8	53.9	0.3
15101	15250X	25.4	63.5	20.638	15.875	20.638	46.8	53.9	0.33
15101	15250	25.4	63.5	20.638	15.875	20.638	46.8	53.9	0.33
15101	15243	25.4	61.912	19.05	14.288	20.638	46.8	53.9	0.29
15101	15244	25.4	62	20.638	15.875	20.638	46.8	53.9	0.31
15102	15245	25.4	62	19.05	14.288	20.638	46.8	53.9	0.3
15578	15523	25.4	60.325	19.842	15.875	17.462	42.6	50.1	0.27
1780	1729	25.4	56.896	19.368	15.875	19.837	42	45.3	0.24
1986	1932	25.4	58.738	19.05	15.08	19.355	44.8	50.2	0.25
1986	1922	25.4	57.15	19.845	15.875	19.355	44.8	50.2	0.24
23100	23256	25.4	65.088	22.225	15.875	21.463	50.6	55.8	0.36
2687	2631	25.4	66.421	23.812	19.05	25.433	71	81.7	0.44

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
HM88630	HM88610	25.4	72.233	25.4	19.842	25.4	71.1	94.2	0.6
L44642	L44610	25.4	50.292	14.224	10.668	14.732	27.8	32.9	0.12
L44643	L44610	25.4	50.292	14.224	10.668	14.732	27.8	32.9	0.13
M84249	M84210	25.4	59.53	23.368	18.288	23.114	53.8	63.3	0.33
M84548	M84510	25.4	57.15	19.431	14.732	19.431	44.9	52.9	0.24
M86643	M86610	25.4	64.292	21.433	16.67	21.433	55.7	71.7	0.37
15103	15245	26.157	62	19.05	14.288	20.638	46.8	53.9	0.29
1987	1932	26.975	58.738	19.05	15.08	19.355	44.8	50.2	0.24
15106	15245	26.987	62	19.05	14.288	20.638	46.8	53.9	0.29
15580	15523	26.987	60.325	19.842	15.875	17.462	42.6	50.1	0.26
2688	2631	26.987	66.421	23.812	19.05	25.433	71	81.7	0.43
41106	41286	26.987	72.626	24.608	17.462	24.257	64.6	64.1	0.48
L44649	L44610	26.987	50.292	14.224	10.668	14.732	27.8	32.9	0.12
M84549	M84510	26.987	57.15	19.431	14.732	19.431	44.9	52.9	0.23
02872	02820	28.575	73.025	22.225	17.462	22.225	60.8	74.9	0.48
15112	15245	28.575	62	19.05	14.288	20.638	46.8	53.9	0.27
15113	15245	28.575	62	19.05	14.288	20.638	46.8	53.9	0.27
15590	15520	28.575	57.15	17.462	13.495	17.462	42.6	50.1	0.19
15590	15523	28.575	60.325	19.842	15.875	17.462	42.6	50.1	0.25
1985	1930	28.575	56.896	19.845	15.875	19.355	44.8	50.2	0.22
1985	1932	28.575	58.738	19.05	15.08	19.355	44.8	50.2	0.23
1985	1931	28.575	60.325	19.845	15.875	19.355	44.8	50.2	0.26
1988	1932	28.575	58.738	19.05	15.08	19.355	44.8	50.2	0.23
2578	2523	28.575	69.85	23.812	19.05	25.357	77.5	94.4	0.48
26112	26283-S	28.575	72	19	15.875	18.923	54.4	60.1	0.39
26112	26283	28.575	72	19	15.875	18.923	54.4	60.1	0.39
2689	2631	28.575	66.421	23.812	19.05	25.433	71	81.7	0.41
3192	3120	28.575	72.626	30.162	23.812	29.997	87.7	102	0.61
3198	3120	28.575	72.626	30.162	23.812	29.997	87.7	102	0.62
3198	3130	28.575	72.626	30.162	23.812	29.997	87.7	102	0.63
41125	41286	28.575	72.626	24.608	17.462	24.257	64.6	64.1	0.46
41126	41286	28.575	72.626	24.608	17.462	24.257	64.6	64.1	0.47
43112	43312	28.575	79.375	25.4	17.462	24.074	71.9	76.2	0.61
M86647	M86610	28.575	64.292	21.433	16.67	21.433	55.7	71.7	0.35
L45449	L45410	29	50.292	14.224	10.668	14.732	27.7	36.2	0.11
2690	2631	29.367	66.421	23.812	19.05	25.433	71	81.7	0.4
15117	15245	29.987	62	19.05	14.288	20.638	46.8	53.9	0.26
17118	17244	29.987	62	16.002	14.288	16.566	40	44.1	0.23
26118	26334	29.987	85	19	15.875	18.923	54.4	60.1	0.58
26118	26283	29.987	72	19	15.875	18.923	54.4	60.1	0.38
14117A	14276	30	69.012	19.845	15.875	19.583	50.6	61.7	0.36
30206	30206	30	62	17.25	14	16	40.5	43.8	0.23

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
30306	30306	30	72	20.75	16	19	57.3	65.9	0.38
32006X	32006X	30	55	17	13	17	36.3	45.3	0.17
32206	32206	30	62	21.25	17	20	60.4	73.5	0.28
32206-B	32206-B	30	62	21.25	17	20	51.7	62.3	0.3
32306	32306	30	72	28.75	23	27	81.2	89.8	0.56
JHM88540	JHM88513	30	72	29.37	23.02	27.783	80.6	111	0.61
15116	15245	30.112	62	19.05	14.288	20.638	46.8	53.9	0.26
17119	17244	30.162	62	16.002	14.288	16.566	40	44.1	0.23
M86649	M86610	30.162	64.292	21.433	16.67	21.433	55.7	71.7	0.34
2558	2523	30.163	69.85	23.812	19.05	25.357	77.5	94.4	0.46
15118	15245	30.213	62	19.05	14.288	20.638	46.8	53.9	0.26
15119	15245	30.213	62	19.05	14.288	20.638	46.8	53.9	0.26
15120	15245	30.213	62	19.05	14.288	20.638	46.8	53.9	0.26
14116	14283	30.226	72.085	22.385	18.415	19.583	50.6	61.7	0.44
14116	14276	30.226	69.012	19.845	15.875	19.583	50.6	61.7	0.36
14116	14274	30.226	69.012	19.845	15.875	19.583	50.6	61.7	0.36
M86648A	M86610	30.955	64.292	21.433	16.67	21.433	55.7	71.7	0.33
02475	02420	31.75	68.262	22.225	17.462	22.225	59.1	70.2	0.37
02476	02420	31.75	68.262	22.225	17.462	22.225	59.1	70.2	0.38
08125	08231	31.75	58.738	14.684	10.716	15.08	29.3	35	0.16
14124	14276	31.75	69.012	19.845	15.875	19.583	50.6	61.7	0.35
14125A	14276	31.75	69.012	19.845	15.875	19.583	50.6	61.7	0.35
15123	15245	31.75	62	18.161	14.288	19.05	46.8	53.9	0.23
15125	15245	31.75	62	19.05	14.288	20.638	46.8	53.9	0.24
15126	15245	31.75	62	19.05	14.288	20.638	46.8	53.9	0.25
23491	23420	31.75	68.262	26.988	22.225	26.988	74.7	91	0.49
2580	2523-S	31.75	69.85	23.812	19.05	25.357	77.5	94.4	0.45
2580	2520	31.75	66.421	25.4	20.638	25.357	77.5	94.4	0.4
2580	2523	31.75	69.85	23.812	19.05	25.357	77.5	94.4	0.45
2582	2520	31.75	66.421	25.4	20.638	25.357	77.5	94.4	0.4
3188	3120	31.75	72.626	30.162	23.812	29.997	87.7	102	0.58
3193	3120	31.75	72.626	30.162	23.812	29.997	87.7	102	0.58
3476	3420	31.75	79.375	29.37	23.812	29.771	96.9	119	0.74
43125	43312	31.75	79.375	25.4	17.462	24.074	71.9	76.2	0.58
HM88542	HM88510	31.75	73.025	29.37	23.02	27.783	80.6	111	0.61
HM88542	HM88511	31.75	73.025	29.37	23.02	27.783	80.6	111	0.62
HM88542	HM88512	31.75	73.812	29.37	23.02	27.783	80.6	111	0.63
HM89440	HM89410	31.75	76.2	29.37	23.02	28.575	86.2	119	0.69
LM67048	LM67010	31.75	59.131	15.875	11.811	16.764	36.5	44.6	0.18
LM67049A	LM67010	31.75	59.131	15.875	11.811	16.764	36.5	44.6	0.19
14130	14276	33.338	69.012	19.845	15.875	19.583	50.6	61.7	0.34
14131	14276	33.338	69.012	19.845	15.875	19.583	50.6	61.7	0.34

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
2581	2523	33.338	69.85	23.812	19.05	25.357	77.5	94.4	0.44
2585	2523	33.338	69.85	23.812	19.05	25.357	77.5	94.4	0.43
2785	2720	33.338	76.2	23.812	19.05	25.654	80.4	102	0.56
2790	2720	33.338	76.2	23.812	19.05	25.654	80.4	102	0.56
31590	31520	33.338	76.2	29.37	23.812	28.575	87.7	107	0.64
3196	3120	33.338	72.626	30.162	23.812	29.997	87.7	102	0.56
43131	43312	33.338	79.375	25.4	17.462	24.074	71.9	76.2	0.56
43132	43312	33.338	79.375	25.4	17.462	24.074	71.9	76.2	0.57
44131	44348	33.338	88.5	25.4	17.462	23.698	77.9	88.6	0.76
HM88547	HM88510	33.338	73.025	29.37	23.02	27.783	80.6	111	0.6
HM89443	HM89410	33.338	76.2	29.37	23.02	28.575	86.2	119	0.67
HM89444	HM89410	33.338	76.2	29.37	23.02	28.575	86.2	119	0.66
M38545	M38510	33.338	66.675	20.638	16.67	20.638	57.8	72.8	0.34
M88048	M88010	33.338	68.262	22.225	17.462	22.225	59.6	77.4	0.38
02878	02820	34.925	73.025	22.225	17.462	22.225	60.8	74.9	0.42
14137A	14276	34.925	69.012	19.845	15.875	19.583	50.6	61.7	0.33
14138A	14276	34.925	69.012	19.845	15.875	19.583	50.6	61.7	0.33
14585	14525	34.925	68.262	20.638	15.875	20.638	54.8	68.1	0.32
16137	16284	34.925	72.238	20.638	15.875	20.638	52.4	65.8	0.38
23690	23620	34.925	73.025	26.988	22.225	26.975	82.8	102	0.52
25877	25820	34.925	73.025	23.812	19.05	24.608	78.8	97.4	0.48
25877	25821	34.925	73.025	23.812	19.05	24.608	78.8	97.4	0.49
25878	25821	34.925	73.025	23.812	19.05	24.608	78.8	97.4	0.48
2786	2720	34.925	76.2	23.812	19.05	25.654	80.4	102	0.53
2793	2729	34.925	76.2	23.812	19.05	25.654	80.4	102	0.56
2793	2735X	34.925	73.025	23.812	19.05	25.654	80.4	102	0.5
2793	2720	34.925	76.2	23.812	19.05	25.654	80.4	102	0.55
2796	2720	34.925	76.2	23.774	19.05	25.654	80.4	102	0.54
31593	31520	34.925	76.2	29.37	23.812	28.575	87.7	107	0.62
31594	31521	34.925	76.2	29.37	23.812	28.575	87.7	107	0.63
31594	31520	34.925	76.2	29.37	23.812	28.575	87.7	107	0.62
3379	3320	34.925	80.167	29.367	23.812	30.391	106	129	0.72
3478	3420	34.925	79.375	29.37	23.812	29.771	96.9	119	0.7
3872	3820	34.925	85.725	30.162	23.812	30.162	115	148	0.92
449	432	34.925	95.25	27.783	22.225	29.9	118	144	1.08
HM88649	HM88610	34.925	72.233	25.4	19.842	25.4	71.1	94.2	0.5
HM89446	HM89410	34.925	76.2	29.37	23.02	28.575	86.2	119	0.65
LM48548	LM48510	34.925	65.088	18.034	13.97	18.288	50.5	63.1	0.24
LM48548A	LM48510	34.925	65.088	18.034	13.97	18.288	50.5	63.1	0.25
M38549	M38510	34.925	66.675	20.638	16.67	20.638	57.8	72.8	0.33
14139	14276	34.976	69.012	19.845	15.875	19.583	50.6	61.7	0.33
19138	19283	34.976	72	17.018	14.288	16.52	46.9	57.8	0.32

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
L68149	L68111	34.987	59.974	15.875	11.938	16.764	35.5	48.7	0.17
LM78349	LM78310A	34.987	61.973	16.7	13.6	17	39.4	52.4	0.2
LM78349	LM78310C	34.987	61.973	18	15	17	39.4	52.4	0.21
LM78349A	LM78310A	34.987	61.973	16.7	13.6	17	39.4	52.4	0.2
23691	23620	35	73.025	26.988	22.225	26.975	82.8	102	0.52
26883	26822	35	79.375	23.812	19.05	25.4	84.3	110	0.6
30207	30207	35	72	18.25	15	17	56.1	63.6	0.33
30307	30307	35	80	22.75	18	21	81.8	87.5	0.5
32007X	32007X	35	62	18	14	18	44.1	57.6	0.23
32207	32207	35	72	24.25	19	23	76.6	94.1	0.41
32307	32307	35	80	32.75	25	31	107	123	0.76
33207	33207	35	72	28	22	28	92.6	116	0.53
339	332	35	80	21	17.826	22.403	73.6	83.4	0.53
JL68145	JL68111-Z	35	60	15.88	11.938	18.46	35.5	48.7	0.19
JS-3549A	JS-3510	35	70	25.27	19	23.5	66.6	84.9	0.42
HM88648	HM88611AS	35.717	72.626	25.4	19.842	25.4	71.1	94.2	0.49
HM88648	HM88610	35.717	72.233	25.4	19.842	25.4	71.1	94.2	0.49
25880	25821	36.487	73.025	23.812	19.05	24.608	78.8	97.4	0.47
2780	2720	36.487	76.2	23.812	19.05	25.654	80.4	102	0.53
2794	2720	36.487	76.2	23.812	19.05	25.654	80.4	102	0.52
16143	16284	36.512	72.238	20.638	15.875	20.638	52.4	65.8	0.37
25570	25520	36.512	82.931	23.812	19.05	25.4	83.8	111	0.65
26877	26822	36.512	79.375	23.812	19.05	25.4	84.3	110	0.59
31597	31520	36.512	76.2	29.37	23.812	28.575	87.7	107	0.6
3479	3420	36.512	79.375	29.37	23.812	29.771	96.9	119	0.68
3878	3820	36.512	85.725	30.162	23.812	30.162	115	148	0.9
44143	44348	36.512	88.5	25.4	17.462	23.698	77.9	88.6	0.73
HM89249	HM89210	36.512	79.375	29.37	22.664	28.829	98.1	121	0.7
HM89448	HM89410	36.512	76.2	29.37	23.02	28.575	86.2	119	0.63
HM89449	HM89411	36.512	76.2	29.37	23.02	28.575	86.2	119	0.64
HM89449	HM89410	36.512	76.2	29.37	23.02	28.575	86.2	119	0.63
JL69345	JL69310	38	63	17	13.5	19	39.8	55	0.2
JL69348	JL69310	38	63	17	13.5	17	39.8	55	0.2
JL69349	JL69310	38	63	17	13.5	17	39.8	55	0.2
13685	13621	38.1	69.012	19.05	15.083	19.05	52.5	67.9	0.28
13687	13620	38.1	69.012	19.05	15.083	19.05	52.5	67.9	0.29
13687	13621	38.1	69.012	19.05	15.083	19.05	52.5	67.9	0.29
13889	13836	38.1	65.088	12.7	9.525	11.908	25.1	33	0.16
13889	13830	38.1	63.5	12.7	9.525	11.908	25.1	33	0.15
16150	16282	38.1	72	19	14.237	20.638	52.4	65.8	0.33
16150	16284	38.1	72.238	20.638	15.875	20.638	52.4	65.8	0.35
19150	19283	38.1	72	17.018	14.288	16.52	46.9	57.8	0.3

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
19150	19281	38.1	71.438	15.875	11.908	16.52	46.9	57.8	0.27
19150	19268	38.1	68.262	15.875	11.908	16.52	46.9	57.8	0.24
25572	25520	38.1	82.931	23.812	19.05	25.4	83.8	111	0.64
26878	26822	38.1	79.375	23.812	19.05	25.4	84.3	110	0.57
2776	2720	38.1	76.2	23.812	19.05	25.654	80.4	102	0.5
2777	2720	38.1	76.2	23.812	19.05	25.654	80.4	102	0.49
2788	2720	38.1	76.2	23.812	19.05	25.654	80.4	102	0.5
27880	27820	38.1	80.035	24.608	18.512	23.698	72.2	91.1	0.56
27881	27820	38.1	80.035	24.608	18.512	23.698	72.2	91.1	0.56
2788A	2720	38.1	76.2	23.812	19.05	25.654	80.4	102	0.51
28150	28300	38.1	76.2	20.638	15.507	20.94	58.8	68.9	0.4
28150	28315	38.1	80	21.006	15.875	20.94	58.8	68.9	0.46
3381	3320	38.1	80.167	29.37	23.812	30.391	106	129	0.68
33880	33821	38.1	95.25	27.783	22.225	28.575	120	161	1.05
3490	3420	38.1	79.375	29.37	23.812	29.771	96.9	119	0.66
3580	3525	38.1	87.312	30.162	23.812	30.886	105	134	0.87
3875	3820	38.1	85.725	30.162	23.812	30.162	115	148	0.88
3876	3820	38.1	85.725	30.162	23.812	30.162	115	148	0.87
418	414	38.1	88.5	26.988	22.225	29.083	107	124	0.82
440	432	38.1	95.25	27.783	22.225	29.9	118	144	1.04
44150	44348	38.1	88.5	25.4	17.462	23.698	77.9	88.6	0.71
525	522	38.1	101.6	34.925	26.988	36.068	152	191	1.48
53150	53375	38.1	95.25	30.958	20.638	28.301	92.8	104	1.04
HM801346	HM801310	38.1	82.55	29.37	23.02	28.575	95.1	130	0.77
HM801346X	HM801310	38.1	82.55	29.37	23.02	28.575	95.1	130	0.77
LM29748	LM29710	38.1	65.088	18.034	13.97	18.288	45	60.3	0.22
LM29749	LM29710	38.1	65.088	18.034	13.97	18.288	45	60.3	0.23
LM29749	LM29711	38.1	65.088	19.812	15.748	18.288	45	60.3	0.25
18587	18520	39.688	73.025	16.667	12.7	17.462	47	58.1	0.3
26880	26822	39.688	79.375	23.812	19.05	25.4	84.3	110	0.55
26881	26822	39.688	79.375	23.812	19.05	25.4	84.3	110	0.54
2789	2720	39.688	76.2	23.812	19.05	25.654	80.4	102	0.48
3382	3321	39.688	77.534	29.37	23.812	30.391	106	129	0.61
3382	3328	39.688	84.138	29.37	23.812	30.391	106	129	0.75
3382	3331	39.688	80.167	29.37	23.812	30.391	106	129	0.66
3382	3339	39.688	80.035	29.37	23.812	30.391	106	129	0.66
3382	3320	39.688	80.167	29.37	23.812	30.391	106	129	0.66
3386	3320	39.688	80.167	29.37	23.812	30.391	106	129	0.66
44158	44348	39.688	88.5	25.4	17.462	23.698	77.9	88.6	0.69
M201047	M201011	39.688	73.025	25.654	21.336	22.098	68	89.1	0.43
28158	28300	40	76.2	20.638	15.507	20.94	58.8	68.9	0.38
30208	30208	40	80	19.75	16	18	66.7	76.1	0.41

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
30308	30308	40	90	25.25	20	23	91.5	102	0.74
31308	31308	40	90	25.25	17	23	79	88.1	0.73
32008X	32008X	40	68	19	14.5	19	51.4	71.6	0.27
32208	32208	40	80	24.75	19	23	74.9	86.5	0.53
32308	32308	40	90	35.25	27	33	123	150	1.03
33108	33108	40	75	26	20.5	26	81.5	105	0.49
33208	33208	40	80	32	25	32	112	144	0.73
344	332	40	80	21	17.826	22.403	73.6	83.4	0.47
344A	332	40	80	21	17.826	22.403	73.6	83.4	0.48
350	352	40	90.119	23	21.808	21.692	75.8	88.8	0.71
350A	354A	40	85	20.635	17.462	21.692	75.8	88.8	0.56
3879	3820	40	85.725	30.162	23.812	30.162	115	148	0.85
420	414	40	88.5	26.988	22.225	29.083	107	124	0.8
543	532X	40	107.95	36.512	28.575	36.957	159	206	1.75
HM801349	HM801310	40.483	82.55	29.37	23.02	28.575	95.1	130	0.73
LM300849	LM300811	40.987	67.975	17.5	13.5	18	46.1	63.5	0.24
11162	11300	41.275	76.2	18.009	14.288	17.384	44.5	55.1	0.34
11162	11315	41.275	80	18.009	14.288	17.384	44.5	55.1	0.39
18590	18520	41.275	73.025	16.667	12.7	17.462	47	58.1	0.28
24780	24720	41.275	76.2	22.225	17.462	23.02	69.9	89.2	0.43
26882	26822	41.275	79.375	23.812	19.05	25.4	84.3	110	0.52
26882	26822A	41.275	79.375	23.812	19.05	25.4	84.3	110	0.52
26882	26823	41.275	76.2	25.4	20.638	25.4	84.3	110	0.48
26882	26824	41.275	80	23.812	19.05	25.4	84.3	110	0.53
26882	26820	41.275	80.167	25.4	20.638	25.4	84.3	110	0.55
26885	26822	41.275	79.375	23.812	19.05	25.4	84.3	110	0.53
336	332	41.275	80	21	17.826	22.403	73.6	83.4	0.46
342	332	41.275	80	21	17.826	22.403	73.6	83.4	0.46
3576	3525	41.275	87.312	30.162	23.812	30.886	105	134	0.82
3577	3525	41.275	87.312	30.162	23.812	30.886	105	134	0.82
3585	3525	41.275	87.312	30.162	23.812	30.886	105	134	0.82
365A	362A	41.275	88.9	20.638	16.513	22.225	79.5	95.8	0.62
3877	3820	41.275	85.725	30.162	23.812	30.162	115	148	0.83
3877	3821	41.275	85.725	30.162	23.812	30.162	115	148	0.83
3880	3820	41.275	85.725	30.162	23.812	30.162	115	148	0.83
419	414	41.275	88.5	26.988	22.225	29.083	107	124	0.78
4388	4335	41.275	90.488	39.688	33.338	40.386	155	204	1.25
44162	44348	41.275	88.5	25.4	17.462	23.698	77.9	88.6	0.68
46162	46368	41.275	93.662	31.75	26.195	31.75	120	158	1.08
526	522	41.275	101.6	34.925	26.988	36.068	152	191	1.42
53162	53375	41.275	95.25	30.958	20.638	28.301	92.8	104	1
HM803145	HM803110	41.275	88.9	30.162	23.02	29.37	105	144	0.9

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
HM803146	HM803110	41.275	88.9	30.162	23.02	29.37	105	144	0.89
HM803146	HM803111	41.275	88.9	30.162	23.02	29.37	105	144	0.9
HM804840	HM804810	41.275	95.25	30.162	23.02	29.37	115	157	1.06
HM807035	HM807011	41.275	104.775	36.512	28.575	36.512	159	223	1.71
HM807035	HM807010	41.275	104.775	36.512	28.575	36.512	159	223	1.71
HM903244	HM903210	41.275	95.25	30.958	22.225	28.3	107	132	1.06
HM903245	HM903210	41.275	95.25	30.958	22.225	28.575	107	132	1.06
LM300848	LM300811	41.275	67.975	17.5	13.5	18	46.1	63.5	0.24
LM501349	LM501310	41.275	73.431	19.558	14.732	19.812	58.4	74.2	0.34
LM501349	LM501314	41.275	73.431	21.43	16.604	19.812	58.4	74.2	0.36
M802048	M802011	41.275	82.55	26.543	20.193	25.654	84.9	112	0.64
M903345	M903310	41.275	92.075	26.195	16.67	23.812	79.2	92.5	0.79
4395	4335	42.07	90.488	39.688	33.338	40.386	155	204	1.24
12168	12303	42.862	76.992	17.462	11.908	17.145	45.9	58.1	0.32
22780	22720	42.862	82.55	26.195	20.638	26.988	86	115	0.62
25578	25520	42.862	82.931	23.812	19.05	25.4	83.8	111	0.58
3579	3525	42.862	87.312	30.162	23.812	30.886	105	134	0.79
25577	25520	42.875	82.931	23.812	19.05	25.4	83.8	111	0.57
26884	26822	42.875	79.375	23.812	19.05	25.4	84.3	110	0.5
26886	26822	42.875	79.375	23.812	19.05	25.4	84.3	110	0.51
342-S	3320	42.875	80.167	26.988	23.812	22.403	73.6	83.4	0.5
12175	12303	44.45	76.992	17.462	11.908	17.145	45.9	58.1	0.31
13175	13318	44.45	80.962	19.05	14.288	17.462	47	61.1	0.39
17888	17831	44.45	79.985	30.559	15.08	31.354	63.8	83.3	0.51
18685	18620	44.45	79.375	17.462	13.495	17.462	48.2	61.3	0.35
25580	25520	44.45	82.931	23.812	19.05	25.4	83.8	111	0.55
25581	25520	44.45	82.931	23.812	19.05	25.4	83.8	111	0.56
25582	25520	44.45	82.931	23.812	19.05	25.4	83.8	111	0.54
33885	33821	44.45	95.25	27.783	22.225	28.575	120	161	0.96
35176	35326	44.45	82.931	22.225	17.462	23.012	76.6	89.2	0.49
355	354A	44.45	85	20.638	17.462	21.692	75.8	88.8	0.51
355A	354A	44.45	85	20.638	17.462	21.692	75.8	88.8	0.51
3578	3526	44.45	87.312	30.162	23.812	30.886	105	134	0.78
3578	3525	44.45	87.312	30.162	23.812	30.886	105	134	0.77
3578	3520	44.45	84.138	30.162	23.812	30.886	105	134	0.69
3782	3720	44.45	93.264	30.162	23.812	30.302	113	153	0.96
438	432A	44.45	95.25	27.783	22.225	29.9	118	144	0.94
438	432	44.45	95.25	27.783	22.225	29.9	118	144	0.93
45280	45220	44.45	104.775	30.162	23.812	30.958	142	189	1.35
460	453X	44.45	104.775	30.162	24.605	29.317	126	166	1.28
46176	46368	44.45	93.662	31.75	26.195	31.75	120	158	1.02
49175	49368	44.45	93.662	31.75	25.4	31.75	126	156	1

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
49576	49520	44.45	101.6	31.75	25.4	31.75	123	155	1.24
527	522	44.45	101.6	34.925	26.988	36.068	152	191	1.36
53176	53375	44.45	95.25	30.958	20.638	28.301	92.8	104	0.95
53176	53377	44.45	95.25	30.958	20.638	28.301	92.8	104	0.94
53176	53387	44.45	98.425	30.958	20.638	28.301	92.8	104	1.03
53177	53375	44.45	95.25	30.958	20.638	28.301	92.8	104	0.94
53178	53375	44.45	95.25	30.958	20.638	28.301	92.8	104	0.95
535	532X	44.45	107.95	36.512	28.575	36.957	159	206	1.66
535	532A	44.45	111.125	38.1	30.162	36.957	159	206	1.83
5356	5335	44.45	103.188	43.658	36.512	44.475	197	267	1.87
55175C	55437	44.45	111.125	30.162	20.638	26.909	118	161	1.46
55176C	55437	44.45	111.125	30.162	20.638	26.909	118	161	1.46
59175	59412	44.45	104.775	36.512	28.575	36.512	158	202	1.54
6277	6220	44.45	127	50.8	41.275	52.388	283	370	3.55
HM803149	HM803110	44.45	88.9	30.162	23.02	29.37	105	144	0.84
HM804842	HM804810	44.45	95.25	30.162	23.02	29.37	115	157	1.01
HM804843	HM804810	44.45	95.25	30.162	23.02	29.37	115	157	1.01
HM807040	HM807010	44.45	104.775	36.512	28.575	36.512	159	223	1.64
HM903247	HM903210	44.45	95.25	30.958	22.225	28.3	107	132	1.01
HM903249	HM903210	44.45	95.25	30.958	22.225	28.575	107	132	1.01
HM903249A	HM903210	44.45	95.25	30.958	22.225	28.3	107	132	1.01
L102849	L102810	44.45	73.025	18.258	15.083	18.258	52.8	78.3	0.3
LL103049	LL103010	44.45	71.438	12.7	9.525	12.7	33.4	43.6	0.18
25584	25520	44.983	82.931	23.812	19.05	25.4	83.8	111	0.55
3776	3720	44.983	93.264	30.162	23.812	30.302	113	153	0.95
HM905843	HM905810	44.987	104.986	32.512	23.368	31.75	125	171	1.38
30209	30209	45	85	20.75	16	19	76.9	94	0.46
30309	30309	45	100	27.25	22	25	120	139	0.96
31309	31309	45	100	27.25	18	25	98.4	114	0.95
32009X	32009X	45	75	20	15.5	20	61.5	84.3	0.35
32209	32209	45	85	24.75	19	23	81.1	98.7	0.59
32309	32309	45	100	38.25	30	36	143	171	1.37
32309-B	32309-B	45	100	38.25	30	36	147	187	1.43
33109	33109	45	80	26	20.5	26	88	119	0.53
33209	33209	45	85	32	25	32	116	155	0.79
358	354A	45	85	20.638	17.462	21.692	75.8	88.8	0.51
367	362A	45	88.9	20.638	16.513	22.225	79.5	95.8	0.58
JW4549	JW4510	45	95	29	20	26.5	92.5	114	0.91
17887	17831	45.23	79.985	19.842	15.08	20.638	63.8	83.3	0.4
3586	3525	45.237	87.312	30.162	23.812	30.886	105	134	0.75
LM102949	LM102910	45.242	73.431	19.558	15.748	19.812	56.9	81.8	0.31
LM603049	LM603012	45.242	77.788	21.43	16.667	19.842	59.6	77.9	0.39

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
LM603049	LM603014	45.242	79.974	19.842	15.08	19.842	59.6	77.9	0.4
LM603049	LM603011	45.242	77.788	19.842	15.08	19.842	59.6	77.9	0.37
25590	25522	45.618	83.058	23.876	19.114	25.4	83.8	111	0.54
25590	25526	45.618	85	23.812	19.05	25.4	83.8	111	0.57
25590	25521	45.618	83.058	23.812	19.05	25.4	83.8	111	0.53
25590	25519	45.618	82.55	23.812	19.05	25.4	83.8	111	0.52
25590	25520	45.618	82.931	23.812	19.05	25.4	83.8	111	0.54
25590	25523	45.618	82.931	26.988	22.225	25.4	83.8	111	0.58
LM503349	LM503310	45.987	74.976	18	14	18	52.6	75.4	0.3
LM503349A	LM503310	45.987	74.976	18	14	18	52.6	75.4	0.3
18690	18620	46.038	79.375	17.462	13.495	17.462	48.2	61.3	0.33
25592	25520	46.038	82.931	23.812	19.05	25.4	83.8	111	0.53
2984	2924	46.038	85	25.4	20.638	25.608	86.4	117	0.61
359-S	352	46.038	90.119	23	21.808	21.692	75.8	88.8	0.65
359-S	354A	46.038	85	20.638	17.462	21.692	75.8	88.8	0.49
3777	3720	46.038	93.264	30.162	23.812	30.302	113	153	0.93
436	432	46.038	95.25	27.783	22.225	29.9	118	144	0.91
369-S	362A	47.625	88.9	20.638	16.513	22.225	79.5	95.8	0.55
369A	362A	47.625	88.9	20.638	16.513	22.225	79.5	95.8	0.55
3778	3720	47.625	93.264	30.162	23.812	30.302	113	153	0.88
3779	3720	47.625	93.264	30.162	23.812	30.302	113	153	0.9
386A	382A	47.625	96.838	21	15.875	21.946	84.2	107	0.72
45282	45220	47.625	104.775	30.162	23.812	30.958	142	189	1.28
467	453X	47.625	104.775	30.162	24.605	29.317	126	166	1.23
528	522	47.625	101.6	34.925	26.988	36.068	152	191	1.29
55187C	55437	47.625	111.125	30.162	20.638	26.909	118	161	1.41
72188C	72487	47.625	123.825	36.512	25.4	32.791	167	208	2.26
HM804846	HM804810	47.625	95.25	30.162	23.02	29.37	115	157	0.95
M804048	M804010	47.625	88.9	25.4	19.05	25.4	91.3	116	0.67
M804049	M804010	47.625	88.9	25.4	19.05	25.4	91.3	116	0.66
HM804848	HM804811	48.412	95.25	30.162	23.02	29.37	115	157	0.96
HM804848	HM804810	48.412	95.25	30.162	23.02	29.37	115	157	0.95
HM804849	HM804810	48.412	95.25	30.162	23.02	29.37	115	157	0.94
365-S	362A	49.212	88.9	20.638	16.513	22.225	79.5	95.8	0.53
3781	3720	49.212	93.264	30.162	23.812	30.302	113	153	0.87
5395	5335	49.212	103.188	43.658	36.512	44.475	197	267	1.74
65390	65320	49.212	114.3	44.45	34.925	44.45	207	256	2.19
HH506348	HH506310	49.212	114.3	44.45	36.068	44.45	228	290	2.27
HM807044	HM807010	49.212	104.775	36.512	28.575	36.512	159	223	1.54
28579	28521	49.987	92.075	24.608	19.845	25.4	91.6	130	0.71
28579	28520	49.987	89.98	24.75	19.987	25.4	91.6	130	0.67
LM104947A	LM104911	49.987	82.55	21.59	16.51	22.225	75.2	104	0.45

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
30210	30210	50	90	21.75	17	20	80.1	98.8	0.52
30310	30310	50	110	29.25	23	27	131	150	1.27
31310	31310	50	110	29.25	19	27	115	131	1.21
32010X	32010X	50	80	20	15.5	20	64.7	92.7	0.37
32210	32210	50	90	24.75	19	23	93.6	120	0.61
32310	32310	50	110	42.25	33	40	173	211	1.84
33210	33210	50	90	32	24.5	32	120	166	0.84
365	362A	50	88.9	20.638	16.513	22.225	79.5	95.8	0.52
366	362A	50	88.9	20.638	16.513	22.225	79.5	95.8	0.52
396	394A	50	110	22	18.825	21.996	91.6	125	1.05
JHM807045	JHM807012	50	105	37	29	36	159	223	1.53
JLM104948	JLM104910	50	82	21.5	17	21.5	75.2	104	0.43
JLM704649	JLM704610	50	84	22	17.5	22	75.4	104	0.46
JM205149	JM205110	50	90	28	23	28	115	154	0.75
JM205149A	JM205110	50	90	28	23	28	115	154	0.74
JW5049	JW5010	50	105	32	22	29	111	138	1.23
18200	18337	50.8	85.725	19.05	12.7	18.263	47.8	63.9	0.4
18790	18720	50.8	85	17.462	13.495	17.462	50.6	67.5	0.36
18790	18724	50.8	88.9	17.462	13.495	17.462	50.6	67.5	0.42
28580	28521	50.8	92.075	24.608	19.845	25.4	91.6	130	0.71
28580A	28521	50.8	92.075	24.608	19.845	25.4	91.6	130	0.71
28678	28622	50.8	97.63	24.608	19.446	24.608	96.3	142	0.83
33889	33821	50.8	95.25	27.783	22.225	28.575	120	161	0.85
368	362A	50.8	88.9	20.638	16.513	22.225	79.5	95.8	0.5
368A	362A	50.8	88.9	20.638	16.513	22.225	79.5	95.8	0.5
368A	363	50.8	90	20	20	22.225	79.5	95.8	0.54
368A	362	50.8	90	20	15.875	22.225	79.5	95.8	0.51
370A	362A	50.8	88.9	20.638	16.513	22.225	79.5	95.8	0.49
375	374	50.8	93.264	20.638	15.083	22.225	81.4	101	0.59
3775	3720	50.8	93.264	30.162	23.812	30.302	113	153	0.85
3780	3720	50.8	93.264	30.162	23.812	30.302	113	153	0.84
3780	3732	50.8	98.425	30.162	23.812	30.302	113	153	0.99
3780	3726	50.8	95.25	30.162	23.812	30.302	113	153	0.9
3780	3730	50.8	93.264	30.162	23.812	30.302	113	153	0.85
3784	3720	50.8	93.264	30.162	23.812	30.302	113	153	0.82
385A	382A	50.8	96.838	21	15.875	21.946	84.2	107	0.68
385AX	382A	50.8	96.838	21	15.875	21.946	84.2	107	0.68
39573	39520	50.8	112.712	30.162	23.812	30.162	155	224	1.52
39575	39520	50.8	112.712	30.162	23.812	30.162	155	224	1.51
3975	3920	50.8	112.712	30.162	23.812	30.048	129	191	1.49
398	394A	50.8	110	22	18.825	21.996	91.6	125	1.04
45284	45220	50.8	104.775	30.162	23.812	30.958	142	189	1.2

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
45285	45220	50.8	104.775	30.162	23.812	30.958	142	189	1.23
45285A	45220	50.8	104.775	30.162	23.812	30.958	142	189	1.23
455	453X	50.8	104.775	30.162	24.605	29.317	126	166	1.17
455-S	453X	50.8	104.775	30.162	24.605	29.317	126	166	1.17
4580	4535	50.8	104.775	39.688	33.338	40.157	167	237	1.63
49585	49520	50.8	101.6	31.75	25.4	31.75	123	155	1.12
529	522	50.8	101.6	34.925	26.988	36.068	152	191	1.23
529X	522	50.8	101.6	34.925	26.988	36.068	152	191	1.23
537	532X	50.8	107.95	36.512	28.575	36.957	159	206	1.52
55200C	55437	50.8	111.125	30.162	20.638	26.909	118	161	1.36
55200C	55443	50.8	112.712	30.162	20.638	26.909	118	161	1.4
555	552A	50.8	123.825	38.1	30.162	36.678	177	248	2.31
5565	5535	50.8	122.238	43.658	36.512	43.764	219	327	2.69
59200	59412	50.8	104.775	36.512	28.575	36.512	158	202	1.4
59201	59412	50.8	104.775	36.512	28.575	36.512	158	202	1.41
619	612	50.8	120.65	41.275	31.75	41.275	192	244	2.27
65200	65500	50.8	127	44.45	34.925	44.45	225	297	2.88
66200	66462	50.8	117.475	33.338	23.812	31.75	138	166	1.64
72200C	72487	50.8	123.825	36.512	25.4	32.791	167	208	2.19
72201C	72487	50.8	123.825	36.512	25.4	32.791	167	208	2.19
HM807046	HM807010	50.8	104.775	36.512	28.575	36.512	159	223	1.52
HM907643	HM907614	50.8	111.125	30.162	20.638	28.575	114	153	1.36
L305649	L305610	50.8	80.962	18.258	14.288	18.258	56.3	88.8	0.35
LL205449	LL205410	50.8	77.788	12.7	9.525	12.7	34.6	47.2	0.2
LM104949	LM104911	50.8	82.55	21.59	16.51	22.225	75.2	104	0.43
LM104949	LM104912	50.8	82.931	21.59	16.51	22.225	75.2	104	0.43
368-S	362A	51.592	88.9	20.638	16.513	22.225	79.5	95.8	0.49
28584	28521	52.388	92.075	24.608	19.845	25.4	91.6	130	0.67
33890	33821	52.388	95.25	27.783	22.225	28.575	120	161	0.83
33891	33821	52.388	95.25	27.783	22.225	28.575	120	161	0.82
3767	3720	52.388	93.264	30.162	23.812	30.302	113	153	0.82
468	453X	52.388	104.775	30.162	24.605	29.317	126	166	1.13
55206	55443	52.388	112.712	30.162	20.638	26.909	98.5	119	1.29
55206	55437	52.388	111.125	30.162	20.638	26.909	98.5	119	1.24
55206C	55437	52.388	111.125	30.162	20.638	26.909	118	161	1.33
33895	33821	53.975	95.25	27.783	22.225	28.575	120	161	0.8
33895	33822	53.975	95.25	27.783	22.225	28.575	120	161	0.8
389A	382A	53.975	96.838	21	15.875	21.946	84.2	107	0.64
39578	39520	53.975	112.712	30.162	23.812	30.162	155	224	1.45
45287	45220	53.975	104.775	30.162	23.812	30.958	142	189	1.17
456	453X	53.975	104.775	30.162	24.605	29.317	126	166	1.11
4595	4535	53.975	104.775	39.688	33.338	40.157	167	237	1.54

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
539	532A	53.975	111.125	38.1	30.162	36.957	159	206	1.62
539	532X	53.975	107.95	36.512	28.575	36.957	159	206	1.45
539A	532X	53.975	107.95	36.512	28.575	36.957	159	206	1.43
55212C	55434	53.975	109.985	29.251	19.726	26.909	118	161	1.24
557-S	552A	53.975	123.825	38.1	30.162	36.678	177	248	2.23
5577	5535	53.975	122.238	43.658	36.512	43.764	219	327	2.6
5578	5535	53.975	122.238	43.658	36.512	43.764	219	327	2.6
621	612	53.975	120.65	41.275	31.75	41.275	192	244	2.18
6280	6220	53.975	127	50.8	41.275	52.388	283	370	3.25
636	632	53.975	136.525	41.275	31.75	41.275	216	298	3.12
66212	66462	53.975	117.475	33.338	23.812	31.75	138	166	1.58
66584	66520	53.975	122.238	33.338	23.812	31.75	143	178	1.78
72212C	72487	53.975	123.825	36.512	25.4	32.791	167	208	2.13
78215C	78551	53.975	140.03	36.512	23.52	33.236	185	234	2.75
DX644361	DX529594	53.975	88.9	19.05	13.492	19.05	74.6	81.8	0.43
HM807049	HM807010	53.975	104.775	36.512	28.575	36.512	159	223	1.44
HM807049A	HM807010	53.975	104.775	36.512	28.575	36.512	159	223	1.43
HM911242	HM911210	53.975	130.175	36.512	23.812	33.338	154	183	2.22
L507945	L507910	53.975	87.312	18.258	14.288	18.258	58.1	95.6	0.43
LM806649	LM806610	53.975	88.9	19.05	13.492	19.05	60.6	81.8	0.43
HM807048	HM807010	54.487	104.775	36.512	28.575	36.512	159	223	1.42
466	453X	54.987	104.775	30.162	24.605	29.317	126	166	1.09
6381	6320	54.987	135.755	53.975	44.45	56.007	298	404	4.04
30211	30211	55	100	22.75	18	21	100	124	0.69
30311	30311	55	120	31.5	25	29	164	193	1.62
31311	31311	55	120	31.5	21	29	134	157	1.55
32011X	32011X	55	90	23	17.5	23	87.9	126	0.57
32211	32211	55	100	26.75	21	25	112	141	0.85
32311	32311	55	120	45.5	35	43	211	265	2.34
32311-B	32311-B	55	120	45.5	35	43	206	286	2.45
33011	33011	55	90	27	21	27	92.1	141	0.67
33111	33111	55	95	30	23	30	123	166	0.85
33211	33211	55	100	35	27	35	150	202	1.17
385	382A	55	96.838	21	15.875	21.946	84.2	107	0.62
385X	382A	55	96.838	21	15.875	21.946	84.2	107	0.61
475	472	55	120	29.794	24.237	29.007	133	186	1.65
JH307749	JH307710	55	110	39	32	39	194	251	1.68
JLM506849	JLM506810	55	90	23	18.5	23	85	123	0.55
JLM506849 A	JLM506810	55	90	23	18.5	23	85	123	0.54
JLM506849 A	JLM506811	55	90	25	20.5	23	85	123	0.58
JM207049	JM207010	55	95	29	23.5	29	121	168	0.84
JM207049A	JM207010	55	95	29	23.5	29	121	168	0.81

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
JW5549	JW5510	55	115	34	23.5	31	135	175	1.57
28680	28622	55.562	97.63	24.608	19.446	24.608	96.3	142	0.76
72218C	72487	55.562	123.825	36.512	25.4	32.791	167	208	2.09
HM813840	HM813810	55.562	127	36.512	26.988	36.512	179	256	2.32
389	382A	55.575	96.838	21	15.875	21.946	84.2	107	0.61
28682	28622	57.15	97.63	24.608	19.446	24.608	96.3	142	0.73
33225	33462	57.15	117.475	30.162	23.812	30.162	128	197	1.55
387	382A	57.15	96.838	21	15.875	21.946	84.2	107	0.59
387-S	382A	57.15	96.838	21	15.875	21.946	84.2	107	0.59
387A	382-S	57.15	96.838	25.4	20.274	21.946	84.2	107	0.65
387A	382A	57.15	96.838	21	15.875	21.946	84.2	107	0.58
387A	383A	57.15	100	21	17.826	21.946	84.2	107	0.66
387A	382	57.15	98.425	21	17.826	21.946	84.2	107	0.63
387AS	382A	57.15	96.838	21	15.875	21.946	84.2	107	0.57
390	394A	57.15	110	22	18.825	21.996	91.6	125	0.95
39580	39520	57.15	112.712	30.162	23.812	30.162	155	224	1.39
39581	39520	57.15	112.712	30.162	23.812	30.162	155	224	1.35
3979	3920	57.15	112.712	30.162	23.812	30.048	129	191	1.37
45289	45220	57.15	104.775	30.162	23.812	30.958	142	189	1.1
45290	45220	57.15	104.775	30.162	23.812	30.958	142	189	1.1
45291	45220	57.15	104.775	30.162	23.812	30.958	142	189	1.07
45291	45221	57.15	104.775	30.162	23.812	30.958	142	189	1.07
462	453X	57.15	104.775	30.162	24.605	29.317	126	166	1.05
462	454	57.15	110	27.795	27	29.317	126	166	1.23
469	453A	57.15	107.95	27.783	22.225	29.317	126	166	1.1
469	453X	57.15	104.775	30.162	24.605	29.317	126	166	1.04
469	454	57.15	110	27.795	27	29.317	126	166	1.22
555-S	552A	57.15	123.825	38.1	30.162	36.678	177	248	2.15
623	612	57.15	120.65	41.275	31.75	41.275	192	244	2.1
65225	65500	57.15	127	44.45	34.925	44.45	225	297	2.69
66225	66462	57.15	117.475	33.338	23.812	31.75	138	166	1.51
72225C	72487	57.15	123.825	36.512	25.4	32.791	167	208	2.06
78225	78551	57.15	140.03	36.512	23.52	33.236	158	193	2.57
78225C	78551	57.15	140.03	36.512	23.52	33.236	185	234	2.68
L507949	L507910	57.15	87.312	18.258	14.288	18.258	58.1	95.6	0.39
388A	382A	57.531	96.838	21	15.875	21.946	84.2	107	0.57
66589	66520	59.972	122.238	33.338	23.812	31.75	143	178	1.66
28980	28920	59.977	101.6	25.4	19.845	25.4	98.2	149	0.8
28980	28921	59.977	100	25.4	19.845	25.4	98.2	149	0.76
39236	39412	59.987	104.775	21.433	15.875	22	89.6	120	0.74
H913840	H913810	59.987	146.05	41.275	25.4	39.688	213	256	3.17
HM813839	HM813810	59.987	127	36.512	26.988	36.512	179	256	2.21

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
HM911244	HM911210	59.987	130.175	34.1	23.812	30.924	154	183	2
29580	29520	60	107.95	25.4	19.05	25.4	102	161	0.99
29582	29520	60	107.95	25.4	19.05	25.4	102	161	0.99
30212	30212	60	110	23.75	19	22	99.1	117	0.9
30312	30312	60	130	33.5	26	31	186	221	1.96
31312	31312	60	130	33.5	22	31	159	188	1.95
32012X	32012X	60	95	23	17.5	23	89.6	132	0.6
32312	32312	60	130	48.5	37	46	245	310	2.9
33012	33012	60	95	27	21	27	95.1	150	0.7
33112	33112	60	100	30	23	30	127	180	0.91
33212	33212	60	110	38	29	38	183	253	1.53
397	394A	60	110	22	18.825	21.996	91.6	125	0.9
3977	3920	60	112.712	30.162	23.812	30.048	129	191	1.3
476	472	60	120	29.794	24.237	29.007	133	186	1.54
JLM508748	JLM508710	60	95	24	19	24	90.4	135	0.59
JP6049	JP6010	60	100	21	15.5	20	80.9	101	0.6
JW6049	JW6010	60	125	37	26	33.5	159	210	2.02
28985	28921	60.325	100	25.4	19.845	25.4	98.2	149	0.75
28985	28919	60.325	99.979	24.605	19.05	25.4	98.2	149	0.75
28985	28920	60.325	101.6	25.4	19.845	25.4	98.2	149	0.79
3980	3920	60.325	112.712	30.162	23.812	30.048	129	191	1.3
558	552A	60.325	123.825	38.1	30.162	36.678	177	248	2.07
5583	5535	60.325	122.238	43.658	36.512	43.764	219	327	2.4
65237	65500	60.325	127	44.45	34.925	44.45	225	297	2.59
65237A	65500	60.325	127	44.45	34.925	44.45	225	297	2.59
H715332	H715311	60.325	136.525	46.038	36.512	46.038	249	405	3.53
HM212044	HM212011	60.325	122.238	38.1	29.718	38.354	209	279	2.04
HM813841	HM813810	60.325	127	36.512	26.988	36.512	179	256	2.2
HM911245	HM911216	60.325	134.983	35.862	21.948	33.338	154	183	2.19
HM911245	HM911210	60.325	130.175	36.512	23.812	33.338	154	183	2.06
392	394A	61.912	110	22	18.825	21.996	91.6	125	0.87
H715334	H715311	61.912	136.525	46.038	36.512	46.038	249	405	3.47
H913842	H913810	61.912	146.05	41.275	25.4	39.688	213	256	3.12
HM813843	HM813810	61.912	127	36.512	26.988	36.512	179	256	2.16
28990	28920	61.976	101.6	24.608	19.845	24.608	98.2	149	0.75
28995	28920	62.738	101.6	25.4	19.845	25.4	98.2	149	0.74
29585	29520	63.5	107.95	25.4	19.05	25.4	102	161	0.92
29585	29522	63.5	107.95	25.4	19.05	25.4	102	161	0.93
29585	29521	63.5	110	25.4	19.05	25.4	102	161	0.98
29586	29520	63.5	107.95	25.4	19.05	25.4	102	161	0.93
33251	33462	63.5	117.475	30.162	23.812	30.162	128	197	1.42
390A	394AS	63.5	110	22	18.825	21.996	91.6	125	0.83

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
390A	394A	63.5	110	22	18.825	21.996	91.6	125	0.84
39250	39412	63.5	104.775	21.433	15.875	22	89.6	120	0.68
395	394A	63.5	110	22	18.825	21.996	91.6	125	0.84
39585	39520	63.5	112.712	30.162	23.812	30.162	155	224	1.24
3982	3920	63.5	112.712	30.162	23.812	30.048	129	191	1.22
477	472	63.5	120	29.794	24.237	29.007	133	186	1.47
483	472	63.5	120	29.794	24.237	29.007	133	186	1.46
5584	5535	63.5	122.238	43.658	36.512	43.764	219	327	2.29
559	552A	63.5	123.825	38.1	30.162	36.678	177	248	1.98
565	563	63.5	127	36.512	28.575	36.17	182	262	2.08
6382	6320	63.5	135.755	53.975	44.45	56.007	298	404	3.68
639	632	63.5	136.525	41.275	31.75	41.275	216	298	2.83
78250	78537	63.5	136.525	36.512	23.52	33.236	158	193	2.26
78250	78551	63.5	140.03	36.512	23.52	33.236	158	193	2.42
H414235	H414210	63.5	136.525	41.275	31.75	41.275	252	335	2.92
H715336	H715311	63.5	136.525	46.038	36.512	46.038	249	405	3.42
HM212046	HM212011	63.5	122.238	38.1	29.718	38.354	209	279	1.97
HM212047	HM212011	63.5	122.238	38.1	29.718	38.354	209	279	1.95
HM813842	HM813810	63.5	127	36.512	26.988	36.512	179	256	2.11
L610549	L610510	63.5	94.458	19.05	15.083	19.05	62	108	0.46
LL510749	LL510710	63.5	92.075	13.495	9.525	12.7	35.8	53.3	0.26
39586	39520	64.987	112.712	30.162	23.812	30.925	155	224	1.22
31313	31313	65	140	36	23	33	178	211	2.41
32013X	32013X	65	100	23	17.5	23	90.8	137	0.64
32213	32213	65	120	32.75	27	31	161	209	1.53
32313	32313	65	140	51	39	48	280	358	3.54
33113	33113	65	110	34	26.5	34	155	225	1.25
33213	33213	65	120	41	32	41	205	280	1.97
478	472	65	120	29.794	24.237	29.007	133	186	1.43
J6392	J6327	65	140	53.98	44.45	56	298	404	3.94
JH211749	JH211710	65	120	39	32	38.5	207	283	1.87
JH211749A	JH211710	65	120	39	32	38.5	207	283	1.83
JLM710949	JLM710910	65	105	24	18.5	23	100	139	0.75
JM511945	JM511910	65	110	28	22.5	30	131	195	1.07
JM511946	JM511910	65	110	28	22.5	28	131	195	1.05
6379	6320	65.088	135.755	53.975	44.45	56.007	298	404	3.62
5595	5535	65.883	122.238	43.655	36.512	43.764	219	327	2.21
29590	29520	66.675	107.95	25.4	19.05	25.4	102	161	0.85
395-S	394A	66.675	110	22	18.825	21.996	91.6	125	0.79
39590	39520	66.675	112.712	30.162	23.812	30.162	155	224	1.17
39590	39521	66.675	112.712	30.162	23.812	30.162	155	224	1.18
39591	39520	66.675	112.712	30.162	23.812	30.162	155	224	1.15

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
395A	394A	66.675	110	22	18.825	21.996	91.6	125	0.79
3984	3926	66.675	112.712	33.338	26.988	30.048	129	191	1.23
3984	3920	66.675	112.712	30.162	23.812	30.048	129	191	1.15
3984	3925	66.675	112.712	30.162	23.812	30.048	129	191	1.16
3992	3926	66.675	112.712	32.512	26.988	29.223	129	191	1.22
3992	3925	66.675	112.712	29.337	23.812	29.223	129	191	1.14
3992	3920	66.675	112.712	29.337	23.812	29.223	129	191	1.13
3994	3925	66.675	112.712	30.162	23.812	30.048	129	191	1.16
3994	3920	66.675	112.712	30.162	23.812	30.048	129	191	1.15
3994	3926	66.675	112.712	33.338	26.988	30.048	129	191	1.23
560	552A	66.675	123.825	38.1	30.162	36.678	177	248	1.89
6386	6320	66.675	135.755	53.975	44.45	56.007	298	404	3.54
6389	6320	66.675	135.755	53.975	44.45	56.007	298	404	3.52
641	632	66.675	136.525	41.275	31.75	41.275	216	298	2.73
641	633	66.675	130.175	41.275	31.75	41.275	216	298	2.39
H414242	H414210	66.675	136.525	41.275	31.75	41.275	252	335	2.81
H715341	H715311	66.675	136.525	46.038	36.512	46.038	249	405	3.3
HH814547	HH814510	66.675	152.4	53.975	41.275	57.15	313	423	4.87
HH914449	HH914412	66.675	177.8	57.15	37.308	53.975	352	413	6.74
HM212049	HM212010	66.675	122.238	38.1	29.718	38.354	209	279	1.87
HM212049	HM212011	66.675	122.238	38.1	29.718	38.354	209	279	1.87
HM212049X	HM212011	66.675	122.238	38.1	29.718	38.354	209	279	1.86
HM813844	HM813810	66.675	127	36.512	26.988	36.512	179	256	2.02
HM813844	HM813811	66.675	127	36.512	26.988	36.512	179	256	2.02
L812148	L812111	66.675	103.213	17.602	11.989	17.602	64.8	89.1	0.51
33269	33462	68.262	117.475	30.162	23.812	30.162	128	197	1.29
399A	394A	68.262	110	22	18.825	21.996	91.6	125	0.76
399AS	394A	68.262	110	22	18.825	21.996	91.6	125	0.74
480	472	68.262	120	29.794	24.237	29.007	133	186	1.35
560-S	552A	68.262	123.825	38.1	30.162	36.678	177	248	1.84
570	563	68.262	127	36.512	28.575	36.17	182	262	1.94
9185	9121	68.262	152.4	47.625	31.75	46.038	264	306	3.84
9278	9220	68.262	161.925	49.212	31.75	46.038	275	330	4.64
H715343	H715311	68.262	136.525	46.038	36.512	46.038	249	405	3.24
H715343	H715310	68.262	139.7	46.038	36.512	46.038	249	405	3.42
H914841	H914811	68.262	152.4	47.625	35.1	46.038	256	401	4.41
29675	29630	69.85	120.65	25.4	19.05	25.4	102	166	1.17
29675	29620	69.85	112.712	25.4	19.05	25.4	102	166	0.96
33275	33462	69.85	117.475	30.162	23.812	30.162	128	197	1.25
47487	47420	69.85	120	32.545	26.195	32.545	166	249	1.46
47487	47420A	69.85	120	32.545	26.195	32.545	166	249	1.47
482	472A	69.85	120	29.002	23.444	29.007	133	186	1.28

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
482	472	69.85	120	29.794	24.237	29.007	133	186	1.31
566	563	69.85	127	36.512	28.575	36.17	182	262	1.9
643	632	69.85	136.525	41.275	31.75	41.275	216	298	2.62
655	653	69.85	146.05	41.275	31.75	41.275	229	335	3.24
745A	742	69.85	150.089	44.45	36.512	46.672	294	417	3.9
835	832	69.85	168.275	53.975	41.275	56.363	379	522	6.09
DX896243	DX502208	69.85	168.275	53.975	41.275	56.363	466	522	6.09
H913849	H913810	69.85	146.05	41.275	25.4	39.688	213	256	2.86
HM914545	HM914510	69.85	146.05	36.512	23.812	33.338	161	202	2.56
L713049	L713010	69.85	101.6	19.05	15.083	19.05	61.9	111	0.51
LL713149	LL713110	69.85	99.217	17	13	16	45.2	75	0.38
LM613449	LM613410	69.85	112.712	22.225	15.875	21.996	93.4	130	0.78
34274	34478	69.952	121.442	24.608	17.462	23.012	94.6	136	1.08
34274	34492A	69.952	125.052	23.731	16.4	23.012	94.6	136	1.15
H715347	H715311	69.987	136.525	46.038	36.512	46.038	249	405	3.17
H916642	H916610	69.987	176.212	54.77	36.512	53.183	339	431	6.39
30214	30214	70	125	26.25	21	24	128	157	1.26
31314	31314	70	150	38	25	35	203	244	2.93
32014X	32014X	70	110	25	19	25	104	163	0.89
32214	32214	70	125	33.25	27	31	169	224	1.63
33014	33014	70	110	31	25.5	31	142	236	1.1
33114	33114	70	120	37	29	37	183	270	1.68
33214	33214	70	125	41	32	41	220	314	2.11
484	472	70	120	29.794	24.237	29.007	133	186	1.31
JF7049	JF7010	70	130	43	35	42	254	360	2.5
JF7049A	JF7010	70	130	43	35	42	254	360	2.46
JH913848	JH913811	70	150	41.28	25.4	39.688	213	256	3.04
JLM813049	JLM813010	70	110	26	20.5	25	106	168	0.88
JM612949	JM612910	70	115	29	23	29	139	198	1.13
JP7049	JP7010	70	110	21	15.5	20	84.8	112	0.69
JW7049	JW7010	70	140	39	27	35.5	189	257	2.64
29680	29620	70.637	112.712	25.4	19.05	25.4	102	166	0.95
33281	33462	71.438	117.475	30.162	23.812	30.162	128	197	1.21
47490	47420	71.438	120	32.545	26.195	32.545	166	249	1.41
495-S	493	71.438	136.525	30.162	22.225	29.769	143	216	1.93
567A	563	71.438	127	36.512	28.575	36.17	182	262	1.85
644	632	71.438	136.525	41.275	31.75	41.275	216	298	2.57
645	633	71.438	130.175	41.275	31.75	41.275	216	298	2.19
H414249	H414210	71.438	136.525	41.275	31.75	41.275	252	335	2.65
H715345	H715311	71.438	136.525	46.038	36.512	46.038	249	405	3.12
HM813849	HM813810	71.438	127	36.512	26.988	36.512	179	256	1.87
29685	29620	73.025	112.712	25.4	19.05	25.4	102	166	0.89

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
33287	33472	73.025	120	29.794	23.444	30.162	128	197	1.26
33287	33462	73.025	117.475	30.162	23.812	30.162	128	197	1.17
567	563	73.025	127	36.512	28.575	36.17	182	262	1.79
576	572	73.025	139.992	36.512	28.575	36.098	191	291	2.47
6460	6420	73.025	149.225	53.975	44.45	54.229	321	463	4.39
657	653	73.025	146.05	41.275	31.75	41.275	229	335	3.13
744	742	73.025	150.089	44.45	36.512	46.672	294	417	3.77
762	752	73.025	161.925	47.625	38.1	48.26	303	441	4.79
29688	29620	73.817	112.712	25.4	19.05	25.4	102	166	0.87
568	563	73.817	127	36.512	28.575	36.17	182	262	1.78
577	572	74.612	139.992	36.512	28.575	36.098	191	291	2.42
30215	30215	75	130	27.25	22	25	141	179	1.35
30315	30315	75	160	40	31	37	277	338	3.69
31315	31315	75	160	40	26	37	236	288	3.46
32015X	32015X	75	115	25	19	25	106	170	0.92
32215	32215	75	130	33.25	27	31	170	227	1.7
33015	33015	75	115	31	25.5	31	146	239	1.16
33115	33115	75	125	37	29	37	189	287	1.77
33215	33215	75	130	41	31	41	219	316	2.18
JH415647	JH415610	75	145	51	42	51	321	463	3.81
JLM714149	JLM714110	75	115	25	19	25	110	167	0.87
JM714249	JM714210	75	120	31	25	29.5	148	229	1.3
JM714249A	JM714210	75	120	31	25	29.5	148	229	1.27
27684	27620	76.2	125.412	25.4	19.845	25.4	109	178	1.2
34300	34478	76.2	121.442	24.608	17.462	23.012	94.6	136	0.96
34301	34478	76.2	121.442	24.608	17.462	23.012	94.6	136	0.95
42687	42620	76.2	127	30.162	22.225	31	149	222	1.43
42688	42620	76.2	127	30.162	22.225	31	149	222	1.4
47678	47620	76.2	133.35	33.338	26.195	33.338	167	262	1.88
47679	47620	76.2	133.35	33.338	26.195	33.338	167	262	1.9
47680	47620	76.2	133.35	33.338	26.195	33.338	167	262	1.92
495A	493	76.2	136.525	30.162	22.225	29.769	143	216	1.8
495AX	493	76.2	136.525	30.162	22.225	29.769	143	216	1.77
575	572	76.2	139.992	36.512	28.575	36.098	191	291	2.37
575-S	572	76.2	139.992	36.512	28.575	36.098	191	291	2.33
5760	5735	76.2	135.733	44.45	34.925	46.1	237	380	2.7
590A	592A	76.2	152.4	39.688	30.162	36.322	200	319	3.22
6461	6420	76.2	149.225	53.975	44.45	54.229	321	463	4.24
6461A	6420	76.2	149.225	53.975	44.45	54.229	321	463	4.16
6575	6535	76.2	161.925	53.975	42.862	55.1	343	523	5.38
6576C	6535	76.2	161.925	53.975	42.862	55.1	343	523	5.41
659	653	76.2	146.05	41.275	31.75	41.275	229	335	3.01

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
748-S	742	76.2	150.089	44.45	36.512	46.672	294	417	3.63
755	752	76.2	161.925	47.625	38.1	48.26	303	441	4.68
9285	9220	76.2	161.925	49.212	31.75	46.038	275	330	4.32
9380	9321	76.2	171.45	49.212	31.75	46.038	284	351	5.11
H917840	H917810	76.2	180.975	53.975	35.72	53.183	350	458	6.55
HH221430	HH221410	76.2	190.5	57.15	46.038	57.531	494	692	8.87
HM516442	HM516410	76.2	133.35	39.688	32.545	39.688	202	353	2.42
L814749	L814710	76.2	109.538	19.05	15.083	19.05	64.1	120	0.6
LL714649	LL714610	76.2	105.57	13.495	9.525	13.495	37.9	61	0.33
34306	34478	77.788	121.442	24.608	17.462	23.012	94.6	136	0.91
42690	42620	77.788	127	30.162	22.225	31	149	222	1.38
5795	5735	77.788	135.733	44.45	34.925	46.1	237	380	2.63
H715348	H715311	77.788	136.525	46.038	36.512	46.038	249	405	2.85
LM814849	LM814810	77.788	117.475	25.4	19.05	25.4	109	183	0.9
661	653	79.375	146.05	41.275	31.75	41.275	229	335	2.88
756A	752	79.375	161.925	47.625	38.1	48.26	303	441	4.48
HH221431	HH221410	79.375	190.5	57.15	46.038	57.531	494	692	8.69
HM218238	HM218210	79.975	146.975	40	32.5	40	254	388	2.99
578	572	79.985	139.992	36.512	28.575	36.098	191	291	2.24
30216	30216	80	140	28.25	22	26	151	187	1.63
30316	30316	80	170	42.5	33	39	309	379	4.33
32016X	32016X	80	125	29	22	29	154	238	1.28
32216	32216	80	140	35.25	28	33	190	249	2.05
32316	32316	80	170	61.5	48	58	414	563	6.35
33116	33116	80	130	37	29	37	193	300	1.88
33216	33216	80	140	46	35	46	275	409	2.94
JM515649	JM515610	80	130	35	28.5	34	184	283	1.71
JP8049	JP8010	80	125	24	17.5	22.5	105	141	0.96
JW8049	JW8010	80	160	45	31	41	244	339	4.04
47681	47620	80.962	133.35	33.338	26.195	33.338	167	262	1.75
496	493	80.962	136.525	30.162	22.225	29.769	143	216	1.66
581	572	80.962	139.992	36.512	28.575	36.098	191	291	2.2
740	742	80.962	150.089	44.45	36.512	46.672	294	417	3.4
27687	27620	82.55	125.412	25.4	19.845	25.4	109	178	1.04
47686	47620	82.55	133.35	33.338	26.195	33.338	167	262	1.7
47686	47620A	82.55	133.35	33.338	26.195	33.338	167	262	1.71
47687	47620	82.55	133.35	33.338	26.195	33.338	167	262	1.66
495	493	82.55	136.525	30.162	22.225	29.769	143	216	1.61
580	572	82.55	139.992	36.512	28.575	36.098	191	291	2.14
582	572	82.55	139.992	36.512	28.575	36.098	191	291	2.11
595	592A	82.55	152.4	39.688	30.162	36.322	200	319	2.99
6559C	6535	82.55	161.925	53.975	42.862	55.1	343	523	5.06

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
663	652	82.55	152.4	41.275	31.75	41.275	229	335	3.12
663	653	82.55	146.05	41.275	31.75	41.275	229	335	2.75
749A	742	82.55	150.089	44.45	36.512	46.672	294	417	3.34
750A	742	82.55	150.089	44.45	36.512	46.672	294	417	3.31
757	752	82.55	161.925	47.625	38.1	48.26	303	441	4.38
842	832	82.55	168.275	53.975	41.275	56.363	379	522	5.42
HM516448	HM516410	82.55	133.35	39.688	32.545	39.688	202	353	2.16
HM516449A	HM516410	82.55	133.35	39.688	32.545	39.688	202	353	2.11
HM516449C	HM516410	82.55	133.35	39.688	32.545	39.688	202	353	2.16
L116149	L116110	82.55	115.888	20.638	16.67	21.433	83.5	147	0.66
27689	27620	83.345	125.412	25.4	19.845	25.4	109	178	1.03
27690	27620	83.345	125.412	25.4	19.845	25.4	109	178	1.02
27691	27620	83.345	125.412	25.4	19.845	25.4	109	178	0.99
47688	47620	83.345	133.35	33.338	26.195	33.338	167	262	1.67
498	493	84.138	136.525	30.162	22.225	29.769	143	216	1.56
9386H	9321	84.138	171.45	49.212	31.75	46.038	284	351	4.7
30217	30217	85	150	30.5	24	28	185	236	2.1
30317	30317	85	180	44.5	34	41	340	418	4.78
32017X	32017X	85	130	29	22	29	151	235	1.35
32217	32217	85	150	38.5	30	36	227	305	2.64
33117	33117	85	140	41	32	41	235	386	2.48
33217	33217	85	150	49	37	49	325	483	3.61
90334	90744	85	188.912	53.297	31.75	52.761	299	392	6.57
JH217249	JH217210	85	150	46	38	46	307	446	3.34
JHM516849	JHM516810	85	140	39	31.5	38	220	339	2.27
JM716648	JM716610	85	130	30	24	29	149	245	1.32
JM716649	JM716610	85	130	30	24	29	149	245	1.36
749	742	85.026	150.089	44.45	36.512	46.672	294	417	3.24
749-S	742	85.026	150.089	44.45	36.512	46.672	294	417	3.21
497	492A	85.725	133.35	30.162	22.225	29.769	143	216	1.4
497	493	85.725	136.525	30.162	22.225	29.769	143	216	1.51
497A	493	85.725	136.525	30.162	22.225	29.769	143	216	1.48
596	592A	85.725	152.4	39.688	30.162	36.322	200	319	2.87
665	653	85.725	146.05	41.275	31.75	41.275	229	335	2.61
665A	653	85.725	146.05	41.275	31.75	41.275	229	335	2.58
677	672	85.725	168.275	41.275	30.162	41.275	245	386	4.12
758	752	85.725	161.925	47.625	38.1	48.26	303	441	4.22
841	832	85.725	168.275	53.975	41.275	56.363	379	522	5.24
HM617049	HM617010	85.725	142.138	42.862	34.133	42.862	242	399	2.71
42346	42584	87.96	148.43	28.575	21.433	28.971	151	241	1.97
42350	42584	88.9	148.43	28.575	21.433	28.971	151	241	1.94
593	592A	88.9	152.4	39.688	30.162	36.322	200	319	2.75

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
593A	592A	88.9	152.4	39.688	30.162	36.322	200	319	2.71
6580	6535	88.9	161.925	53.975	42.862	55.1	343	523	4.7
679	672	88.9	168.275	41.275	30.162	41.275	245	386	3.98
759	752	88.9	161.925	47.625	38.1	48.26	303	441	4.06
766	752	88.9	161.925	47.625	38.1	48.26	303	441	4.02
850	832	88.9	168.275	53.975	41.275	56.363	379	522	5.04
855	854	88.9	190.5	57.15	44.45	57.531	424	630	7.65
98350	98788	88.9	200	52.761	34.925	49.212	376	519	7.56
HH221434	HH221410	88.9	190.5	57.15	46.038	57.531	494	692	8.07
HM518445	HM518410	88.9	152.4	39.688	30.162	39.688	275	404	2.81
L217849	L217810	88.9	123.825	20.638	16.67	20.638	85.8	156	0.75
LL217849	LL217810	88.9	121.442	15.083	11.112	15.083	55.1	88.7	0.48
HM218248	HM218210	89.975	146.975	40	32.5	40	254	388	2.57
30218	30218	90	160	32.5	26	30	222	294	2.62
31318	31318	90	190	46.5	30	43	322	400	5.55
32018X	32018X	90	140	32	24	32	170	264	1.73
32218	32218	90	160	42.5	34	40	291	408	3.48
33118	33118	90	150	45	35	45	284	447	3.16
J90354	J90748	90	190	50.8	31.75	46.038	299	392	6.04
JHM318448	JHM318410	90	155	44	35.5	44	306	447	3.31
JM718149	JM718110	90	145	35	27	34	206	313	2.14
JM718149A	JM718110	90	145	35	27	34	206	313	2.13
760	752	90.488	161.925	47.625	38.1	48.26	303	441	3.97
LM718947	LM718910	91.975	142.875	30	22	30	152	240	1.63
47890	47820	92.075	146.05	33.338	26.195	34.925	182	307	2.05
598	592A	92.075	152.4	39.688	30.162	36.322	200	319	2.62
598A	592A	92.075	152.4	39.688	30.162	36.322	200	319	2.59
681	672	92.075	168.275	41.275	30.162	41.275	245	386	3.83
681A	672	92.075	168.275	41.275	30.162	41.275	245	386	3.8
77362	77675	92.075	171.45	47.625	38.1	48.26	315	474	4.83
778	772	92.075	180.975	47.625	38.1	48.006	320	495	5.57
857	854	92.075	190.5	57.15	44.45	57.531	424	630	7.45
42368	42584	93.662	148.43	28.575	21.433	28.971	151	241	1.78
30219	30219	95	170	34.5	27	32	245	325	3.14
32019X	32019X	95	145	32	24	32	172	274	1.8
32219	32219	95	170	45.5	37	43	293	401	4.1
33019	33019	95	145	39	32.5	39	228	378	2.25
JL819349	JL819310	95	135	20	14	20	76.9	133	0.85
JM719149	JM719113	95	150	35	27	34	199	316	2.17
JP10044	JP10010	95	145	24	17.5	22.5	116	172	1.27
42375	42584	95.25	148.43	28.575	21.433	28.971	151	241	1.74
47896	47820	95.25	146.05	33.338	26.195	34.925	182	307	1.93

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
52375	52618	95.25	157.162	36.512	26.195	36.116	207	343	2.68
594	592A	95.25	152.4	39.688	30.162	36.322	200	319	2.48
594A	592A	95.25	152.4	39.688	30.162	36.322	200	319	2.47
594A	592XE	95.25	147.638	35.717	26.192	36.322	200	319	2.07
594A	592XS	95.25	147.638	35.717	26.192	36.322	200	319	2.05
683	672	95.25	168.275	41.275	30.162	41.275	245	386	3.68
683XA	672	95.25	168.275	41.275	30.162	41.275	245	386	3.67
77375	77675	95.25	171.45	47.625	38.1	48.26	315	474	4.65
776	772	95.25	180.975	47.625	38.1	48.006	320	495	5.4
864	854	95.25	190.5	57.15	44.45	57.531	424	630	7.24
HH221440	HH221410	95.25	190.5	57.15	46.038	57.531	494	692	7.65
L319249	L319210	95.25	130.175	20.638	16.67	21.433	88.3	166	0.79
LL319349	LL319310	95.25	128.588	15.875	11.908	15.083	58.8	99.4	0.53
42381	42584	96.838	148.43	28.575	21.433	28.971	151	241	1.67
90381	90744	96.838	188.912	50.8	31.75	46.038	299	392	5.59
52387	52618	98.425	157.162	36.512	26.195	36.116	207	343	2.54
685	672	98.425	168.275	41.275	30.162	41.275	245	386	3.53
HH421246C	HH421210	98.425	184.15	63.5	52.388	63.5	491	772	7.27
HM220149	HM220110	99.975	156.975	42	34	42	278	438	2.82
30220	30220	100	180	37	29	34	279	376	3.77
32020X	32020X	100	150	32	24	32	180	295	1.9
32220	32220	100	180	49	39	46	364	521	5
33020	33020	100	150	39	32.5	39	232	393	2.36
JHM720249	JHM720210	100	160	41	32	40	259	416	3
JLM820048	JLM820012	100	150	32	26	30	150	242	1.81
JM720249	JM720210	100	155	36	28	35	214	355	2.37
JP10049	JP10010	100	145	24	17.5	22.5	116	172	1.13
52393	52618	100.012	157.162	36.512	26.195	36.116	207	343	2.47
52400	52637	101.6	161.925	36.512	26.195	36.116	207	343	2.65
52400	52638	101.6	161.925	39.688	29.37	36.116	207	343	2.82
52400	52618	101.6	157.162	36.512	26.195	36.116	207	343	2.41
687	672	101.6	168.275	41.275	30.162	41.275	245	386	3.36
780	772	101.6	180.975	47.625	38.1	48.006	320	495	5.03
861	854	101.6	190.5	57.15	44.45	57.531	424	630	6.79
941	932	101.6	212.725	66.675	53.975	66.675	530	786	10.95
98400	98788	101.6	200	52.761	34.925	49.212	376	519	6.82
H924033	H924010	101.6	214.312	55.562	39.688	52.388	435	610	8.97
HH221449	HH221410	101.6	190.5	57.15	46.038	57.531	494	692	7.2
HH221449A	HH221410	101.6	190.5	57.15	46.038	57.531	494	692	7.27
HH224335	HH224310	101.6	212.725	66.675	53.975	66.675	630	906	11.57
HH923649	HH923610	101.6	250.825	76.2	50.8	73.025	647	827	17.48
HH923649	HH923611	101.6	250.825	76.2	50.8	73.025	647	827	17.57

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
L420449	L420410	101.6	136.525	21.433	16.67	21.433	90.5	175	0.85
L521945	L521910	101.6	146.05	21.433	16.67	21.433	88.9	175	1.17
LL420549	LL420510	101.6	134.938	15.875	11.908	15.083	60.1	104	0.56
71412	71750	104.775	190.5	47.625	34.925	49.212	337	543	5.78
782	772	104.775	180.975	47.625	38.1	48.006	320	495	4.83
786	772	104.775	180.975	47.625	38.1	48.006	320	495	4.8
787	772	104.775	180.975	47.625	38.1	48.006	320	495	4.78
30221	30221	105	190	39	30	36	303	410	4.49
32021X	32021X	105	160	35	26	35	210	339	2.4
32221	32221	105	190	53	43	50	369	516	5.94
33021	33021	105	160	43	34	43	269	449	2.95
56418	56650	106.362	165.1	36.512	26.988	36.512	210	355	2.7
LM121349	LM121310	106.975	146.975	28.5	24	28	158	285	1.31
37425	37625	107.95	158.75	23.02	15.875	21.438	107	179	1.35
48190	48120	107.95	161.925	34.925	26.988	34.925	178	308	2.34
56425	56650	107.95	165.1	36.512	26.988	36.512	210	355	2.62
56425	56662	107.95	168.275	36.512	26.988	36.512	210	355	2.8
56426	56650	107.95	165.1	36.512	26.988	36.512	210	355	2.56
71425	71750	107.95	190.5	47.625	34.925	49.212	337	543	5.57
936	932	107.95	212.725	66.675	53.975	66.675	530	786	10.38
L521949	L521914	107.95	152.4	21.433	16.67	21.433	88.9	175	1.19
L521949	L521910	107.95	146.05	21.433	16.67	21.433	88.9	175	0.99
LM522546	LM522510	107.95	159.987	34.925	26.987	34.925	181	357	2.36
37431	37625	109.538	158.75	23.02	15.875	21.438	107	179	1.31
37431A	37625	109.538	158.75	23.02	15.875	21.438	107	179	1.3
64432	64700	109.975	177.8	41.275	30.162	41.275	254	419	3.7
LM522548	LM522510	109.987	159.987	34.925	26.987	34.925	181	357	2.2
LM522549	LM522510	109.987	159.987	34.925	26.987	34.925	181	357	2.27
64433	64700	109.992	177.8	41.275	30.162	41.275	254	419	3.7
30222	30222	110	200	41	32	38	328	436	5.19
32022X	32022X	110	170	38	29	38	261	433	3.08
32222	32222	110	200	56	46	53	456	668	7.29
33022	33022	110	170	47	37	47	315	563	3.84
JHM522649	JHM522610	110	180	47	38	46	344	554	4.61
JM822049	JM822010	110	165	35	26.5	35	210	356	2.46
DX106131	DX487275	111.125	214.312	55.562	39.688	52.388	536	610	8.31
H924045	H924010	111.125	214.312	55.562	39.688	52.388	435	610	8.31
64450	64708	114.3	179.974	41.275	30.162	41.275	254	419	3.6
64450	64700	114.3	177.8	41.275	30.162	41.275	254	419	3.46
68450	68712	114.3	180.975	34.925	25.4	31.75	181	271	2.88
71450	71750	114.3	190.5	47.625	34.925	49.212	337	543	5.15
938	932	114.3	212.725	66.675	53.975	66.675	530	786	9.82

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
HH224346	HH224310	114.3	212.725	66.675	53.975	66.675	630	906	10.44
HH926744	HH926716	114.3	279.4	82.55	53.975	82.55	832	1080	23.15
HH926744	HH926710	114.3	273.05	82.55	53.975	82.55	832	1080	21.99
HM926740	HM926710	114.3	228.6	53.975	38.1	49.428	458	673	9.68
L623149	L623110	114.3	152.4	21.433	16.67	21.432	92.4	188	1.05
LM122948	LM122911	114.3	158.75	34.925	30.162	34.925	188	357	1.99
JLM722948	JLM722912	115	165	28	21	27	148	245	1.76
71453	71750	115.087	190.5	47.625	34.925	49.212	337	543	5.09
68462	68712	117.475	180.975	34.925	25.4	31.75	181	271	2.74
68462	68709	117.475	179.974	34.925	25.4	31.75	181	271	2.71
68463	68712	117.475	180.975	34.925	25.4	31.75	181	271	2.66
30224	30224	120	215	43.5	34	40	364	501	6.23
32024X	32024X	120	180	38	29	38	269	464	3.27
32224	32224	120	215	61.5	50	58	543	832	9.26
32924	32924	120	165	29	23	29	164	303	1.79
JL724348	JL724314	120	170	25.4	19.05	25.4	134	231	1.62
48282	48220	120.65	182.562	39.688	33.338	38.1	248	493	3.67
795	792	120.65	206.375	47.625	34.925	47.625	350	593	6.32
95475	95925	120.65	234.95	63.5	49.212	63.5	582	931	12.35
HH228340	HH228310	120.65	254	77.788	61.912	82.55	843	1240	18.57
HH926749	HH926710	120.65	273.05	82.55	53.975	82.55	832	1080	21.23
HM624749	HM624710	120.65	190.5	46.038	34.925	46.038	335	543	4.67
L225842	L225810	120.65	169.862	25.4	20.638	26.195	132	273	1.86
L624549	L624510	120.65	160.338	21.433	16.67	21.433	97.5	206	1.16
L624549	L624514	120.65	161.925	21.433	16.67	21.433	97.5	206	1.21
M224749	M224711	120.65	172.242	35.72	27.783	36.512	226	422	2.55
M224749	M224710	120.65	174.625	35.72	27.783	36.512	226	422	2.69
48286	48220	123.825	182.562	39.688	33.338	38.1	248	493	3.49
JL725346	JL725316	125	175	25.4	18.288	25.4	139	246	1.7
48290	48220	127	182.562	39.688	33.338	38.1	248	493	3.3
67388	67322	127	196.85	46.038	38.1	46.038	340	625	5.01
74500	74850	127	215.9	47.625	34.925	47.625	354	614	7.01
95500	95905	127	230	63.5	49.212	63.5	582	931	11
95500	95925	127	234.95	63.5	49.212	63.5	582	931	11.73
HH228349	HH228310	127	254	77.788	61.912	82.55	843	1240	17.77
HH231637	HH231615	127	295.275	82.55	57.15	87.312	977	1340	27.8
HH932132	HH932110	127	304.8	88.9	57.15	82.55	904	1250	29.53
HM926747	HM926710	127	228.6	53.975	38.1	49.428	458	673	8.75
L225849	L225818	127	180.975	25.4	20.638	26.195	132	273	2.1
L225849	L225810	127	169.862	25.4	20.638	26.195	132	273	1.61
LL225749	LL225710	127	165.895	18.258	13.495	17.462	83.5	153	0.92
HM926749	HM926710	127.792	228.6	53.975	38.1	49.428	458	673	8.68

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
799	792	128.588	206.375	47.625	34.925	47.625	350	593	5.74
30226	30226	130	230	43.75	34	40	399	550	7.05
32026X	32026X	130	200	45	34	45	359	620	4.95
32226	32226	130	230	67.75	54	64	631	980	11.56
797	792	130	206.375	47.625	34.925	47.625	350	593	5.63
JP13049	JP13010	130	185	29	21	27	181	283	2.16
67389	67322	130.175	196.85	46.038	38.1	46.038	340	625	4.78
48385	48320	133.35	190.5	39.688	33.338	39.688	262	542	3.56
67390	67322	133.35	196.85	46.038	38.1	46.038	340	625	4.55
67391	67322	133.35	196.85	46.038	38.1	46.038	340	625	4.53
74525	74850	133.35	215.9	47.625	34.925	47.625	354	614	6.52
95525	95925	133.35	234.95	63.5	49.212	63.5	582	931	10.99
95528	95925	133.35	234.95	63.5	49.212	63.5	582	931	11.11
L327249	L327210	133.35	177.008	25.4	20.638	26.195	136	289	1.71
48393	48320	136.525	190.5	39.688	33.338	39.688	262	542	3.35
74537	74850	136.525	215.9	47.625	34.925	47.625	354	614	6.27
896	892	136.525	228.6	57.15	44.45	57.15	482	809	8.97
LM229140C	LM229110	136.525	194.975	33	27.5	33	236	459	3.11
74550	74845	139.7	214.975	47.625	34.925	47.625	354	614	5.91
74550	74850	139.7	215.9	47.625	34.925	47.625	354	614	6.01
74550A	74850	139.7	215.9	47.625	34.925	47.625	354	614	5.96
898	892	139.7	228.6	57.15	44.45	57.15	482	809	8.66
898A	892	139.7	228.6	57.15	44.45	57.15	482	809	8.62
99550	99100	139.7	254	66.675	47.625	66.675	611	1030	14
DX941576	DX609011	139.7	288.925	82.55	57.15	87.312	1200	1340	24.3
HH231649	HH231615	139.7	295.275	82.55	57.15	87.312	977	1340	26.12
HH231649	HH231610	139.7	288.925	82.55	57.15	87.312	977	1340	24.3
HH234031	HH234010	139.7	307.975	88.9	66.675	93.662	1130	1580	31.29
HM231132	HM231110	139.7	236.538	57.15	44.45	56.642	553	932	9.93
LL428349	LL428310	139.7	180.975	21.433	16.67	20.638	105	211	1.31
LM328448	LM328410	139.7	187.325	28.575	23.02	29.37	177	375	2.25
30228	30228	140	250	45.75	36	42	465	649	8.23
32028X	32028X	140	210	45	34	45	365	646	5.24
32928	32928	140	190	32	25	32	207	398	2.51
JP14049	JP14010	140	195	29	21	27	188	304	2.31
48684	48620	142.875	200.025	41.275	34.13	39.688	265	560	3.74
48685	48620	142.875	200.025	41.275	34.13	39.688	265	560	3.84
82562A	82950	142.875	241.3	57.15	44.45	56.642	477	810	10.09
82562A	82931	142.875	236.538	57.15	44.45	56.642	477	810	9.47
LM229147C	LM229110	142.875	194.975	33	27.5	33	236	459	2.75
36690	36620	146.05	193.675	28.575	23.02	28.575	182	394	2.27
36691	36620	146.05	193.675	28.575	23.02	28.575	182	394	2.23

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
82576	82931	146.05	236.538	57.15	44.45	56.642	477	810	9.24
82576	82950	146.05	241.3	57.15	44.45	56.642	477	810	9.87
99575	99100	146.05	254	66.675	47.625	66.675	611	1030	13.25
DX680507	DX909454	146.05	268.288	74.612	57.15	74.612	894	1170	17.55
EE107057	107105	146.05	268.288	74.612	57.15	74.612	726	1170	17.55
HH932145	HH932110	146.05	304.8	88.9	57.15	82.55	904	1250	26.88
HH932145	HH932115	146.05	311.15	88.9	57.15	82.55	904	1250	28.13
LL529749	LL529710	146.05	188.12	22.225	16.67	20.638	105	214	1.4
M229349	M229310	146.05	203.2	45.1	38.1	40	309	573	4.01
HM231148	HM231110	149.225	236.538	57.15	44.45	56.642	553	932	8.92
30230	30230	150	270	49	38	45	521	732	11.08
32030X	32030X	150	225	48	36	48.001	410	730	6.38
32930	32930	150	210	38	30	38	300	573	4
JL730646	JL730612	150	205	28.58	21.438	28.575	179	339	2.7
H432649	H432610	152.387	269.875	77	64	77.788	760	1180	18.1
99600	99100	152.4	254	66.675	47.625	66.675	611	1030	12.47
EE107060	107105	152.4	268.288	74.612	57.15	74.612	726	1170	16.68
EE450601	451212	152.4	307.975	88.9	61.912	93.662	975	1480	28.67
HH234048	HH234010	152.4	307.975	88.9	66.675	93.662	1130	1580	29.14
HH234049	HH234010	152.4	307.975	88.9	66.675	93.662	1130	1580	27.28
L630349	L630310	152.4	192.088	25	19	24	132	277	1.57
L730649	L730610	152.4	203.2	28.575	21.438	28.575	179	339	2.44
LM330448	LM330410	152.4	203.2	41.275	34.925	41.275	262	556	3.48
M231648	M231610	152.4	222.25	46.83	34.925	46.83	349	668	5.7
M231649	M231610	152.4	222.25	46.83	34.925	46.83	349	668	5.8
H936340	H936310	155.575	330.2	85.725	53.975	79.375	960	1400	31.47
H936340	H936316	155.575	342.9	85.725	53.975	79.375	960	1400	34.29
46780	46720	158.75	225.425	41.275	33.338	39.688	281	635	5.15
EE280626	281200	158.75	304.8	66.675	42.862	69.106	591	867	20.38
L432348	L432310	158.75	205.583	23.812	18.258	23.812	136	280	1.88
L432349	L432310	158.75	205.583	23.812	18.258	23.812	136	280	1.92
32032X	32032X	160	240	51	38	51	471	853	7.9
JM734445	JM734410	160	240	46	37	44.5	393	759	7.18
JP16049	JP16010	160	220	32	23	30	224	372	3.17
HM237532	HM237510	160.325	288.925	63.5	47.625	63.5	763	1240	17.83
46790	46720	165.1	225.425	41.275	33.338	39.688	281	635	4.64
67780	67720	165.1	247.65	47.625	38.1	47.625	375	779	7.95
86650	86100	165.1	254	46.038	33.338	46.038	389	644	7.55
94649	94113	165.1	288.925	63.5	47.625	63.5	611	1070	17
EE219065	219122	165.1	311.15	82.55	63.5	82.55	909	1520	27.24
EE219065	219117	165.1	298.45	82.55	63.5	82.55	909	1520	24.23
H238140	H238110	165.1	311.15	82.55	65.088	82.55	1040	1680	28.34

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
HH437549	HH437510	165.1	336.55	92.075	69.85	95.25	1290	1930	37.04
HM237535	HM237510	165.1	288.925	63.5	47.625	63.5	763	1240	17.22
M235145	M235113	165.1	254	46.038	33.338	46.038	438	740	7.77
46792	46720	166.687	225.425	41.275	33.338	39.687	281	635	4.51
67782	67720	168.275	247.65	47.625	38.1	47.625	375	779	7.64
H936349	H936310	168.275	330.2	85.725	53.975	79.375	960	1400	29.45
32034X	32034X	170	260	57	43	57	579	1050	10.57
32934	32934	170	230	38	30	38	333	652	4.4
86669	86100	170	254	46.038	33.338	46.038	389	644	7.09
JHM534149	JHM534110	170	230	39	31	38	310	590	4.32
JM734449	JM734410	170	240	46	37	44.5	393	759	6.28
JP17049	JP17010	170	230	32	23	30	232	398	3.43
HM535349	HM535310	171.45	260.35	66.675	52.388	66.675	605	1180	12.42
L435049	L435010	171.45	222.25	25.4	19.05	24.608	154	311	2.34
67786	67720	174.625	247.65	47.625	38.1	47.625	375	779	6.89
67787	67720	174.625	247.65	47.625	38.1	47.625	375	779	7
94687	94113	174.625	288.925	63.5	47.625	63.5	611	1070	15.73
EE219068	219122	174.625	311.15	82.55	63.5	82.55	909	1520	25.6
EE219068	219117	174.625	298.45	82.55	63.5	82.55	909	1520	22.59
H238148	H238110	174.625	311.15	82.55	65.088	82.55	1040	1680	26.69
HM237542	HM237510	174.625	288.925	63.5	47.625	63.5	763	1240	15.95
M236845	M236810	174.625	260.35	53.975	41.275	53.975	497	933	9.43
36990	36920	177.8	227.012	30.162	23.02	30.162	194	458	2.89
67790	67720	177.8	247.65	47.625	38.1	47.625	375	779	6.68
67791	67720	177.8	247.65	47.625	38.1	47.625	375	779	6.46
82680X	82620	177.8	279.4	61.912	43.655	61.912	524	979	13.08
94700	94113	177.8	288.925	63.5	47.625	63.5	611	1070	15.29
EE350701	351687	177.8	428.625	106.362	61.912	95.25	1280	1700	62.91
H239640	H239610	177.8	319.964	88.9	65.088	85.725	1030	1580	27.68
HM237545	HM237513	177.8	289.974	63.5	48	63.5	763	1240	15.72
HM237545	HM237510	177.8	288.925	63.5	47.625	63.5	763	1240	15.51
M236848	M236810	177.8	260.35	53.975	41.275	53.975	497	933	8.94
M236849	M236810	177.8	260.35	53.975	41.275	53.975	497	933	9.05
M238840	M238810	177.8	269.875	55.562	42.862	55.562	508	999	11.07
32036X	32036X	180	280	64	48	64	722	1280	11.39
32936	32936	180	250	45	34	45	395	795	6.5
JM736149	JM736110	180	250	47	37	45	401	786	6.67
67883	67820	184.15	266.7	47.625	38.1	46.833	386	835	8.57
LL537649	LL537610	184.15	236.538	26.192	19.05	25.4	161	337	2.6
LM236749	LM236710A	184.15	235.229	34	28	33	263	550	3.4
67884	67820	187.325	266.7	47.625	38.1	46.833	386	835	8.23
87737	87111	187.325	282.575	50.8	36.512	47.625	398	692	9.78

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
H239649	H239610	187.325	319.964	88.9	65.088	85.725	1030	1580	25.81
H239649	H239612	187.325	320.675	88.9	65.088	85.725	1030	1580	25.99
M238849	M238810	187.325	269.875	55.562	42.862	55.562	508	999	9.88
32038X	32038X	190	290	64	48	64	734	1330	14.81
JM738249	JM738210	190	260	46	36.5	44	399	807	6.83
JM738249A	JM738210	190	260	46	36.5	44	399	807	6.71
67885	67820	190.5	266.7	47.625	38.1	46.833	386	835	7.88
87750	87111	190.5	282.575	50.8	36.512	47.625	398	692	9.43
93750	93125	190.5	317.5	63.5	46.038	63.5	677	1290	19.82
DX778831	DX087857	190.5	336.55	98.425	73.025	95.25	1390	2050	35.33
DX920827	DX467768	190.5	428.625	106.362	61.912	95.25	1580	1700	60.08
EE350750	351687	190.5	428.625	106.362	61.912	95.25	1280	1700	60.08
EE420751	421437	190.5	365.049	92.075	63.5	88.897	1080	1820	39.68
HH840249	HH840210	190.5	336.55	98.425	73.025	95.25	1130	2050	35.33
87762	87111	193.675	282.575	50.8	36.512	47.625	398	692	9.07
L540049	L540010	196.85	254	28.575	21.433	27.783	195	408	3.34
LL639249	LL639210	196.85	241.3	23.812	17.462	23.017	160	340	2.1
LM739749	LM739710	196.85	257.175	39.688	30.162	39.688	295	718	5.29
LM739749	LM739719	196.85	266.7	39.688	30.162	39.688	295	718	6.19
32040X	32040X	200	310	70	53	70	831	1520	18.84
32940	32940	200	280	51	39	51	522	1050	9.45
JHM840449	JHM840410	200	300	65	51	62	682	1280	15.54
L540048	L540010	200	254	28.575	21.433	27.783	195	408	3.14
93787	93125	200.025	317.5	63.5	46.038	63.5	677	1290	18.37
DX174144	DX525602	200.025	393.7	111.125	84.138	111.125	2030	2600	60.66
DX775918	DX417575	200.025	384.175	112.712	90.488	112.712	2020	3110	60.28
H247535	H247510	200.025	384.175	112.712	90.488	112.712	1640	3110	60.28
HH144642	HH144614	200.025	393.7	111.125	84.138	111.125	1650	2600	60.66
M241543	M241510	200.025	292.1	57.945	46.038	57.945	588	1170	12.54
67983	67920	203.2	282.575	46.038	36.512	46.038	393	876	8.78
93800	93125	203.2	317.5	63.5	46.038	63.5	677	1290	17.87
DX812150	DX400852	203.2	482.6	117.475	73.025	95.25	1740	2010	89
EE114080	114160	203.2	406.4	92.075	57.15	85.725	1040	1460	44.77
EE380080	380190	203.2	482.6	117.475	73.025	95.25	1410	2010	89
EE420801	421437	203.2	365.049	92.075	63.5	88.897	1080	1820	37.02
LL641149	LL641110	203.2	261.142	28.575	21.433	27.783	192	405	3.49
LM241149	LM241110	203.2	276.225	42.862	34.133	42.862	406	811	7.04
M241547	M241510	203.2	292.1	57.945	46.038	57.945	588	1170	12.08
LL641148	LL641110	203.479	261.142	28.575	21.433	31.75	184	379	3.73
M241549	M241510	204.788	292.1	57.945	46.038	57.945	588	1170	11.85
67985	67920	206.375	282.575	46.038	36.512	46.038	393	876	8.42
DX632258	DX333703	206.375	336.55	98.425	77.788	100.012	1540	2320	33.01

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
H242649	H242610	206.375	336.55	98.425	77.788	100.012	1250	2320	33.01
67989	67920	209.55	282.575	46.038	36.512	46.038	393	876	8.04
93825	93125	209.55	317.5	63.5	46.038	63.5	677	1290	16.84
96825	96140	209.55	355.6	68.262	47.625	66.675	703	1420	26.64
LM742745	LM742710	212.725	285.75	46.038	34.925	46.038	398	892	8.07
543085	543114	215.9	290.01	31.75	22.225	31.75	221	453	5.53
EE130851	131400	215.9	355.6	69.85	49.212	69.85	781	1400	25.37
LM742749	LM742710	215.9	285.75	46.038	34.925	46.038	398	892	7.69
543086	543114	219.969	290.01	31.75	22.225	31.75	221	453	5.19
32044X	32044X	220	340	76	57	76	975	1800	24.2
DX596094	DX835964	220.663	314.325	61.912	49.212	61.912	839	1370	14.51
M244249	M244210	220.663	314.325	61.912	49.212	61.912	682	1370	14.51
DX570805	DX554465	223.838	295.275	46.038	34.925	46.038	497	919	8.13
LM844049	LM844010	223.838	295.275	46.038	34.925	46.038	403	919	8.13
EE113089	113170	228.397	431.8	92.075	49.212	85.725	1090	1600	48.31
EE113091	113170	228.46	431.8	92.075	49.212	85.725	1090	1600	48.31
544090	544116	228.6	295.275	33.338	23.812	31.75	220	458	5.17
544090	544118	228.6	300.038	33.338	23.812	31.75	220	458	5.58
8573	8520	228.6	327.025	52.388	36.512	52.388	517	1070	13.04
88900	88126	228.6	320.675	50.8	33.338	49.212	431	821	11.07
96900	96140	228.6	355.6	68.262	47.625	66.675	703	1420	23.21
DX105970	DX154461	228.6	488.95	123.825	73.025	111.125	2160	2510	94.74
EE130902	131400	228.6	355.6	69.85	49.212	69.85	781	1400	22.95
EE430900	431575	228.6	400.05	88.9	63.5	87.312	1100	1920	42.97
HH949549	HH949510	228.6	488.95	123.825	73.025	111.125	1750	2510	94.74
HM746646	HM746610	228.6	355.6	69.85	50.8	69.85	932	1690	25.25
M249732	M249710	228.6	358.775	71.438	53.975	71.438	896	1850	26.69
544091	544116	231.775	295.275	33.338	23.812	31.75	220	458	4.88
544091	544118	231.775	300.038	33.338	23.812	31.75	220	458	5.3
LL244549	LL244510	231.775	268.288	22.5	18.5	21.5	135	349	1.85
M246942	M246910	231.775	336.55	65.088	50.8	65.088	773	1570	18.47
M249734	M249710	231.775	358.775	71.438	53.975	71.438	896	1850	25.97
LM545848	LM545810	234.848	314.325	49.212	36.512	53.975	479	949	10.18
8574	8520	234.95	327.025	52.388	36.512	52.388	497	1010	12.27
8575	8520	234.95	327.025	52.388	36.512	52.388	517	1070	12.09
88925	88126	234.95	320.675	50.8	33.338	49.212	431	821	10.18
96925	96140	234.95	355.6	68.262	47.625	66.675	703	1420	22
DX903631	DX417575	234.95	384.175	112.712	90.488	112.712	2020	3110	49.75
H247548	H247510	234.95	384.175	112.712	90.488	112.712	1740	3370	49.03
H247549	H247510	234.95	384.175	112.712	90.488	112.712	1640	3110	49.75
LM446349	LM446310	234.95	311.15	46.038	33.338	46.038	432	926	8.78
LM545849	LM545810	234.95	314.325	49.212	36.512	49.212	509	1040	9.82

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
M252330	M252310	234.95	381	74.612	57.15	74.612	982	2030	33.89
88931	88126	236.538	320.675	44.45	33.338	44.45	431	821	9.47
M246949	M246910	237.33	336.55	65.088	50.8	65.088	773	1570	17.42
JP24049	JP24010	240	320	42	30	39	432	808	8.19
8578	8520	241.3	327.025	52.388	36.512	52.388	517	1070	11.12
EE127095	127135	241.3	349.148	57.15	44.45	57.15	647	1250	16.6
EE170950	171450	241.3	368.3	50.8	33.338	50.8	549	1030	17.71
EE275095	275155	241.3	393.7	73.817	50.005	69.85	865	1600	32.08
EE923095	923175	241.3	444.5	101.6	76.2	100.012	1560	2420	61.61
EE126097	126150	244.475	381	79.375	57.15	76.2	889	1690	30.24
28880	28820	247.65	304.8	22.225	15.875	22.225	146	373	3.22
DX507454	DX890837	247.65	346.075	63.5	50.8	63.5	969	1620	17.59
DX850938	DX866264	247.65	406.4	115.888	93.662	117.475	2370	3770	57.93
EE170975	171450	247.65	368.3	50.8	33.338	50.8	549	1030	16.74
HH249949	HH249910	247.65	406.4	115.888	93.662	117.475	1930	3770	57.93
M252337	M252310	247.65	381	74.612	57.15	74.612	982	2030	30.96
M348449	M348410	247.65	346.075	63.5	50.8	63.5	787	1620	17.59
EE126098	126150	249.25	381	79.375	57.15	76.2	889	1690	29.13
L848849	L848810	253.975	324.95	39	27.998	41.5	333	715	7.52
29875	29820	254	323.85	22.225	15.875	22.225	148	391	4.32
DX572952	DX567479	254	533.4	133.35	77.788	120.65	2580	3090	119.57
EE134100	134143	254	365.125	58.738	42.862	58.738	666	1330	18.03
EE275100	275155	254	393.7	73.817	50.005	69.85	865	1600	29.37
EE620100	620220	254	558.8	123.825	69.85	104.775	1760	2680	122.31
HH953749	HH953710	254	533.4	133.35	77.788	120.65	2100	3090	119.57
HM252343	HM252310	254	422.275	86.121	66.675	79.771	1280	2020	42.65
HM252344	HM252310	254	422.275	86.121	66.675	79.771	1320	2110	41.79
M249749	M249710	254	358.775	71.438	53.975	71.438	896	1850	21.31
M349547	M349510	255.6	342.9	57.15	44.45	63.5	616	1270	14.43
DX721803	DX874344	257.175	342.9	57.15	44.45	57.15	821	1430	13.57
M249747	M249710	257.175	358.775	71.438	53.975	76.2	819	1630	20.68
M349549	M349510	257.175	342.9	57.15	44.45	57.15	667	1430	13.57
M349549A	M349510	257.175	342.9	57.15	44.45	57.15	667	1430	13.33
DX223197	DX270027	260.35	422.275	86.121	66.675	79.771	1580	2020	41.21
EE134102	134143	260.35	365.125	58.738	42.862	58.738	666	1330	16.85
EE221026	221575	260.35	400.05	69.85	46.038	67.47	811	1450	27.48
EE295102	295193	260.35	488.95	120.65	92.075	120.65	2070	3310	91.67
EE435102	435165	260.35	419.1	85.725	61.912	84.138	1100	2010	41.42
HM252348	HM252310	260.35	422.275	86.121	66.675	79.771	1280	2020	41.21
HM252349	HM252310	260.35	422.275	86.121	66.675	79.771	1320	2110	40.18
38880	38820	263.525	325.438	28.575	25.4	28.575	217	554	5.15
DX531758	DX860303	263.525	355.6	57.15	44.45	57.15	847	1510	15.47

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
LM451345	LM451310	263.525	355.6	57.15	44.45	57.15	688	1510	15.47
29880	29820	266.7	323.85	22.225	15.875	22.225	148	391	3.42
38885	38820	266.7	325.438	28.575	25.4	28.575	217	554	4.85
DX367958	DX723808	266.7	393.7	73.817	50.005	69.85	1070	1600	26.53
EE275105	275155	266.7	393.7	73.817	50.005	69.85	865	1600	26.53
H852849	H852810	266.7	444.5	120.65	88.9	117.475	1790	3520	72.78
LM451349	LM451310	266.7	355.6	57.15	44.45	57.15	688	1510	14.88
LM451349A	LM451310	266.7	355.6	57.15	44.45	57.15	688	1510	14.55
M252349	M252310	269.875	381	74.612	57.15	74.612	982	2030	25.78
EE275108	275155	273.05	393.7	73.817	50.005	69.85	865	1600	25.06
L853048	L853010	275	352.425	36.512	23.812	40	300	664	8.32
L853049	L853010	276.225	352.425	36.512	23.812	34.925	326	750	7.74
EE295110	295193	279.4	488.95	120.65	92.075	120.65	2070	3310	84.18
EE722110	722185	279.4	469.9	95.25	69.85	93.662	1380	2350	59.5
LL352149	LL352110	279.4	317.5	24.384	18.288	24.384	159	467	2.58
LM654642	LM654610	279.982	380.898	65.088	49.212	65.088	708	1720	21.21
32956	32956	280	380	63.5	48	63.5	833	1780	19.91
EE101103	101600	280.192	406.4	52.388	34.925	50.211	590	1180	19.83
EE128111	128160	280.192	406.4	69.85	53.975	67.673	851	1660	26.96
545112	545141	285.75	358.775	33.338	22.225	31.75	253	596	6.88
DX354417	DX429935	285.75	380.898	65.088	49.212	65.088	872	1720	19.91
LM654649	LM654610	285.75	380.898	65.088	49.212	65.088	708	1720	19.91
DX503418	DX261190	288.925	406.4	77.788	60.325	77.788	1440	2520	29.38
M255449	M255410	288.925	406.4	77.788	60.325	77.788	1170	2520	29.38
84115	84155	292.1	393.7	63.5	44.45	50.8	468	997	18.03
EE722115	722185	292.1	469.9	95.25	69.85	93.662	1380	2350	55.31
EE790114	790221	292.1	558.8	136.525	98.425	136.525	2640	4100	133.07
L555249	L555210	292.1	374.65	47.625	34.925	47.625	510	1150	11.9
EE291175	291750	298.45	444.5	63.5	39.688	61.912	758	1390	29.89
DX718458	DX523497	299.975	495.3	141.288	114.3	141.288	3460	5650	106.27
HH258248	HH258210	299.975	495.3	141.288	114.3	141.288	2810	5650	106.27
HM256849	HM256810	300.038	422.275	82.55	63.5	82.55	1270	2770	33.73
DX233266	DX935074	304.8	406.4	63.5	47.625	63.5	929	1740	21.47
DX577285	DX985397	304.8	393.7	50.8	38.1	50.8	708	1310	14.46
DX843270	DX231946	304.8	558.8	136.525	98.425	136.525	3260	4100	126.89
EE129120X	129172	304.8	438.048	76.2	53.975	76.992	879	1780	33.74
EE291201	291750	304.8	444.5	63.5	39.688	61.912	758	1390	28.43
EE724120	724195	304.8	495.3	95.25	69.85	92.075	1440	2550	63.33
EE790120	790221	304.8	558.8	136.525	98.425	136.525	2640	4100	126.89
EE941205	941950	304.8	495.3	76.2	53.975	74.612	1320	2090	48.87
L357049	L357010	304.8	393.7	50.8	38.1	50.8	575	1310	14.46
LM757049	LM757010	304.8	406.4	63.5	47.625	63.5	754	1740	21.47

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
M959442	M959410	304.8	499.948	101.6	53.975	79.375	1140	1890	63.53
LL957049	LL957010	312.738	358.775	22.225	14.288	20.638	131	383	3.11
H859049	H859010	314.325	495.3	120.65	88.9	119.062	1920	3950	82.76
DX322185	DX745007	317.5	444.5	63.5	39.688	61.912	933	1390	25.42
DX866395	DX392053	317.5	447.675	85.725	68.262	85.725	1630	2790	40.73
EE291250	291750	317.5	444.5	63.5	39.688	61.912	758	1390	25.42
H961649	H961610	317.5	622.3	147.638	82.55	131.762	2700	4130	170.46
HM259048	HM259010	317.5	447.675	85.725	68.262	85.725	1320	2790	40.73
HM259049	HM259010	317.5	447.675	85.725	68.262	85.725	1430	3140	40.29
32064X	32064X	320	480	100	74	100	1770	3420	60
LL758744	LL758715	323.85	381	28.575	20.638	28.575	239	672	5.39
EE526130	526190	330.2	482.6	85.725	60.325	80.167	1230	2320	45.23
L860048	L860010	330.2	415.925	47.625	34.925	47.625	475	1180	13.54
L860049	L860010	330.2	415.925	47.625	34.925	47.625	475	1180	14.16
DX531287	DX992108	333.375	469.9	90.488	71.438	90.488	1930	3460	46.5
HM261049	HM261010	333.375	469.9	90.488	71.438	90.488	1570	3460	46.5
32968	32968	340	460	76	57	76	1200	2640	34.68
DX113748	DX903825	342.9	450.85	66.672	52.388	66.675	1170	2210	26.4
LM361649	LM361610	342.9	450.85	66.675	52.388	66.675	953	2210	26.4
LM961548	LM961511	342.9	457.098	68.262	47.625	63.5	807	1940	28.27
EE161363	161900	346.075	482.6	60.325	38.1	55.562	537	1110	27.97
EE203136	203190	346.075	482.6	66.675	44.45	63.5	878	1770	31.51
EE203137	203190	346.075	482.6	66.675	44.45	63.5	878	1770	31.01
HM262748	HM262710	346.075	488.95	95.25	74.612	95.25	1590	3440	53.81
HM262749	HM262710	346.075	488.95	95.25	74.612	95.25	1690	3760	53.57
EE333137	333197	349.25	501.65	90.488	69.85	84.138	1320	2780	53.01
EE121140	121265	355.6	673.1	152.4	114.3	152.4	3620	6140	223.83
EE161400	161900	355.6	482.6	60.325	38.1	55.562	537	1110	25.69
EE161400	161850	355.6	469.9	60.325	38.1	55.562	537	1110	22.86
EE231400	231975	355.6	501.65	74.612	50.8	66.675	899	1870	39.45
EE333140	333197	355.6	501.65	90.488	69.85	84.138	1320	2780	50.69
L163149	L163110	355.6	444.5	60.325	47.625	60.325	718	1970	21.59
32972	32972	360	480	76	57	76	1220	2780	36.43
LL562749	LL562710	361.95	406.4	23.812	17.462	23.812	194	574	3.68
LL762649	LL762610	361.95	401.638	21.43	15.875	21.43	158	496	2.99
DX418857	DX275543	368.25	523.875	101.6	79.375	101.6	2390	4340	65.92
HM265049	HM265010	368.25	523.875	101.6	79.375	101.6	1940	4340	65.92
EE231462	231975	371.475	501.65	74.612	50.8	66.675	899	1870	34.72
LL264648	LL264610	374.65	431.8	28.575	20.638	28.575	249	745	6.19
DX175525	DX562889	381	508	63.5	38.1	58.738	795	1480	29.6
DX758217	DX257975	381	590.55	114.3	88.9	114.3	3010	5550	114.12
DX920683	DX156221	381	522.288	85.725	61.912	84.138	1680	2950	49.21

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
EE192150	192200	381	508	63.5	38.1	58.738	646	1480	29.6
HM266446	HM266410	381	546.1	104.775	82.55	104.775	1940	4210	76.92
HM266447	HM266410	381	546.1	104.775	82.55	104.775	2100	4730	76.73
L865547	L865512	381	479.425	49.212	34.925	47.625	582	1380	18.4
LM565949	LM565910	381	522.288	85.725	61.912	84.138	1360	2950	49.21
M268730	M268710	381	590.55	114.3	88.9	114.3	2440	5550	114.12
DX290603	DX840999	384.175	546.1	104.775	82.55	104.775	2590	4730	75.16
HM266448	HM266410	384.175	546.1	104.775	82.55	104.775	1940	4210	75.36
HM266449	HM266410	384.175	546.1	104.775	82.55	104.775	2100	4730	75.16
LL365348	LL365310	384.175	441.325	28.575	20.638	28.575	228	667	6.16
DX367004	DX991968	385.762	514.35	82.55	63.5	82.55	1630	3160	45.2
LM665949	LM665910	385.762	514.35	82.55	63.5	82.55	1330	3160	45.2
M667935	M667910	387.248	546.1	87.312	66.675	87.312	1600	3940	62.99
EE234156	234215	396.875	546.1	76.2	55.562	61.12	928	2010	44.06
LL566848	LL566810	403.225	460.375	28.575	20.638	28.575	225	708	6.54
DX014632	DX966999	406.4	549.275	85.725	61.912	84.138	1730	3130	53.68
DX184535	DX443953	406.4	609.6	92.075	60.325	84.138	1940	2870	73.97
DX844231	DX904834	406.4	546.1	76.2	55.562	61.12	1140	2010	41.18
EE234160	234215	406.4	546.1	76.2	55.562	61.12	928	2010	41.18
EE911600	912400	406.4	609.6	92.075	60.325	84.138	1570	2870	73.97
H969249	H969210	406.4	762	180.975	107.95	161.925	4100	6840	328.01
L467549	L467510	406.4	508	61.912	47.625	61.912	842	2230	26.32
LM567949	LM567910	406.4	549.275	85.725	61.912	84.138	1400	3130	53.68
DX026164	DX635265	409.575	546.1	87.312	68.262	87.312	1780	3420	53.47
M667948	M667911	409.575	546.1	87.312	68.262	87.312	1440	3420	53.47
M268749	M268710	415.925	590.55	114.3	88.9	114.3	2440	5550	94.56
80170	80217	431.8	552.45	44.45	31.75	44.45	614	1550	25.31
80385	80325	431.8	533.4	46.038	34.925	46.038	612	1520	20.62
DX212202	DX416731	431.8	603.25	76.2	50.8	73.025	1190	2190	58.58
DX429060	DX287889	431.8	552.45	44.447	31.75	44.45	756	1550	25.31
DX910548	DX930440	431.8	533.4	46.038	34.925	46.038	754	1520	20.62
EE241701	242375	431.8	603.25	76.2	50.8	73.025	963	2190	58.58
LM869448	LM869410	431.8	571.5	74.612	52.388	74.612	1210	2810	47.36
EE650170	650270	431.902	685.698	177.8	142.875	174.625	4550	9230	237.22
80176	80217	447.675	552.45	44.45	31.75	44.45	614	1550	21.5
LL469949	LL469910	447.675	552.45	44.45	32.545	41.618	606	1510	20.72
DX206794	DX235983	457.2	596.9	76.2	53.975	73.025	1490	2890	49.51
DX714478	DX822676	457.2	603.25	85.725	60.325	84.138	1800	3440	61.29
DX979700	DX619818	457.2	573.088	74.612	57.15	74.612	1490	3170	41.67
EE244180	244235	457.2	596.9	76.2	53.975	73.025	1210	2890	49.51
EE671801	672873	457.2	730.148	120.65	82.55	114.3	2770	4870	163.93
L570649	L570610	457.2	573.088	74.612	57.15	74.612	1210	3170	41.67

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
LM272235	LM272210	457.2	615.95	85.725	66.675	85.725	1660	4100	70.98
LM770949	LM770910	457.2	603.25	85.725	60.325	84.138	1460	3440	61.29
LL771948	LL771911	476.25	565.15	41.275	31.75	41.275	460	1400	19.28
M272749	M272710	479.425	679.45	128.588	101.6	128.588	3190	7400	141.7
80480	80425	482.6	615.95	53.975	41.275	46.038	643	1710	34.81
EE243190	243250	482.6	634.873	80.962	63.5	80.962	1440	3660	65.9
LM272249	LM272210	482.6	615.95	85.725	66.675	85.725	1660	4100	58.4
EE640192	640260	488.95	660.4	93.662	69.85	94.458	2030	4590	83.64
LM772748	LM772710	488.95	634.873	84.138	61.912	84.138	1590	3870	63.65
EE243192	243250	489.026	634.873	80.962	63.5	80.962	1440	3660	62.79
EE243196	243250	498.475	634.873	80.962	63.5	80.962	1440	3660	58.15
M274149	M274110	501.65	711.2	136.525	106.362	136.525	3460	8070	163.35
EE426200	426330	508	838.2	146.05	104.775	139.7	3540	6530	277.35
LL575343	LL575310	533.4	635	50.8	38.1	50.8	762	2040	28.27
M276449	M276410	536.575	761.873	146.05	114.3	146.05	3930	9250	203.51
LL575349	LL575310	539.75	635	50.8	38.1	50.8	762	2040	26.14
L476549	L476510	549.275	692.15	80.962	61.912	80.962	1490	3970	67.17
EE542220	542290	558.8	736.6	76.2	50.8	76.2	1370	3240	78.44
EE647220	647285	558.8	723.9	73.025	57.15	73.025	1510	3440	69.42
EE843220	843290	558.8	736.6	88.108	63.5	88.108	2030	4580	90.59
LM377449	LM377410	558.8	736.6	104.775	80.962	104.775	2520	6370	113.23
M278749	M278710	571.5	812.8	155.575	120.65	155.575	4440	10600	244.57
LL778149	LL778110	584.2	685.8	49.212	34.925	49.212	783	2280	28.83
680235	680270	596.9	685.8	31.75	25.4	31.75	337	963	16.76
L879946	L879910	609.396	762	95.25	71.438	92.075	1940	5470	92.92
EE649240	649310	609.6	787.4	93.662	69.85	93.662	2230	5620	106.08
L580049	L580010	609.6	774.7	85.725	60.325	79.375	1980	4620	85.8
L879947	L879910	609.6	762	95.25	71.438	92.075	1940	5470	92.78
LL580049	LL580010	615.95	708.025	41.275	29.367	41.275	593	1840	23.23
80780	80720	635	736.6	57.15	41.275	53.975	641	1830	34.39
L281148	L281110	660.4	812.8	95.25	73.025	95.25	2170	5940	98.58
LL481448	LL481411	673.1	793.75	66.675	49.212	61.912	1090	3140	52.27
EE655270	655345	685.8	876.3	93.662	69.85	92.075	2350	6300	128.12
LL382149	LL382110	698.5	819.15	63.5	50.8	63.5	1030	3190	54.67
EE755280	755360	711.2	914.4	85.725	60.325	82.55	2040	5190	126.1
EE755285	755360	723.9	914.4	84.138	60.325	80.962	2040	5190	115.85
LM283649	LM283610	749.3	990.6	159.5	123	160.338	5110	13500	315.88
LL483448	LL483418	759.924	889	69.85	50.8	69.85	1340	4270	68.45
L183448	L183410	759.925	889	88.9	72	88.9	2010	6230	89.99
EE752300	752380	762	965.2	93.662	66.675	80.962	2100	5510	136.52
L183449	L183410	762	889	88.9	72	88.9	2010	6230	88.26
LL483449	LL483418	762	889	69.85	50.8	69.85	1340	4270	67.09

CONE NO.	CUP NO.	d	D	T	C	B	Cr	C0r	Weight
		mm	mm	mm	mm	mm	KN	KN	kg
EE752305	752380	774.7	965.2	93.662	66.675	80.962	2100	5510	129.24
LL584449	LL584410	801.688	914.4	58.738	41.275	58.738	1060	3460	52.69
EE763330	763410	838.2	1041.4	93.662	66.675	88.9	2160	5930	155.02
EE157337	157430	857.25	1092.2	120.65	76.2	111.125	2850	7630	223.47
JL286948	JL286910	928	1060	92	76	90	2440	9330	119.34
JL286949	JL286910	930	1060	92	76	90	2440	9330	117.28
LL687949	LL687910	977.9	1130.3	66.675	47.625	63.5	1640	5290	95.36
EE168400	168500	1016	1270	101.6	66.675	101.6	2790	8030	259.08
LL788345	LL788310	1063.625	1219.2	65.088	42.862	65.088	1680	5660	107
EE776420	776520	1066.8	1320.8	95.25	69.85	88.9	2280	6990	258.62
LL788349	LL788310	1066.8	1219.2	65.088	42.862	65.088	1680	5660	104
EE776430	776520	1092.2	1320.8	95.25	69.85	88.9	2280	6990	228.66
EE277455	277565	1155.7	1435.1	120.65	95.25	120.65	3960	13000	418.55
LL889049	LL889010	1270	1435.1	69.85	47.625	65.088	1810	6650	138.93
EE299615	299711	1562.1	1806.58	127	85.725	123.825	4450	16800	463.02
LL789749	LL789710	1689.1	1844.68	68.262	42.862	68.262	2100	8860	166.83

SUP bearing

SUP bearing