



Item No.	Size(mm)		Flow (m <sup>3</sup> /h)	Lift (m)	(NPSH) <sub>r</sub> (m)	Power of Motor (KW)	Speed (r/min)
	Inlet	Outlet					
CQB32-20-105	32	20	3.2	12.5	4.5	1.1	2900
CQB32-20-125				20	4.5	1.5	
CQB32-20-160				32	4.5	2.2	
CQB40-25-105	40	25	6.3	12.5	4.5	1.1	
CQB40-25-125				20	4.5	2.2	
CQB40-25-160				32	4.5	3	
CQB40-25-200				50	4.5	5.5	
CQB50-40-85	50	40	12.5	8	4.0	1.1	
CQB50-32-105		32		12.5	4.0	2.2	
CQB50-32-125				20	4.0	3	
CQB50-32-160				32	4.0	4	
CQB50-32-200				50	4.0	7.5	
CQB50-32-250				80	4.0	15	
CQB65-50-125	65		50	25	20	4.0	5.5
CQB65-50-160		32			4.0	7.5	
CQB65-40-200		40	50		4.0	15	
CQB65-40-250			80		4.0	22	
CQB80-65-125	80	65	50	20	3.2	7.5	
CQB80-65-160				32	3.2	15	
CQB80-50-200		50		50	3.2	18.5	
CQB80-50-250				80	3.2	37	
CQB100-80-125	100	80	100	20	3.2	15	
CQB100-80-160				32	3.2	22	

CQB100-65-200		65		50	3.2	37	
CQB100-65-250				80	3.2	55	
CQB125-100-200	125	100	200	50	3.2	75	
CQB125-100-250				80	3.2	90	



Item No.	A	AD	B	L	L1	H1	H2	a	A1	A2	A3	H	H3	H4	L2	L3	L4	L5	L6	h	n-d
CQB32-20-125	125	150	100	458	133	120	90	65													
CQB32-20-160	140	155	100	483	143	160	90	65													
CQB40-25-105	125	150	100	458	133	120	90	65													
CQB40-25-125	140	155	125	508	143	160	112	65													
CQB40-25-160	160	180	140	706	230	160	112	80	300	330	360	197	357	342	263	40	120	320	560	75	4-φ17
CQB40-25-200	261	210	140	821	275	160	132	80	350	380	410	232	392	415	329	87	160	325	645	50	4-φ22
CQB50-40-85	125	150	100	458	133	120	90	80													
CQB50-32-105	140	155	125	508	143	160	112	80													
CQB50-32-125	160	180	140	706	234	160	112	80	300	330	360	197	337	342	263	40	120	320	560	75	4-φ17
CQB50-32-160	190	190	140	800	290	160	112	80	300	330	360	217	377	370	344	43	120	415	655	100	4-φ17
CQB50-32-200	216	210	140	817	282	180	132	80	350	380	410	245	425	428	325	43	120	465	705	80	4-φ22
CQB50-32-250	254	255	210	987	337	225	160	100	380	410	440	300	525	525	397	55	150	550	850	80	4-φ22
CQB65-50-125	216	210	140	836	290	160	132	80	350	380	410	197	337	350	344	40	120	410	650	75	4-φ17
CQB65-50-160	216	210	140	836	290	160	132	80	350	380	410	217	377	400	344	40	120	410	650	75	4-φ17
CQB65-40-200	254	255	210	962	324	180	160	100	380	410	440	260	440	485	372	54	150	565	865	110	4-φ22
CQB65-40-250	279	285	241	1032	324	225	180	100	380	410	440	300	525	550	385	54	150	565	865	110	4-φ22
CQB80-65-125	216	210	140	817	282	160	132	81	350	380	410	217	377	457	325	43	120	465	705	80	4-φ17
CQB80-65-160	254	255	210	1013	350	180	160	100	380	410	440	260	440	485	423	98	210	395	815	90	4-φ22
CQB80-50-200	254	255	254	1086	380	200	160	100	380	410	440	260	460	485	451	50	210	450	870	90	4-φ22
CQB80-50-250	318	310	305	1251	390	225	200	125	470	500	530	320	545	595	476	127	210	490	910	110	4-φ22
CQB100-80-125	254	255	210	958	308	180	160	100	380	410	440	260	440	485	368	127	210	400	820	80	4-φ17
CQB100-80-160	254	255	254	1003	308	200	160	100	380	410	440	280	480	505	368	127	210	400	820	80	4-φ22
CQB100-65-200	318	310	305	1262	412	225	180	100	470	500	530	320	545	595	512	141	250	560	1060	130	4-φ28
CQB100-65-250	318	310	305	1290	412	250	200	125	470	500	530	340	590	645	512	141	250	560	1060	130	4-φ28