




# Fujian Fuan Yinxin Power Sources Co., Ltd


Add: Shangtang Industrial Park, Gantang Town, Fuan City, Fujian, China

Tel: +86-591-88846666 Fax: +86-591-87558877 E-mail: [jason@yinxinbattery.com](mailto:jason@yinxinbattery.com)

## ◆ Battery Plates for Motorcycle Batteries



Structural Diagram



### 1. YX Series Plates

Model	Polarity	Plate Size			Lug Size			G	Overall Weight	No. of Plate per Battery	Matched Battery Model
		Thickness	Width	Height	Thickness	Width	Height				
		A	B	C	D	E	F				
YX1.2	+	1.7	55	43	1.5	6.5	10.5	10	21	18	YTX4L-BS
	-	1.3			1.15				16	24	
YX1.5	+	1.8	49	65	1.65	6.0	16	13.5	28	18	12N5L-BS
	-	1.3			1.15				20	24	
YX1.6	+	1.8	55	55	1.6	6.0	10	16.5	29	24	12N6.5L-BS
	-	1.4			1.2				21	24	
YX1.8	+	1.7	45	82	1.4	6.0	13	12	31	24	12N7BL-BS
	-	1.3			1.1				24	30	12N5L-BS
YX3A	+	1.7	58	81	1.65	8.0	14	13.5	43	18	12N9-BS
	-	1.4			1.25				31	24	
YX4A	+	1.7	68	98	1.5	8.0	18	13	56	18	YTX12,14
	-	1.35			1.15				43	24	

## 2. YTX Series Plates



Model	Polarity	Plate Size			Lug Size			G	Overall Weight	No. of Plate per Battery	Matched Battery Model
		Thickness	Width	Height	Thickness	Width	Height				
		A	B	C	D	E	F				
		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)				
YTX4	+	1.7	57	43	1.45	6.0	10	17.5	22	18	YTX4L-BS
	-	1.3			1.1				17	24	
YTX5	+	1.7	57	64	1.45	7.0	10	16	32	18	YTX5L-BS
	-	1.3			1.1				25	24	
YTX7A	+	1.85	76	48	1.6	8.0	12	19	35	24	YTX7A-BS
	-	1.45			1.2				26	30	
YTX9	+	1.75	76	57	1.5	8.0	12	19	39	24	YTX9-BS
	-	1.4			1.2				29	30	

## 3. Other Series Battery Plates



Model	Polarity	Plate Size			Lug Size			G	Overall Weight	No. of Plate per Battery	Matched Battery Model
		Thickness	Width	Height	Thickness	Width	Height				
		A	B	C	D	E	F				
		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)				
12N6.5	+	2.35	54	62	2.1	6.0	12	14	40	18	12N6.5L-BS
	-	1.7			1.45				25	24	
M1.7	+	1.85	73	46	1.6	8.0	14	17.5	31	24	YTX7A-BS
	-	1.45			1.2				23	30	
T3A	+	1.8	62	82	1.7	8.0	13.5	17	46	18	12N9-BS
	-	1.5			1.3				34	24	
YTZ7S	+	1.2	61	70	1	7.0	9.0	19	29	24	YTX7L-BS
	-	1.2			1				26	30	

## Features:

- ◆ ISO9001: 2000 CERTIFIED
- ◆ Manufactured by modernized production lines
- ◆ Grid :Lead Calcium(Pb-Ca) Alloy, Pb-Sb-Cd Alloy
- ◆ Paste: Special Additive attached and patent recipe applied to ensure durability and high performance

We are able to supply a comprehensive range of battery plates that is manufactured using superior quality raw material, to ensure its durability and performance.

Battery plates can be customized as per the specifications provided by our clients.