WL-D-880 WHEELCHAIR LIFT



WL-D SERIES

0






	NO. A B C D E F G H I J K L M	TERM LEFT RIGHT FRONT FRONT REAR HYDRAULIC CYLINDER (LEFT&RIGHT) HYDRAULIC POWER UNIT BASEPLATE ASSEMBLY TOP AND BOTTOM AREMS (LEFT&RIGHT) VERTICAL ARMS (LEFT&RIGHT) HANDRAILS (LEFT&RIGHT) HANDRAILS (LEFT&RIGHT) FRONT ROLLSTOP PLATFORM REAR ROLLSTOP
G		
L B		
	N	CONTROL PEDAL
c	0	MANUAL BACKUP PUMP HANDLE

This automatic wheelchair lift offers dependable accessibility while its trim, compact design maximizes valuable

interior space. The lift also features a strong durable steel frame built to give you years of dependable service.



XINDER-TECH ELECTRONICS





LIFT TECHNICAL SPECIFICATIONS

В

1220mm

1320mm




Α


1150mm

1250mm

1

2






CD)

310

340



Lifting capacity: 320 kg	Lift weight: 145 kg
Electric system: 12V DC or 24V DC	Max working pressure: 14 Map
Max lifting height: 880 mm	Construction: Steel structure
Operation: Hydraulic pump with two lifting cylinder	Auxiliary emergency backup hand pump

LIFT FEATURES

- Automatic inboard and outboard rollstops
- Quiet and smooth operation
- Welded all-steel frame
- Built-in manual backup system
- Permanent no-lube bearings at all major pivot points, easy to maintain
- Side or rear door application
- Dual handrails for security and convenience
- Bridging feature prevents the wheelchair user from rolling off platform



CHANGZHOU XINDE-TECH ELECTRONICS CO., LTD

Add: 3rd Floor Jianshe B Building, Hanjiang rd., High&New Technology

Developing Zone, Changzhou, Jiangsu, China.

Tel: +86-519-85122329/85139690 Fax: +86-519-88226095

Web: <u>www.xinder.cn</u> E-mail: <u>master@xinder.cn</u> <u>cgr@xinder.cn</u>