



GUANGJIN (ZHENGZHOU) IMPORTS & EXPORTS TRADING CO., LTD.





Sales Add: Rm126, 12F, Shengdi Building, No.101 Nanyang Road, Jinshui District, Zhengzhou, Henan, China.



Factory Add: Tianyuan South Road, Puwang Industrial Zone, Fan County, Puyang, Henan, China.

Tel: 86-371-66096188 Fax: 86-371-86081658 Contact: Hillen

<http://www.guangjin-shine.com> <http://zzguangjin.en.alibaba.com>

PVC Drainage PIPE

Name	Image	D _n (mm)	E _n (mm)	Capacity (5.8M/PCS)			
				20'GP		40'HQ	
				PCS	Meter	PCS	Meter
Pvc Pipe (plain end)		32	2.0	4488	26030.4	11220	65076
		40	2.0	2862	16599.6	7208	41806.4
		50	2.0	1806	10474.8	4536	26308.8
		75	2.3	812	4709.6	2016	11692.8
		110	3.2	361	2093.8	912	5289.6
		125	3.2	289	1676.2	714	4141.2
		160	4.0	169	980.2	442	2563.6
		200	4.9	100	580	260	1508
		250	6.2	64	371.2	160	928
		315	7.8	36	208.8	96	556.8
		400	9.8	25	145	60	348
		500	12.3	16	92.8	40	232
		630	15.4	9	52.2	24	139.2
Pvc Pipe (bell end with gasket)		75	2.3	812	4709.6	2016	11692.8
		110	3.2	361	2093.8	912	5289.6
		160	4.0	169	980.2	442	2563.6
		200	4.9	100	580	260	1508
		250	6.2	64	371.2	160	928
		315	7.8	36	208.8	96	556.8
		400	9.8	25	145	60	348
		500	12.3	16	92.8	40	232
Hollow silencing Pvc Pipe		50	4.8	1806	10474.8	4536	26308.8
		75	5.0	812	4709.6	2016	11692.8
		110	6.0	361	2093.8	912	5289.6
		160	7.0	169	980.2	442	2563.6
Pvc Pipe (solvent weld, bell end)		50	2.0	1806	10474.8	4536	26308.8
		75	2.3	812	4709.6	2016	11692.8
		110	3.2	361	2093.8	912	5289.6
		160	4.0	169	980.2	714	4141.2
		200	4.9	100	580	442	2563.6
		250	6.2	64	371.2	260	1508
		315	7.8	36	208.8	160	928
		400	9.8	25	145	96	556.8
		500	12.3	16	92.8	60	348
630	15.4	9	52.2	40	232		

Name	Image	D _n (mm)	E _n (mm)	20'GP		40'HQ	
Pvc Pipe (sprial sliencing)		75	2.3	812	4709.6	2016	11692.8
		110	3.2	361	2093.8	912	5289.6
		160	4.0	169	980.2	714	4141.2
Drainage Pressure Pipe		110	4.0	361	2093.8	912	5289.6
		160	5.0	169	980.2	714	4141.2
		200	6.0	100	580	442	2563.6
		250	8.0	64	371.2	260	1508

Remark

1. D_n: Nominal Outside Diameter
2. E_n: Nominal Wall Thickness

Properties and Typical Value

Properties		Typical Value
Specific Gravity, g/cm ³ (20°C)		1.35~1.55
Vicat Softening Temperature, °C		>=79
Longitudinal Reversion, %(150°C)		<=5
Dichloromethane Resistance Test, (15°C, 15min)		No attack
Falling Weight Impact Test, TIR, %(0°C)		<=10
Tensile Yield Strength, Mpa		>=40
Fitness Test for Purpose of the System	Water Tightness Test	No Leakage
	Air Tightness Test	No Leakage

Advantages

1. High Flow Capacity: smooth interior walls and low friction result in low flow resistance and high volume.
2. Corrosion Resistant: non-conductors of electricity and immune to electrochemical reactions caused by acids, bases, and salts that cause corrosion in metals.
3. Lower Installation Costs: light weight, ease installing by solvent cement or gasket, reducing installation costs as much as over 50% comparing with metal fittings.
4. Longevity: more than 50 years usage under normal condition.
5. Environment-friendly: it can be recycled..

Applications

1. Soil and waste discharge pipelines (low and high temperature) inside buildings.
2. rainwater pipelines inside the building
3. buried drainage pipelines without pressure on the ground

Features

1. Material: unplasticized polyvinyl chloride
2. Brand Name: longxiang
3. Standard: GB, ISO9001, ISO14001
4. Color: white, grey, etc.

Pipe Fittings


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	32	560*420*330	840
	40		540
	50		360
	75		90
	110		45
	125		
	160	560*420*330	15
	200	690*460*530	21
	250		9

Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	32	560*420*330	500
	40	560*420*330	300
	50	560*420*330	150
	75	560*420*330	50
	110		
	125	690*460*530	16
	160	690*460*530	7
	200	690*460*530	3
	250		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	120
	75	560*420*330	40
	110	560*420*330	30
	125		
	160	560*420*330	16


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50		
	75		
	110		
	160	690*460*530	40
	200	690*460*530	18


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50		
	75	560*420*330	40
	110	690*460*530	28


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	100
	75	560*420*330	27
	110	690*460*530	28


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110	690*460*530	30
90 Elbow with Cleanout and Plug (H *H*MPT)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110	690*460*530	32
88 Elbow (H*H)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	32	560*420*330	288
	40	560*420*330	195
	50	560*420*330	115
	75	560*420*330	37
	110	690*460*530	30
	125		
	160	690*460*530	12
	200	690*460*530	5
Sanitary Tee (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	40	560*420*330	360
	50	560*420*330	230
	75	560*420*330	60
	110	690*460*530	50
	125		
	160	690*460*530	24
	200	690*460*530	10
	250	690*460*530	6
45 Elbow			

Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110	690*460*530	24
Long Sanitary Tee (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110*110	690*460*530	24
88 Sanitary Tee (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110	690*460*530	24
Sanitary Tee with Cleanout (H*H*H*MPT)			

Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110*50	690*460*530	30
Bottle Tee (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	32	560*420*330	274
	40	560*420*330	155
	50	560*420*330	90
	75	560*420*330	28
	110	690*460*530	24
	160	690*460*530	9
	200	690*460*530	4
Wye (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50*32		
	75 *50	560*420*330	48
	110*50	690*460*530	50
	110*75	690*460*530	32
	160*110	690*460*530	12
	200*110	690*460*530	8
	200*160	690*460*530	5
Reducing Wye (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50*32	560*420*330	90
	75*50	560*420*330	36
	110*50	690*460*530	35
	110*75	690*460*530	24
	160*110	690*460*530	7
Reducing Double Wye (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	32*32		
	40*40	560*420*330	108
	50*50	560*420*330	68
	75*75	560*420*330	18
	110*110	690*460*530	16
Double Wye (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	90
	75	560*420*330	20
	110	690*460*530	20
	160	690*460*530	8
Double Sanitary Tee (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75*50	560*420*330	34
	110*50	690*460*530	50
	110*75	690*460*530	30
	160*110	690*460*530	12
Reducing Double Sanitary Tee (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	82
	75	560*420*330	26
	110	690*460*530	16
Tee with side inlet (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110		
	160		
	200		
Cleanout Tee with Plug (H*H*MPT)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75*50	560*420*330	44
	110*50	690*460*530	40
	110*75	690*460*530	30
	160*110	690*460*530	12
Reducing Tee with Side Inlet (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75		
	110		
	160		
	200		
Reducing Cleanout Tee with Plug (H*H*Mpt)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50		
	75		
	110		
	125		
	160		
	200		
Cleanout Tee (H*H*MPT)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75*75*75	690*460*530	
	110*75*75	690*460*530	13
	110*75*110	690*460*530	12
	160*75*75	690*460*530	10
	160*75*110	690*460*530	8
	160*75*160	690*460*530	6
H Pipe Fitting (ALL HUB)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	272
	75	560*420*330	87
	110	560*420*330	42
	160	560*420*330	18
	200	560*420*330	8
Long Expansion Joint (H*Gasket)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	192
	75	560*420*330	65
	110	560*420*330	24
	160	690*460*530	21
	200	690*460*530	12
Expansion Joint (H*Gasket)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50		
	75		
	110		
	160		
Thread Expansion Joint (Fpt*Gasket)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	210
	75	560*420*330	140
	110	560*420*330	120
	160	560*420*330	38
Vent Cap(H)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 S Pipe Fitting (H*H*Mpt)	110	690*460*530	8
	160	690*460*530	3
	200	690*460*530	1


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Squar Floor Sink with Filter	75	560*420*330	16
	110	690*460*530	24
	160	690*460*530	16


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Leakproof Ring	40		
	50	560*420*330	850
	75	560*420*330	400
	110	560*420*330	300
	160	560*420*330	154


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Sealing Ring	40		
	50		
	75		
	110		
	160		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 WC Connector (H*H)	110	560*420*330	40


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Round Floor Sink	110	690*460*530	25


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 WC Adaptor (H*Gasket)	110	560*420*330	36


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Long Cleanout Tee(H*H*Mpt)	110		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Trap with Cleanout (H*Spigot*Mpt)	50		
	75		
	110	690*460*530	24


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Squar Floor Sink	75	560*420*330	16
	110	690*460*530	24
	160	690*460*530	16


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Eccentric Reducer	75*50	560*420*330	220
	110*50		60
	110*75		70
	160*110		24


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Trap (H*H)	50	560*420*330	155
	75	560*420*330	45
	110	690*460*530	32
	160	690*460*530	15


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Trap with Cleanout (H*H*Mpt)	50	560*420*330	120
	75	560*420*330	40
	110	690*460*530	32
	160	690*460*530	12


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Long P Trap with Cleanout (H*H*Mpt)	50	560*420*330	50
	75	560*420*330	20
	110	690*460*530	16


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 P Trap (H*H)	50	560*420*330	70
	75	560*420*330	20
	110	690*460*530	16
	160	690*460*530	6


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 S Trap (H*H)	50	560*420*330	65
	75	560*420*330	20
	110	690*460*530	16
	160	690*460*530	6


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 P Trap with Cleanout (H*H*Mpt)	50	560*420*330	60
	75	560*420*330	20
	110	690*460*530	16
	160	690*460*530	6


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 S Trap with Cleanout (H*H*Mpt)	50	560*420*330	60
	75	560*420*330	20
	110	690*460*530	16
	160	690*460*530	6


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Cleanout (H*Mpt)	50		
	75		
	110		
	160		
	200		
	250		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Expansion Joint (Spigot*Gasket)	75	690*460*530	35
	110	690*460*530	18
	160	690*460*530	8
	200	690*460*530	6
	250		
	315		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110	560*420*330	24
Vent(H)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	135
Floor Drain for Wash Machine(H)	75	560*420*330	45


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75	560*420*330	245
Simple Floor Drain(Spigot)	110	560*420*330	90
	160	560*420*330	32


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	70
Floor Drain(H)	75	560*420*330	24
	110	560*420*330	18


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	282
Simple Floor Drain(H)	75	560*420*330	150
	110	560*420*330	60


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	60
Deeper Floor Drain(H)	75		
	110		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	120
Side Floor Drain(H)	75	560*420*330	24
	110	690*460*530	32


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	690*460*530	70
Long P Trap(H*H)	75		
	110	690*460*530	16


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50,75,110	560*420*330	60
Multi Function Floor Drain(H)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50,75,110		
Long Multi Function Floor Drain(H)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50		
	75		
	110		
	160		
	200		
Pipe Clamp (Plastic+Steel)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50		
	75		
	110		
	160		
	200		
Cleanout Cap(FPT)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	in common use		
Floor Drain Cover			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	60
Square Floor Seal Drain(H)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110	560*420*330	11
	160		
Silencing Cleanout Tee (Gasket*Gasket *Mpt)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75	560*420*330	15
	110	560*420*330	6
Silencing Sanitary Tee (All Gasket)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75*50	560*420*330	22
	110*50	560*420*330	10
	110*75	560*420*330	7
	160*110	560*420*330	3
Silencing Reducing Sanitary Tee (All Gasket)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	880
	75	560*420*330	280
	110	560*420*330	144
	160	560*420*330	40
Floor Cleanout (H*H)			


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 U-Trap with Cleanout (Gasket*Gasket *MPT)	50	560*420*330	25


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Silencing Double Sanitary Tee (All Gasket)	110 160	560*420*330	4


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Spiral Silencing Cleanout Tee	110	590 * 460 * 530	36


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Siphonic U Trap (Gasket*Gasket)	50	560*420*330	25


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Siphonic U Trap with Cleanout (Gasket*Gasket *Mpt)	50		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 U-Trap (Gasket*Gasket)	50	560*420*330	25


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Stainless Pipe Clamp	50		
	75		
	110		
	160		
	200		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 (H * H)	75*50	560*420*330	140
	110*50		75
	110*75		80
	125*75		
	125*110		22


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Pipe Clamp (III Style)	50	560*420*330	410
	75	560*420*330	240
	110	560*420*330	120


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
 Stainless Simple Floor Drain	50		
	75		
	110		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	480
	75	560*420*330	260
	110	560*420*330	144
	160	560*420*330	65


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	480
	75	560*420*330	260
	110	560*420*330	144
	160	560*420*330	65


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	110		
	160		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	100*100(75)		
	140*140(110)		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	100		
	500		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	1.5T		
	3T		


Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	75*50	560*420*330	55
	110*50	690*460*530	50
	110*75	690*460*530	40
	160*110	690*460*530	16
	200*110	690*460*530	9



Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	50	560*420*330	480
	75	560*420*330	260
	110	560*420*330	144
	160	560*420*330	65

Photo	Size(mm)	Carton Size (mm)	Qty/Ctn
	40*32	560*420*330	1540
	50*40		990
	75*50		280
	110*50		115
	110*75		115
	160*110		40
	200*110		21
	200*160		21
	250*160		12
	250*200		12