#### 2011 Yamaha Grizzly 450 Auto 4x4 EPS USD1900

## Engine:

Engine Type Cylinders Engine Stroke Valve Configuration Displacement (cc/ci) Carburetion Type Single-Cylinder 1 4-Stroke SOHC 421 / 25.7 Carburetor

#### Transmission:

Transmission TypeContinuously Variable (CVT)Primary Drive (Front Wheel)ShaftReverseYesWheels & Tires:

Front Tire (Full Spec)	Maxxis® AT25 x 8 - 12	
Rear Tire (Full Spec)	Maxxis® AT25 x 10 - 12	
Bra	kes:	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Sealed Drum	
Technical Sp	pecifications:	
Wheelbase (in/mm)	48.5 / 1231.9	
Fuel Capacity (gal/l)	4 / 15.1	
Seats:		
Seat Height (in/mm)	33.1 / 840.7	
Number Of Seats	1	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes 2		
Limited Slip Differential	Standard	
Differential Lock	Standard	
Storage:		
Rear Rack	Standard	
Front Rack	Standard	
Lights:		
Halogen Headlight (s)	Standard	

2011 Yamaha Grizzly 550 FI Auto 4x4 USD1600



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	558 / 34.1	
Carburetion Type	Fuel Injected	
Transn	nission:	
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel	) Shaft	
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	Dunlop® AT25 x 8 - 12	
Rear Tire (Full Spec)	Dunlop® AT25 x 10 - 12	
Bra	kes:	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Dual Hydraulic Disc	
Technical S	pecifications:	
Wheelbase (in/mm)	49.2 / 1249.68	
Fuel Capacity (gal/l)	5.3 / 20.1	
Se	ats:	
Seat Height (in/mm)	35.6 / 904.2	
Number Of Seats	1	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes 2		
Limited Slip Differential	Standard	
Differential Lock	Standard	
Storage:		
Rear Rack	Standard	
Front Rack	Standard	
Lights:		
Halogen Headlight (s)	Standard	

## 2011 Yamaha Grizzly 550 FI Auto 4x4 EPS usd1900



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	558 / 34.1	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel) Shaft		
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	Dunlop® AT25 x 8 - 12	
Rear Tire (Full Spec)	Dunlop® AT25 x 10 - 12	
Brakes:		
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Dual Hydraulic Disc	
Technical Specifications:		
Wheelbase (in/mm)	49.2 / 1249.68	

2011 Yamaha Grizzly 700 FI Auto 4x4 USD2500



Engine Type Cylinders Engine Stroke Valve Configuration Displacement (cc/ci) Carburetion Type

## Engine:

Single-Cylinder 1 4-Stroke SOHC 686 / 41.9 Fuel Injected

#### Transmission:

**Transmission Type** Continuously Variable (CVT) Primary Drive (Front Wheel) Shaft Reverse Yes Wheels & Tires: Front Tire (Full Spec) Dunlop® AT25 x 8 - 12 Rear Tire (Full Spec) Dunlop® AT25 x 10 - 12 **Brakes:** Front Brake Type **Dual Hydraulic Disc** Rear Brake Type **Dual Hydraulic Disc Technical Specifications:** Wheelbase (in/mm) 49.2 / 1249.7 Fuel Capacity (gal/l) 5.3 / 20.1 Seats: Seat Height (in/mm) 35.6 / 904.2 Number Of Seats 1 **Drive Line:** Selectable 4X2 / 4X4 Driveline Type Number Of Driveline Modes 2 Limited Slip Differential Standard **Differential Lock** Standard Storage: Rear Rack Standard Standard Front Rack Lights: Standard Halogen Headlight (s)

2011 Yamaha Grizzly 700 FI Auto 4x4 EPS USD3100



Eng	gine:	
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	686 / 41.9	
Carburetion Type	Fuel Injected	
Transn	nission:	
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel	) Shaft	
Reverse	Yes	
Wheels	& Tires:	
Front Tire (Full Spec)	Dunlop® AT25 x 8 - 12	
Rear Tire (Full Spec)	Dunlop® AT25 x 10 - 12	
Bra	kes:	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Dual Hydraulic Disc	
•	pecifications:	
Wheelbase (in/mm)	49.2 / 1249.7	
Fuel Capacity (gal/l)	5.3 / 20.1	
Se	ats:	
Seat Height (in/mm)	35.6 / 904.2	
Number Of Seats	1	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes 2		
Limited Slip Differential	Standard	
Differential Lock	Standard	
Storage:		
Rear Rack	Standard	
Front Rack	Standard	
Lights:		
Halogen Headlight (s)	Standard	



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	686 / 41.9	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel) Shaft		
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	Dunlop® AT25 x 8 - 12	
Rear Tire (Full Spec)	Dunlop® AT25 x 10 - 12	
Brakes:		
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Dual Hydraulic Disc	
Technical Specifications:		
Wheelbase (in/mm)	49.2 / 1249.7	
Fuel Capacity (gal/l)	5.3 / 20.1	
Seats:		
Seat Height (in/mm)	35.6 / 904.2	
Number Of Seats	1	

## Drive Line:

Driveline Type	Selectable 4X2 / 4X4
Number Of Driveline Modes	2
Limited Slip Differential	Standard
Differential Lock	Standard
Stor	age:
Rear Rack	Standard
Front Rack	Standard
Lights:	
Halogen Headlight (s)	Standard

2011 Yamaha Rhino 700 FI Auto 4x4 USD3400



Eng	line:	
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	686 / 41.9	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel) Shaft		
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	Maxxis® 25 X 8-12 NHS	
Rear Tire (Full Spec)	Maxxis® 25 X 10-12 NHS	
Brakes:		
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Dual Hydraulic Disc	
Technical Specifications:		

Wheelbase (in/mm)	75.2 / 1910.1	
Dry Weight (lbs/kg)	1124 / 509.8	
Fuel Capacity (gal/l)	7.9 / 29.9	
Seats:		
Number Of Seats	2	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes 2		
Limited Slip Differential	Standard	
Differential Lock	Standard	
Lights:		
Halogen Headlight (s)	Standard	

2011 Yamaha Rhino 700 FI Auto 4x4 Sport Edition USD3600



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	686 / 41.9	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel) Shaft		
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	Maxxis® 25 X 8-12 NHS	
Rear Tire (Full Spec)	Maxxis® 25 X 10-12 NHS	
Brakes:		

Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Dual Hydraulic Disc	
Technical Specifications:		
Wheelbase (in/mm)	75.2 / 1910.1	
Dry Weight (lbs/kg)	1140 / 517.1	
Fuel Capacity (gal/l)	7.9 / 29.9	
Seats:		
Number Of Seats	2	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes 2		
Limited Slip Differential	Standard	
Differential Lock	Standard	
Lights:		
Halogen Headlight (s)	Standard	

2009 Suzuki QuadSport® Z400 USD2100



# Engine:

5		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	DOHC	
Displacement (cc/ci)	398 / 24.3	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Manual	
Number Of Speeds	5	
Primary Drive (Rear Wheel)	Chain	

Reverse Yes Wheels & Tires: Front Tire (Full Spec) Dunlop® AT 22 X 7-10 Rear Tire (Full Spec) Dunlop® AT 20 X 10-9 **Brakes:** Front Brake Type **Dual Hydraulic Disc** Rear Brake Type Hydraulic Disc **Technical Specifications:** Wheelbase (in/mm) 49 / 1245 Fuel Capacity (gal/l) 2.5 / 9.5 Seats: Seat Height (in/mm) 31.9 / 810 Number Of Seats 1 **Drive Line:** Driveline Type 4X2 Number Of Driveline Modes 1 Lights: Halogen Headlight (s) Standard

2009 Suzuki QuadRacer LT-R450 USD2800



## Engine:

Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	DOHC	
Displacement (cc/ci)	450 / 27.5	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Manual	
Number Of Speeds	5	
Primary Drive (Rear Wheel)	Chain	
Reverse	No	

### Wheels & Tires:

Front Tire (Full Spec)	Dunlop AT 20 X 7-10	
Rear Tire (Full Spec)	Dunlop AT 18 X 10-8	
Brakes:	-	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Hydraulic Disc	
Technical Specifications:		
Wheelbase (in/mm)	50.6 / 1285	
Fuel Capacity (gal/l)	2.6 / 10	
Seats:		
Seat Height (in/mm)	30.7 / 780	
Number Of Seats	1	
Drive Line:		
Driveline Type	4X2	
Number Of Driveline Modes	1	
Lights:		
Halogen Headlight (s)	Standard	

2011 Suzuki KingQuad 500 AXi 4X4 Power Steering USD2300



## Engine:

Engine Type Single-Cylinder Cylinders 1 Engine Stroke 4-Stroke Valve Configuration SOHC Displacement (cc/ci) 493 / 30 Carburetion Type Fuel Injected Transmission: Transmission Type Continuously Variable (CVT) Primary Drive (Front Wheel) Shaft

Reverse	Yes	
Wheels	& Tires:	
Front Tire (Full Spec)	Maxxis® AT 25 X 8-12	
Rear Tire (Full Spec)	Maxxis® AT 25 X 10-12	
Bra	kes:	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Sealed Oil Bath Multi-Disc	
Technical Sp	pecifications:	
Wheelbase (in/mm)	50.6 / 1285	
Fuel Capacity (gal/l)	4.6 / 17.5	
Sea	ats:	
Seat Height (in/mm)	36.2 / 920	
Number Of Seats	1	
Drive	Line:	
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes 2		
Limited Slip Differential	Standard	
Differential Lock	Standard	
Storage:		
Rear Rack	Standard	
Front Rack	Standard	
Lights:		
Halogen Headlight (s)	Standard	

2011 Suzuki KingQuad 750 AXi 4X4 USD2500



Engine Type Cylinders Engine Stroke Valve Configuration Engine: Single-Cylinder 1 4-Stroke DOHC Displacement (cc/ci) 722 / 44.1 **Carburetion Type Fuel Injected** Transmission: Continuously Variable (CVT) **Transmission Type** Primary Drive (Front Wheel) Shaft Reverse Yes Wheels & Tires: Front Tire (Full Spec) Dunlop® AT 25 X 8-12 Rear Tire (Full Spec) Dunlop® AT 25 X 10-12 **Brakes:** Front Brake Type **Dual Hydraulic Disc** Rear Brake Type Sealed Oil Bath Multi-Disc **Technical Specifications:** Wheelbase (in/mm) 50.4 / 1280 Fuel Capacity (gal/l) 4.6 / 17.5 Seats: Seat Height (in/mm) 34.6 / 880 Number Of Seats 1 Drive Line: Driveline Type Selectable 4X2 / 4X4 Number Of Driveline Modes 2 Limited Slip Differential Standard **Differential Lock** Standard Storage: **Rear Rack** Standard Front Rack Standard Lights: Halogen Headlight (s) Standard

2011 Suzuki KingQuad 750 AXi 4X4 Camo USD2399



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	DOHC	
Displacement (cc/ci)	722 / 44.1	
Carburetion Type	Fuel Injected	
Transm	nission:	
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel)	Shaft	
Reverse	Yes	
Wheels	& Tires:	
Front Tire (Full Spec)	Dunlop® AT 25 X 8-12	
Rear Tire (Full Spec)	Dunlop® AT 25 X 10-12	
Bra	kes:	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Sealed Oil Bath Multi-Disc	
-	pecifications:	
Wheelbase (in/mm)	50.4 / 1280	
Fuel Capacity (gal/l)	4.6 / 17.5	
Sea	ats:	
Seat Height (in/mm)	34.6 / 880	
Number Of Seats	1	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes		
•	Standard	
Differential Lock	Standard	
Storage:		
Rear Rack	Standard	
Front Rack	Standard	
Lights:		
Halogen Headlight (s)	Standard	



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	DOHC	
Displacement (cc/ci)	722 / 44.1	
Carburetion Type	Fuel Injected	
Transm	nission:	
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel)	Shaft	
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	Dunlop® AT 25 X 8-12	
Rear Tire (Full Spec)	Dunlop® AT 25 X 10-12	
Bra	kes:	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Sealed Oil Bath Multi-Disc	
Technical Sp	pecifications:	
Wheelbase (in/mm)	50.6 / 1285	
Fuel Capacity (gal/l)	4.6 / 17.5	
Seats:		
Seat Height (in/mm)	36.2 / 920	
Number Of Seats	1	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes 2		
Limited Slip Differential	Standard	
Differential Lock	Standard	
Storage:		

Rear Rack	Standard
Front Rack	Standard
	Lights:
Halogen Headlight (s)	Standard

2011 Suzuki KingQuad 750 AXi 4X4 Power Steering Camo USD3139

Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	DOHC	
Displacement (cc/ci)	722 / 44.1	
Carburetion Type	Fuel Injected	
Transr	nission:	
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel) Shaft		
Reverse	Yes	
Wheels	& Tires:	
Front Tire (Full Spec)	Dunlop® AT 25 X 8-12	
Rear Tire (Full Spec)	Dunlop® AT 25 X 10-12	
Brakes:		
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Sealed Oil Bath Multi-Disc	
Technical Specifications:		
Wheelbase (in/mm)	50.6 / 1285	
Fuel Capacity (gal/l)	4.6 / 17.5	
Seats:		
Seat Height (in/mm)	36.2 / 920	

Number Of Seats 1 Drive Line: Driveline Type Selectable 4X2 / 4X4 Number Of Driveline Modes 2 Limited Slip Differential Standard **Differential Lock** Standard Storage: Rear Rack Standard Front Rack Standard Lights: Halogen Headlight (s) Standard

2009 Suzuki QuadSport® Z90 USD719



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	90 / 5.5	
Carburetion Type	Carburetor	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Rear Wheel) Chain		
Reverse	No	
Wheels & Tires:		
Front Tire (Full Spec)	Dunlop® AT 19 X 7-8	
Rear Tire (Full Spec)	Dunlop® AT 19 X 7-8	

	Brakes:	
Front Brake Type	Dual Drum	
Rear Brake Type	Drum	
Techni	cal Specifications:	
Wheelbase (in/mm)	39.6 / 1005	
Fuel Capacity (gal/l)	1.6 / 6	
	Seats:	
Seat Height (in/mm)	25.6 / 650	
Number Of Seats	1	
	Drive Line:	
Driveline Type	4X2	
Number Of Driveline I	Modes 1	

2009 Suzuki QuadSport® Z90 Special Edition USD699



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	90 / 5.5	
Carburetion Type	Carburetor	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Rear Wheel) Chain		
Reverse	No	

## Wheels & Tires:

Front Tire (Full Spec)	Dunlop® AT 19 X 7-8	
Rear Tire (Full Spec)	Dunlop® AT 19 X 7-8	
Bra	akes:	
Front Brake Type	Dual Drum	
Rear Brake Type	Drum	
Technical Specifications:		
Wheelbase (in/mm)	39.6 / 1005	
Fuel Capacity (gal/l)	1.6 / 6	
Seats:		
Seat Height (in/mm)	25.6 / 650	
Number Of Seats	1	
Drive Line:		
Driveline Type	4X2	
Number Of Driveline Mode	s 1	

2009 Suzuki QuadSport® Z50 USD619



Eng	jine:	
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	49 / 3	
Carburetion Type	Carburetor	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Rear Wheel) Chain		
Reverse	No	
Wheels & Tires:		
Front Tire (Full Spec)	Dunlop® AT 16 X 8-7	
Rear Tire (Full Spec)	Dunlop® AT 16 X 8-7	
Brakes:		
Front Brake Type	Dual Drum	
Rear Brake Type	Drum	

## **Technical Specifications:**

Wheelbase (in/mm)	32.7 / 830
Fuel Capacity (gal/l)	0.7 / 2.6
	Seats:
Seat Height (in/mm)	21.1 / 535
Number Of Seats	1
	Drive Line:
Driveline Type	4X2
Number Of Driveline	Modes 1

2011 Kawasaki KFX® 450R USD2599



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	DOHC	
Displacement (cc/ci)	449 / 27.4	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Manual	
Number Of Speeds	5	
Primary Drive (Rear Wheel)	Chain	
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	AT 21 X 7-10	
Rear Tire (Full Spec)	AT 20 X 10-9	
Brakes:		
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Disc	
Technical Specifications:		
Wheelbase (in/mm)	49.4 / 1254.8	

Fuel Capacity (gal/l)2.6 / 9.8Seats:Seats:Seat Height (in/mm)30.9 / 784.9Number Of Seats1Drive Line:Driveline Type4X2Number Of Driveline Modes1Lights:Halogen Headlight (s)Standard

2009 Kawasaki KFX® 700 USD2680



Engine:		
Engine Type	V Twin	
Cylinders	2	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	697 / 42.5	
Carburetion Type	Carburetor	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Rear Wheel) Shaft		
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	ITP® Holeshot® AT 22 X 7-10	
Rear Tire (Full Spec)	ITP® Holeshot® AT 22 X 11-10	
Brakes:		

Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Sealed Oil Bath Multi-Disc	
Technical Specifications:		
Wheelbase (in/mm)	50.6 / 1285.2	
Dry Weight (lbs/kg)	551.3 / 250.1	
Fuel Capacity (gal/l)	3.2 / 12.1	
Seats:		
Seat Height (in/mm)	33.5 / 850.9	
Number Of Seats	1	
Drive Line:		
Driveline Type	4X2	
Number Of Driveline Modes 1		
Lights:		
Halogen Headlight (s)	Standard	

2009 Kawasaki KFX® 450R USD2459



# Engine:

<b>J</b>		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	DOHC	
Displacement (cc/ci)	449 / 27.4	
Carburetion Type	Fuel Injected	
Transmission:		
Transmission Type	Manual	
Number Of Speeds	5	
Primary Drive (Rear Wheel)	Chain	

Reverse Yes Wheels & Tires: Front Tire (Full Spec) AT 21 X 7-10 AT 20 X 10-9 Rear Tire (Full Spec) Brakes: Front Brake Type Dual Hydraulic Disc Rear Brake Type Disc **Technical Specifications:** Wheelbase (in/mm) 49.4 / 1254.8 Dry Weight (lbs/kg) 394.7 / 179 Fuel Capacity (gal/l) 2.6/9.8 Seats: Seat Height (in/mm) 30.9 / 784.9 Number Of Seats 1 Drive Line: Driveline Type 4X2 Number Of Driveline Modes 1 Lights: Halogen Headlight (s) Standard

2009 Kawasaki KFX® 450R Monster Energy 2400



Engine:

Engine Type Cylinders Engine Stroke Valve Configuration Single-Cylinder 1 4-Stroke DOHC

Displacement (cc/ci) 449 / 27.4 **Carburetion Type** Fuel Injected Transmission: Manual Transmission Type Number Of Speeds 5 Primary Drive (Rear Wheel) Chain Reverse Yes Wheels & Tires: Front Tire (Full Spec) AT 21 X 7-10 Rear Tire (Full Spec) AT 20 X 10-9 Brakes: Front Brake Type **Dual Hydraulic Disc** Rear Brake Type Disc **Technical Specifications:** Wheelbase (in/mm) 49.4 / 1254.8 Dry Weight (lbs/kg) 394.7 / 179 Fuel Capacity (gal/l) 2.6 / 9.8 Seats: Seat Height (in/mm) 30.9 / 784.9 Number Of Seats 1 **Drive Line:** Driveline Type 4X2 Number Of Driveline Modes 1 Lights: Halogen Headlight (s) Standard

2011 Kawasaki Bayou® 250 USD700



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	228 / 13.9	
Carburetion Type	Carburetor	
Transmi	ssion:	
Transmission Type	Manual / Automatic Clutch	
Number Of Speeds	5	
Primary Drive (Rear Wheel) Shaft		
Reverse	Yes	
Wheels &	k Tires:	
Front Tire (Full Spec)	Dunlop® AT 21 X 8-9	
Rear Tire (Full Spec)	Dunlop® AT 22 X 10-10	
Brak	es:	
Front Brake Type	Dual Drum	
Rear Brake Type	Drum	
Technical Spe	ecifications:	
Wheelbase (in/mm)	43.9 / 1115.1	
Dry Weight (lbs/kg)	404 / 183.3	
Fuel Capacity (gal/l)	2.6 / 9.8	
Seats:		
Seat Height (in/mm)	28.7 / 729	
Number Of Seats	1	
Drive Line:		
Driveline Type	4X2	

Number Of Driveline Modes 1 Storage: Rear Rack Standard Front Rack Standard Lights: Halogen Headlight (s) Standard

2011 Kawasaki Brute Force® 650 4x4



Engine:		
Engine Type	V Twin	
Cylinders	2	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	633 / 38.6	
Carburetion Type	Carburetor	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel) Shaft		
Reverse	Yes	
Wheels	& Tires:	
Front Tire (Full Spec)	Dunlop® AT 25 X 8-12	
Rear Tire (Full Spec)	Dunlop® AT 25 X 10-12	
Brakes:		
Front Brake Type	Dual Disc	
Rear Brake Type	Sealed Oil Bath Multi-Disc	
Technical Specifications:		
Wheelbase (in/mm)	50.9 / 1292.9	
Fuel Capacity (gal/l)	4.8 / 18.2	

Seats:		
Seat Height (in/mm)	33.9 / 861.1	
Number Of Seats	1	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes	2	
Limited Slip Differential	Standard	
Differential Lock	Standard	
Storage:		
Rear Rack	Standard	
Front Rack	Standard	
Lig	hts:	
Halogen Headlight (s)	Standard	

2011 Kawasaki Brute Force® 650 4x4i USD2000



Engine Type	
Cylinders	
Engine Stroke	
Valve Configuration	
Displacement (cc/ci)	
Carburetion Type	

Engine: V Twin

2 4-Stroke SOHC 633 / 38.6 Carburetor

### Transmission:

**Transmission Type** Continuously Variable (CVT) Primary Drive (Front Wheel) Shaft Reverse Yes Wheels & Tires: Front Tire (Full Spec) Dunlop® AT 25 X 8-12 Rear Tire (Full Spec) Dunlop® AT 25 X 10-12 **Brakes: Dual Disc** Front Brake Type Rear Brake Type Sealed Oil Bath Multi-Disc **Technical Specifications:** Wheelbase (in/mm) 50.6 / 1285.2 Fuel Capacity (gal/l) 5.4 / 20.4 Seats: Seat Height (in/mm) 35.6 / 904.2 Number Of Seats 1 **Drive Line:** Selectable 4X2 / 4X4 Driveline Type Number Of Driveline Modes 2 Limited Slip Differential Standard **Differential Lock** Standard Storage: Rear Rack Standard Standard Front Rack Lights: Standard Halogen Headlight (s)

2011 Kawasaki Brute Force® 750 4x4i USD2500



Eng	ine:	
Engine Type	V Twin	
Cylinders	2	
Engine Stroke	4-Stroke	
Valve Configuration	SOHC	
Displacement (cc/ci)	749 / 45.7	
Carburetion Type	Fuel Injected	
Transm	nission:	
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel)		
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	Dunlop® AT 25 X 8-12	
Rear Tire (Full Spec)	Dunlop® AT 25 X 10-12	
Bra	kes:	
Front Brake Type	Dual Hydraulic Disc	
Rear Brake Type	Sealed Oil Bath Multi-Disc	
-	pecifications:	
Wheelbase (in/mm)	50.6 / 1285.2	
Fuel Capacity (gal/l)	5 / 18.9	
Sea	ats:	
Seat Height (in/mm)	35.6 / 904.2	
Number Of Seats	1	
Drive Line:		
Driveline Type	Selectable 4X2 / 4X4	
Number Of Driveline Modes	2	
Limited Slip Differential	Standard	
Differential Lock	Standard	
Storage:		
Rear Rack	Standard	
Front Rack	Standard	
Lights:		
Halogen Headlight (s)	Standard	

2011 Kawasaki Mule™ 600 USD2199



Eng	ine:	
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	OHV	
Displacement (cc/ci)	401 / 24.5	
Carburetion Type	Carburetor	
Transm	nission:	
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Rear Wheel)	Shaft	
Reverse	Yes	
Wheels	& Tires:	
Front Tire (Full Spec)	22 X 9-10	
Rear Tire (Full Spec)	22 X 11-10	
Bra	kes:	
Front Brake Type	Sealed Hydraulic Drum	
Rear Brake Type	Sealed Hydraulic Drum	
Technical Specifications:		
Wheelbase (in/mm)	70 / 1778	
Fuel Capacity (gal/l)	4.1 / 15.5	
Seats:		
Number Of Seats	2	
Drive Line:		
Driveline Type	4X2	
Number Of Driveline Modes 1		
Differential Lock	Standard	
Lights:		

# Halogen Headlight (s) Standard

## 2011 Kawasaki Mule<sup>тм</sup> 610 4х4 USD2100



Engine:		
Engine Type	Single-Cylinder	
Cylinders	1	
Engine Stroke	4-Stroke	
Valve Configuration	OHV	
Displacement (cc/ci)	401 / 24.5	
Carburetion Type	Carburetor	
Transmission:		
Transmission Type	Continuously Variable (CVT)	
Primary Drive (Front Wheel) Shaft		
Reverse	Yes	
Wheels & Tires:		
Front Tire (Full Spec)	24 X 9-10	
Rear Tire (Full Spec)	24 X 11-10	
Brakes:		
Front Brake Type	Sealed Hydraulic Drum	
Rear Brake Type	Sealed Hydraulic Drum	
Technical Specifications:		
Wheelbase (in/mm)	70 / 1778	
Fuel Capacity (gal/l)	4.1 / 15.5	
Soats		

Seats:

Number Of Seats2DriveLine:Driveline TypeSelectable 4X2 / 4X4Number Of Driveline Modes2Limited Slip DifferentialStandardDifferential LockStandardLights:Halogen Headlight (s)Standard