



RGB LED MUSICQUEEN



5W RGB LED SPOTLIGHT




5W RGB LED BULB

• FEATURES

- 1. 5W High Brightness RGB LED Lamp
- 2. IR & MUSIC Controllable
- 3. Synchronous mode
- 4. Life span 30,000 hour
- 5. Light Output (25cm):
 - RED @ 30Lm
 - GREEN @ 60 Lm
 - BULE @ 12 Lm



SYNCHRONOUS MODE





5W RGB LED MUSICQUEEN

• BENEFITS

1. Low electricity costs to user
2. Low Temperature - safety
3. Easy to achieve fantastic effects
4. Direct replacement for easy installation
5. Changes whole colour schemes at the press of a button



• APPLICATIONS

1. Hotels, bars, restaurants, commercial and residential
2. Party Rooms and multi-use rooms
3. Any installation where easy-to-control coloured lighting





Button	Function
	Turn on the lamp
	Turn off the lamp
	1. Increase the brightness of single color 2. Increase the speed of FLASH · FADE mode
	1. Decrease the brightness of single color 2. Decrease the speed of FLASH · FADE mode
Color Button	Manually change all 16 colors
	Press FLASH Button (Original speed) This Bulb will be displayed in flash function Every Bulb will start from the RED light Press UP Button (High speed) Press DOWN Button (Low speed)
	Press FADE Button (Original speed) This Bulb will be displayed in A different mixed color Every Bulb will start from the White light Press UP Button (High speed) Press DOWN Button (Low speed)
	Press Button The light of this Bulb will jump according to the BEAT of the music (>70 dB) . NO MUSIC = NO LIGHT!!
	Select any color button, press Button , the color light is jumping with the music(>70 dB) . NO MUSIC = NO LIGHT!! Note: if you want to change color, repeat the procedure.

NOTE:

This RGB LAMP will be SYNCHRONOUS by POWER SWITCH ON/OFF . Two modes : FLASH and FADE mode



GU10



E14



E27



MR16



• SPECIFICATIONS

<i>Model</i>	<i>RGB-MR16</i>	<i>RGB-E27</i> <i>RGB-GU10</i> <i>RGB-E14</i>
Character		
Power Supply Voltage (Typ.)	10-18 VAC/VDC	100 VAC - 240 VAC
Power Voltage (Max.)	20 VAC/VDC	250 VAC
Input Frequency	AC 20-40 KHz	AC 47 - 60 Hz
Power Consumption	5W	



GU10

E14

E27

MR16



COMPONENT	TYPE
Al Cup	6061
Lens frame	PMMA
LED light source	Taiwan RGB Led Chip
Light base	Al substrate
Mask	PC
Connect base	E27, GU10, E14, MR16