

19. 5x7. 5

WHEEL SIZE	BOLTHOLES			P. C. D	CBD	OFFSET	DISK THICK	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYPE								
19. 5x7. 5	8	26	1x45°	275	214	160	12	360	42	10R19. 5	\$
19. 5x7. 5	8	26	1x45°	275	221	160	14			10R19. 5	

22. 5x7. 50

WHEEL SIZE	BOLTHOLES			P. C. D	CBD	OFFSET	DISK THICK	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYPE								
22. 5x7. 50	8	32	SR22	275	214	162	12	340	42	10R22. 5	\$
22. 5x7. 50	8	32	SR22	285	221	162	12	340	42	10R22. 5	
22. 5x7. 50	10	32	SR22	285. 75	222	162	12	340	42	225/70R22. 5	
22. 5x7. 50	10	26	1x45°	335	281	162	12	340	28. 56	225/70R22. 5	
22. 5x7. 50	8	32	SR22	275	214	162	12	340	25. 08	10R22. 5	
22. 5x7. 50	8	32	SR22	285	221	162	14	340	22. 8	10R22. 5	
22. 5x7. 50	10	26	1x45°	335	281	162	12	340	19. 92	10R22. 5	
22. 5x7. 50	8	26	1x45°	275	221	162	12	340	17. 04	10R22. 5	
22. 5x7. 50	8	32	SR22	275	214	162	14	340	14. 16	10R22. 5	
22. 5x7. 50	10	26	1x45°	285. 75	220	162	12	340	11. 28	10R22. 5	

22. 5x8. 25

WHEEL SIZE	BOLTHOLES			P. C. D	CBD	OFFSET	DISK THICK	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYPE								
22. 5x8. 25	8	32	SR22	275	214	165	12	320	42	11R22. 5	\$
22. 5x8. 25	8	32	SR22	285	221	165	12	320	42	11R22. 5	
22. 5x8. 25	8	26	1x45°	275	220	165	14	320	44	11R22. 5	
22. 5x8. 25	8	26	1x45°	275	214	165	12	320	42	11R22. 5	
22. 5x8. 25	10	32	SR22	285. 75	222	165	12	320	44	275/70R22. 5	
22. 5x8. 25	10	26	1x45°	285. 75	220. 5	169	12	320	42	275/70R22. 5	
22. 5x8. 25	10	26	1x45°	335	281	169	12	320	42	11R22. 5	
22. 5x8. 25	10	26	1x45°	335	281	169	14	320	44	11R22. 5	
22. 5x8. 25	10	27	SR18	335	281	169	12	320	42	11R22. 5	
22. 5x8. 25	10	26	1x45°	335	281	165	12	320	42	11R22. 5	

22. 5x9. 00

WHEEL SIZE	BOLTHOLES			P. C. D	CBD	OFFSET	DISK THICK	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYPE								
22. 5x9. 00	8	32	SR22	275	214	175	12	320/280	45	12R22. 5/315/80R22. 5	\$
22. 5x9. 00	8	32	SR22	285	221	175	12	320/280	47	12R22. 5/315/80R22. 5	
22. 5x9. 00	8	26	1x45°	275	220	175	12	320/280	45	12R22. 5/315/80R22. 5	
22. 5x9. 00	8	26	1x45°	275	214	175	12	320/280	47	12R22. 5/315/80R22. 5	
22. 5x9. 00	10	32	SR22	285. 75	222	175	12	320/280	45	12R22. 5/315/80R22. 5	
22. 5x9. 00	10	26	1x45°	285. 75	220. 5	175	14	320/280	47	12R22. 5/315/80R22. 5	
22. 5x9. 00	10	26	1x45°	335	281	175	12	320/280	45	12R22. 5/315/80R22. 5	
22. 5x9. 00	10	26	1x45°	335	281	175	14	320/280	47	12R22. 5/315/80R22. 5	
22. 5x9. 00	10	27	SR18	335	281	175	12	320/280	47	12R22. 5/315/80R22. 5	
22. 5x9. 00	10	26	1x45°	335	281	175	14	320/280	47	12R22. 5/315/80R22. 5	

22. 5x11. 75

WHEEL SIZE	BOLTHOLES			P. C. D	CBD	OFFSET	DISK THICK	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYPE								
22. 5x11. 75	10	27	SR18	335	281	0	14	240	47	385/60R22. 5	\$
22. 5x11. 75	10	27	ISO	335	281	120	14			385/60R22. 5	

2 tube steel wheel

5. 50F-16

WHEEL SIZE	BOLTHOLES			P. C. D	CBD	OFFSET	DISC THICKNESS	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYPE								
5. 50F-16	5	32. 5	SR22	203. 2	146	108	8	845	19. 5	7. 00-16	\$
5. 50F-16	5	32. 5	SR22	203. 2	146	112	10	845	20. 5	7. 00-16	
5. 50F-16	5	32. 5	SR22	203. 2	146	112	12	845	21. 2	7. 00-16	
5. 50F-16	5	32. 5	SR22	208	150	115	8	845	19. 5	6. 50-16	
5. 50F-16	5	32. 5	SR22	208	150	115	10	845	20. 5	6. 50-16	
5. 50F-16	5	32. 5	SR22	208	150	115	12	845	21. 2	6. 50-16	
5. 50F-16	6	32. 5	SR22	222. 25	164	119	8	845	19. 5	7. 00-16	
5. 50F-16	6	32. 5	SR22	222. 25	164	119	10	845	20. 5	7. 00-16	
5. 50F-16	6	32. 5	SR22	222. 25	164	119	12	845	21. 2	7. 00-16	
5. 50F-16	6	20. 5	SR22	190	140	115	8	845	19. 5	7. 00-16	
5. 50F-16	6	20. 5	SR22	190	140	115	10	845	20. 5	7. 00-16	
5. 50F-16	6	20. 5	SR22	190	140	115	12	845	21. 2	7. 00-16	

6. 00G-16

WHEEL SIZE	BOLTHOLES			P. C. D	CBD	OFFSET	DISC THICKNESS	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYPE								
6. 00G-16	5	32. 5	SR22	203. 2	146	127	8	780	20. 5	7. 00-16	\$
6. 00G-16	5	32. 5	SR22	203. 2	146	127	10	780	21. 2	7. 00-16	
6. 00G-16	5	32. 5	SR22	203. 2	146	127	12	780	22	7. 00-16	
6. 00G-16	5	32. 5	SR22	203. 2	146	135	8	780	20. 5	7. 00-16	
6. 00G-16	5	32. 5	SR22	203. 2	146	135	10	780	21. 2	7. 00-16	
6. 00G-16	5	32. 5	SR22	203. 2	146	135	12	780	22	7. 00-16	
6. 00G-16	5	32. 5	SR22	208	150	127	8	780	20. 5	6. 50-16	
6. 00G-16	5	32. 5	SR22	208	150	127	10	780	21. 2	6. 50-16	
6. 00G-16	5	32. 5	SR22	208	150	127	12	780	22	6. 50-16	
6. 00G-16	6	32. 5	SR22	222. 25	164	135	8	780	20. 5	7. 00-16	
6. 00G-16	6	32. 5	SR22	222. 25	164	135	10	780	21. 2	7. 00-16	
6. 00G-16	6	32. 5	SR22	222. 25	164	135	12	780	22	7. 00-16	
6. 00G-16	6	20. 5	SR22	190	140	135	8	780	20. 5	7. 00-16	
6. 00G-16	6	20. 5	SR22	190	140	135	10	780	21. 2	7. 00-16	
6. 00G-16	6	20. 5	SR22	190	140	135	12	780	22	7. 00-16	

6. 50-16

WHEEL SIZE	BOLEHOLE			P. C. D	CBD	OFFSET	DISC THICKNESS mm	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYRE								
6. 50-16:	6	20.5	SR22	190	140	127	10	780	24.5	7.50-16	\$
							12	780	25.2	7.50-16	
							14	780	28	7.50-16	
6. 50-16:	6	32.5	SR22	222.25	164	135	10	780	24.5	8.25-16	\$
							12	780	25.2	8.25-16	
							14	780	28	8.25-16	

6. 50-20

WHEEL SIZE	BOLEHOLE			P. C. D	CBD	OFFSET	DISC THICKNESS mm	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYRE								
6. 50-20:	6	20.5	SR22	190	140	145	12	400	40	8.25-20	\$
							14	400	40	8.25-20	
							12	400	41.5	8.25-20	
6. 50-20:	6	32.5	SR22	222.25	164	145	12	400	40	8.25-20	\$
							14	400	40	8.25-20	
							12	400	41.5	8.25-20	
6. 50-20:	8	26.5	SR18	275	221	145	12	400	40	8.25-20	\$
							14	400	41.5	8.25-20	
							12	400	40	8.25-20	
6. 50-20:	8	26.5	SR22	275	214	145	12	400	40	8.25-20	\$
							14	400	40	8.25-20	
							12	400	41.5	8.25-20	
6. 50-20:	8	32.5	1x45*	285	221	145	12	400	40	8.25-20	\$
							14	400	40	8.25-20	
							12	400	41.5	8.25-20	

7. 00T-20

WHEEL SIZE	BOLEHOLE			P. C. D	CBD	OFFSET	DISC THICKNESS mm	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYRE								
7. 00T-20	8	32.5	SR22	285	221	153	12	400	40	9.00-20	\$
							14	400	42	9.00-20	
							12	400	40	9.00-20	
7. 00T-20	8	32.5	SR22	275	214	152	12	400	40	9.00-20	\$
							14	400	42	9.00-20	
							12	400	40	9.00-20	
7. 00T-20	8	26.5	1x45*	275	220.5	152	12	400	40	9.00-20	\$
							14	400	42	9.00-20	
							12	400	40	9.00-20	
7. 00T-20	8	26.5	1x45*	275	214	153	12	400	40	9.00-20	\$
							14	400	42	9.00-20	
							12	400	40	9.00-20	
7. 00T-20	10	26.5	SR22	335	281	152	12	400	40	9.00-20	\$
							14	400	42	9.00-20	
							12	400	40	9.00-20	
7. 00T-20	10	32.5	SR22	285.75	222	152	12	400	40	9.00-20	\$
							14	400	42	9.00-20	
							12	400	40	9.00-20	
7. 00T-20	10	26.5	1x45*	285.75	220	152	12	400	40	9.00-20	\$
							14	400	42	9.00-20	
							12	400	40	9.00-20	

7. 5V-20

WHEEL SIZE	BOLEHOLE			P. C. D	CBD	OFFSET	DISC THICKNESS mm	QTY/20GP	DISK THICK	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYRE									
7. 5V-20	8	32.5	SR22	285	221	165	360	360	12	44	10.00-20	\$
									14	45		
									16	50		
7. 5V-20	8	32.5	SR22	275	214	165	360	360	12	44	10.00-20	\$
									14	45		
									16	50		
7. 5V-20	8	26.5	1x45*	275	214	165	360	360	12	44	10.00-20	\$
									14	45		
									16	50		
7. 5V-20	8	26.5	1x45*	275	220	165	360	360	12	44	10.00-20	\$
									14	45		
									16	50		
7. 5V-20	10	32.5	SR22	285.75	222	165	360	360	12	44	10.00-20	\$
									14	45		
									16	50		
7. 5V-20	10	26.5	1x45*	285.75	220.5	165	360	360	12	44	10.00-20	\$
									14	45		
									16	50		
7. 5V-20	10	26.5	1x45*	335	281	165	360	360	12	44	10.00-20	\$
									14	45		
									16	50		

8. 00V-20

WHEEL SIZE	BOLEHOLE			P. C. D	CBD	OFFSET	DISC THICKNESS mm	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)	
	HOLES NO.	HOLE DIA	HOLE TYRE									
8. 00V-20	10	26	1x45*	335	281	170	320	320	50	50	11.00-20	\$
									53	53		
									50	50		
8. 00V-20	10	27	1x45*	335	281	170	320	320	50	50	11.00-20	\$
									53	53		
									50	50		
8. 00V-20	10	32.5	SR22	285.75	222	170	320	320	50	50	11.00-20	\$
									53	53		
									50	50		
8. 00V-20	10	26.5	SR18	335	281	170	320	320	50	50	11.00-20	\$
									53	53		
									50	50		
8. 00V-20	10	26.5	1x45*	285.75	220.5	170	320	320	50	50	11.00-20	\$
									53	53		
									50	50		

8. 50-20

WHEEL SIZE	BOLEHOLE			P. C. D	CBD	OFFSET	DISC THICKNESS mm	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYRE								
8. 50-20:	10	26	1x45*	335	281	175	14	320	50	12.00-20	\$
							16	320	53	12.00-20	
							14	320	60	12.00-20	
8. 50-20:	10	27	1x45*	335	281	175	14	320	50	12.00-20	\$
							16	320	53	12.00-20	
							14	320	60	12.00-20	
8. 50-20:	10	32.5	SR22	285.75	222	175	14	320	53	12.00-20	\$
							16	320	60	12.00-20	
							14	320	60	12.00-20	
8. 50-20:	10	26.5	SR18	335	281	175	14	320	53	12.00-20	\$
							16	320	53	12.00-20	
							14	320	60	12.00-20	
8. 50-20:	10	26.5	1x45*	285.75	220.5	175	14	320	53	12.00-20	\$
							16	320	60	12.00-20	
							16	320	53	12.00-20	

8. 50-24

WHEEL SIZE	BOLEHOLE			P. C. D	CBD	OFFSET	DISC THICKNESS mm	QTY/20GP	WEIGHT	Rec. Tyre	Price (FOB Qingdao, current)
	HOLES NO.	HOLE DIA	HOLE TYRE								
8. 50-24	10	27	SR18	335	281	180	14	208	71	12.00-24	\$
							16	208	76	12.00-24	
							14	208	71	12.00-24	
8. 50-24	10	26	1x45*	335	281	180	14	208	76	12.00-24	\$
							16	208	76	12.00-24	
							14	208	71	12.00-24	
9. 0-20							16	280	66		\$
							16	208	78		