ITEM	PRODUCT	PICTURE	INTRODUCTION
1	(8K Mirror Stainless Steel Sheets)Purple Iens face plate	LF-2003 紫红色镜面板 Purple lens face plate	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.25-2.0mm; Width:10~1240mm; Commonly known as the mirror of light titanium plates, stainless steel mirror panel at the end of 8K, 10K, 12K (normal, medium, ultra-fine grinding), re-use of the world's most advanced and environmentally friendly, pollution-free surface treatment technology - vacuum coating process (PVD) in the stainless steel surface coated with a layer of wear, corrosion, high temperature also can have different colors of dense compound layer, the color coating can be treated through routine stretching and molding and forming process, the color does not go negative can not afford.
2	(8K Mirror Stainless Steel Sheets)Blue mirror board	LF-2004 蓝色镜面板 Blue mirror board	Size:1000*2000、1219*2438、1219*3048 and so on;Material:201/202/304/316/430 etc.;Location:LISCO、BAOXIN、POSCO;Length:Convention(2000~3048);Thickness:0.25-2.0mm;Width:10~1240mm; Commonly known as the mirror of light titanium plates, stainless steel mirror panel at the end of 8K, 10K, 12K (normal, medium, ultra-fine grinding), re-use of the world's most advanced and environmentally friendly, pollution-free surface treatment technology - vacuum coating process (PVD) in the stainless steel surface coated with a layer of wear, corrosion, high temperature also can have different colors of dense compound layer, the color coating can be treated through routine stretching and molding and forming process, the color does not go negative can not afford.

3	(8K Mirror Stainless Steel Sheets)Bronze mirror board	LF-2001 古铜色镜面板 Bronze mirror board	Size:1000*2000、1219*2438、1219*3048 and so on;Material:201/202/304/316/430 etc.;Location:LISCO、BAOXIN、POSCO;Length:Convention(2000~3048);Thickness:0.25-2.0mm;Width:10~1240mm; Commonly known as the mirror of light titanium plates, stainless steel mirror panel at the end of 8K, 10K, 12K (normal, medium, ultra-fine grinding), re-use of the world's most advanced and environmentally friendly, pollution-free surface treatment technology - vacuum coating process (PVD) in the stainless steel surface coated with a layer of wear, corrosion, high temperature also can have different colors of dense compound layer, the color coating can be treated through routine stretching and molding and forming process, the color does not go negative can not afford.
4	(Colored Pattem Stainless Steel)And grain board	LF-2066 钛金和纹板 And grain board	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm; Width:10~1240mm; And patterns, also known as vibration pattern or random pattern plate, the surface of stainless steel through the machine constant pressure grinding to form short irregular lateral bending wire. Processed and the pattern board and general plate board surface is different from the overall surface wear, anti-carved, wear is also beyond to other steel whose surface is much higher than normal effects of anti-fingerprint stainless steel.

5	(Colored Pattem Stainless Steel)Tan and grain	LF-2069 古铜色和纹板 Tan and grain	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm; Width:10~1240mm; And patterns, also known as vibration pattern or random pattern plate, the surface of stainless steel through the machine constant pressure grinding to form short irregular lateral bending wire. Processed and the pattern board and general plate board surface is different from the overall surface wear, anti-carved, wear is also beyond to other steel whose surface is much higher than normal effects of anti-fingerprint stainless steel.
6	(Colored Pattem Stainless Steel)Coffee and grain board	LF-2068 咖啡色和纹板 Coffee and grain board	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm;Width:10~1240mm; And patterns, also known as vibration pattern or random pattern plate, the surface of stainless steel through the machine constant pressure grinding to form short irregular lateral bending wire. Processed and the pattern board and general plate board surface is different from the overall surface wear, anti-carved, wear is also beyond to other steel whose surface is much higher than normal effects of anti-fingerprint stainless steel.

7	(Colored Etched STainless Steel Sheets)Etchin g leopard grain	LF-2028 蚀刻豹纹 Etching leopard grain	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm; Width:10~1240mm; Etching commonly known as burnt-out board, in the stainless steel surface corrosion by chemical method out of all kinds of patterns to 8K mirror panels, ultra-fine grinding mirror panels (for high demand) drawing board, sand board, and the pattern board for the end, the cleaning treatment, the surface again for processing, so the emergence of various light and dark patterns, convex surface, three-dimensional sense of strong high-grade results.
8	(Colored Etched STainless Steel Sheets)The etching maple leaf	LF-2030 反蚀刻枫叶 The etching maple leaf	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm; Width:10~1240mm; Etching commonly known as burnt-out board, in the stainless steel surface corrosion by chemical method out of all kinds of patterns to 8K mirror panels, ultra-fine grinding mirror panels (for high demand) drawing board, sand board, and the pattern board for the end, the cleaning treatment, the surface again for processing, so the emergence of various light and dark patterns, convex surface, three-dimensional sense of strong high-grade results.

Size:1000*2000、1219*2438、1219*3048 and so on: Material:201/202/304/316/430 etc.: Location:LISCO、BAOXIN、POSCO: Length:Convention(2000~3048); (Colored Etched Thickness:0.3-3.0mm: STainless Width: 10~1240mm: 9 Etching commonly known as burnt-out board, in the stainless Steel Sheets)Mirror steel surface corrosion by chemical method out of all kinds of etching patterns to 8K mirror panels, ultra-fine grinding mirror panels (for morning glory high demand) drawing board, sand board, and the pattern board for LF-2025 镜面蚀刻喇叭花 the end, the cleaning treatment, the surface again for processing, so the emergence of various light and dark patterns, convex surface, Mirror etching morning glory three-dimensional sense of strong high-grade results. Size:1000*2000, 1219*2438, 1219*3048 and so on; Material:201/202/304/316/430 etc.: (Colored Location:LISCO、BAOXIN、POSCO; Pattern Length:Convention(2000~3048): STainless Thickness:0.3-3.0mm; Width:10~1240mm; Steel 10 This product belongs to my company developed a new stainless steel Sheets)Titanu decorative sheet, the main features is a strong three-dimensional pattern, from a different point of view, will have a different etching+drawi three-dimensional effect, extremely beautiful. Background patterns ng available: 8K mirror panels, BA light board, black boards, gold YC-2027 钛金蚀刻+拉丝 plate board, etc. Titanium etching + drawing

11	(Colored Pattern STainless Steel Sheets)Sapphi re etching plate flower color	YC-2003 宝石蓝碎花彩色蚀刻板 Sapphire etching plate flower color	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm;Width:10~1240mm; This product belongs to my company developed a new stainless steel decorative sheet, the main features is a strong three-dimensional pattern, from a different point of view, will have a different three-dimensional effect, extremely beautiful. Background patterns available: 8K mirror panels, BA light board, black boards, gold plate board, etc.
12	(Colored Pattern STainless Steel Sheets)Rose gold etching	YC-2026 玫瑰金蚀刻 Rose gold etching	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm;Width:10~1240mm; This product belongs to my company developed a new stainless steel decorative sheet, the main features is a strong three-dimensional pattern, from a different point of view, will have a different three-dimensional effect, extremely beautiful. Background patterns available: 8K mirror panels, BA light board, black boards, gold plate board, etc.

Size:1000*2000、1219*2438、1219*3048 and so on: Material:201/202/304/316/430 etc.: Location:LISCO、BAOXIN、POSCO: (Hairline & Length:Convention(2000~3048): Thickness:0.3-3.0mm:Width:10~1240mm: brushed Stainless This product belongs to my company developed a new stainless 13 Steel Sheets) steel decorative sheet, the main features is a strong three-Brown wire dimensional pattern, from a different point of view, will have a drawing board different three-dimensional effect, extremely beautiful. Background patterns available: 8K mirror panels, BA light board, black boards, gold plate board, etc. LF-2051 咖啡色拉丝板 Brown wire drawing board Size:1000*2000 \, 1219*2438 \, 1219*3048 and so on; Material:201/202/304/316/430 etc.: Location:LISCO, BAOXIN, POSCO; (Hairline & Length: Convention (2000~3048): brushed Thickness:0.3-3.0mm; Width:10~1240mm; Stainless 14 This product belongs to my company developed a new stainless Steel steel decorative sheet, the main features is a strong three-Sheets)Coffee dimensional pattern, from a different point of view, will have a wiredrawing different three-dimensional effect, extremely beautiful. Background patterns available: 8K mirror panels, BA light board, black boards, LF-2050 咖啡色拉丝 gold plate board, etc. Coffee wiredrawing

15	(Hairline & brushed Stainless Steel Sheets)Bronze -colored wiredrawing	LF-2057 古铜色拉丝 Bronze-colored wiredrawing	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm;Width:10~1240mm; This product belongs to my company developed a new stainless steel decorative sheet, the main features is a strong three-dimensional pattern, from a different point of view, will have a different three-dimensional effect, extremely beautiful. Background patterns available: 8K mirror panels, BA light board, black boards, gold plate board, etc.
16	(Pattern Stainless Steel Sheets)Small elliptical	LF-2038 小椭圆 Small elliptical	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm;Width:10~1240mm; The size of a grain of rice, the size of the diamond, bar pattern, Marble, size, oval, ice bamboo pattern, chrysanthemum pattern, antique squares, leather pattern, knitting pattern, size of the squares, cubes, Dielianhua, heart-shaped, etc. (another number large, open another pattern can be customized mold)

17	(Pattern Stainless Steel Sheets)Stars convex orifice plate	LF-2036 星星凸孔板 Stars convex orifice plate	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm;Width:10~1240mm; The size of a grain of rice, the size of the diamond, bar pattern, Marble, size, oval, ice bamboo pattern, chrysanthemum pattern, antique squares, leather pattern, knitting pattern, size of the squares, cubes, Dielianhua, heart-shaped, etc. (another number large, open another pattern can be customized mold)
18	(Pattern Stainless Steel Sheets)Of rough words flowers	LF-2034 粗人字花 Of rough words flowers	Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.; Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048); Thickness:0.3-3.0mm;Width:10~1240mm; The size of a grain of rice, the size of the diamond, bar pattern, Marble, size, oval, ice bamboo pattern, chrysanthemum pattern, antique squares, leather pattern, knitting pattern, size of the squares, cubes, Dielianhua, heart-shaped, etc. (another number large, open another pattern can be customized mold)

Stainless Steel Mosaic

LF-2131 不锈钢马赛克 Stainless steel mosaic

Size:1000*2000、1219*2438、1219*3048 and so on; Material:201/202/304/316/430 etc.:

Location:LISCO、BAOXIN、POSCO; Length:Convention(2000~3048);

Thickness:0.3-3.0mm;Width:10~1240mm;

Combined process of drawing + etching plate, top with the domestic technology as a whole, in the same time enjoy Yong Rong Huagui, yet slick quality! Another stainless steel color stainless steel that retains excellent mechanical properties and corrosion resistance, but also has a variety of beautiful colors, this product adds even more pleasing aesthetic. Is an environmentally friendly decorative materials, excluding methanol and other organic matter, no radiation, fire safety. The surface corrosion resistance, wear resistance more than in the ordinary stainless steel, the main integration with the coloring layer, maintaining the original's basic structure and stainless steel performance, regular stretching and molding. The process works similar with the etching plate, only the surface of the bump-free feel, etching plates and vice versa.

Size: 1000*2000 \, 1219*2438 \, 1219*3048 \, and so on: Material:201/202/304/316/430 etc.: Location:LISCO, BAOXIN, POSCO; Length:Convention(2000~3048): Thickness:0.3-3.0mm;Width:10~1240mm; Combined process of drawing + etching plate, top with the domestic technology as a whole, in the same time enjoy Yong Rong Huagui, yet slick quality! Another stainless steel color stainless steel that retains excellent mechanical properties and corrosion resistance, Stainless 20 but also has a variety of beautiful colors, this product adds even Steel Mosaic more pleasing aesthetic. Is an environmentally friendly decorative materials, excluding methanol and other organic matter, no radiation, fire safety. The surface corrosion resistance, wear resistance more than in the ordinary stainless steel, the main integration with the coloring layer, maintaining the original's LF-2150 不锈钢马赛克 basic structure and stainless steel performance, regular stretching and molding. The process works similar with the etching plate, only Stainless steel mosaic the surface of the bump-free feel, etching plates and vice versa. Stainless steel coils : 1.Place of original: Foshan City, China 2.Standards: ASTM A240/ A240M, A167 200/300/400 3. Thickness: according to the request of customer Series 4.Width: : no more than 3000mm Stainless 5.Packaging: In bulk 21 Steel 6.Delivery Lead Time: 30-40 days Coils(201/201 7.Terms of Payment: T/ T or L/ C /301/304/309/ 8. Productivity: 1000 Ton per Month 401/430 etc.) 9.Minimum Order: 2 Ton 10.Certification(s): ISO9001

Grade: 201, 202, 301, 304L 309S, 310S, 316, 410, 409, etc. Thickness: 0.1mm-2.5mm diameter: 101mm-980mm. 200/300/400 Finish: 2B.BA.No.1.No.4.No.8.Mirror.8K.Brush.bright.hairline.linen/ Series embosse Stainless Special finishing of sheets: Stainless steel etching sheets, lembossed sheet, sheets for elevator(lift) , PVD mirror sheets in Steel 22 Sheets(201/20 different color, plating sheet. 1/301/304/309 Package: Standard Export package, PVC film with wooden pallet/ box. /401/430 etc. Delivery time: about 20-25days after deposite. etc.) 201, 202, 304, 304L, 316L stainless steel pipes * Certification ISO 200/300/400 Detailed Product Description: Series 1.Steel Grade: 200 series 300 series 400 series etc Stainless 2.Standard: ASTM GB DIN etc 23 Steel 3.Length: 6m 9m 12m Pipes(201/201 /301/304/309/ Sizes: 401/430 etc.) 1.0D: 13-700mm 2.Thickness: 0.4-20mm 3.Length: 6m 9m 12m

24	201/202/304/4 30 Stainless Steel Coils(Hot Rolled or Cold Rolled)	Stainless steel coils: 1.Place of original: Foshan City, China 2.Standards: ASTM A240/ A240M, A167 3.Thickness: according to the request of customer 4.Width: no more than 3000mm 5.Packaging: In bulk 6.Delivery Lead Time: 30-40 days 7.Terms of Payment: T/ T or L/ C 8.Productivity: 1000 Ton per Month 9.Minimum Order: 2 Ton 10.Certification(s): IS09001
25	201/202/304/4 30 Stainless Steel Plates(Hot Rolled or Cold Rolled)	Grade: 201, 202, 301, 304L 309S, 310S, 316, 410, 409, etc. Thickness: 0.1mm-2.5mm diameter: 101mm-980mm. Finish:2B,BA,No.1,No.4,No.8,Mirror,8K,Brush,bright,hairline,linen/embosse Special finishing of sheets: Stainless steel etching sheets, embossed sheet, sheets for elevator(lift), PVD mirror sheets in different color, plating sheet. Package: Standard Export package, PVC film with wooden pallet/box, etc. Delivery time: about 20-25days after deposite.