

Vacuum extruder made of good materials:

1. Reducer: Adopt national standard model
2. Main parts: Forged by manganese alloy, improve brick machine service life greatly
3. Rimer: Use wear-resistant materials, more durable

Vacuum extruder large picture:



Main technical parameter:

Raw materials: Clay

Brick moisture: 18%-22%

Rimer Dia. 400mm

Axis rotary speed: 51 r/min

Power : 90kw or 110 kw (can adopt different motors according to brick materials' situation)

Capacity: 8000-10000 Pcs/hr (In chinese standard brick 240*115*53 mm)



Installation: Horizontal or Vertical (We can help install and debug production line)

Transportation: By sea or by railway in 40ft container (We can take charge of transportation)

Quality assurance: Main parts *2 Year Guarant*

Kiln: we can help build Tunnel kiln or Hoffman kiln

Eliminate Customers' Concerns! Make You Open Brick Field Relievedly!

Other main equipment of whole brick making production line:

Box feeder:



Double shaft mixer:



Roller crusher:



Belt conveyor:




Strip&Block cutter:



全自动无人职守切坯、切条机

Simple clay brick making production line flowchart:



Based on actual needs and budget, can equip other machines to realize full automatic production.

So, what are you waiting for?

We firmly believe that our cooperation would create a win-win situation!