

# Gentry Venda Electronics Co., Ltd

Add:2nd Floor Building A3,West village of Shui Dou Keng No,1 Industrial Zone

bantian,Longgang district, ShenZhen,GuangDong China

contact person:Miss Anita zheng                      website:www.wennda.com

Email:szwennda02@yahoo.com    MSN:zjearphone@hotmail.com    SKYPE:zhengaziskype

Phone:86-755-89505536      Mobile:86-13423872432      Fax:86-755-89508985

## price list of earphone

Model No	Picture	Specifications	EXW Price (USD/PC)	MOQ
R27W		1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:<2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M	\$0.62	3000pcs
R124		1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:<2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M	\$0.62	3000pcs
R157W		1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:<2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M	\$0.64	3000pcs

R161B		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.66	3000pcs
R163		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.56	3000pcs
R165B		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.58	3000pcs
R166		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.62	3000pcs
R167		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.79	3000pcs

R168		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.56	3000pcs
R169		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.58	3000pcs
R176 (yellow dolphin)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.90	3000pcs
R177		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.86	3000pcs
R178 (strawberry)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.97	3000pcs

R179W		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.99	3000pcs
R180		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.88	3000pcs
R181		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.90	3000pcs
R182 (flat wire)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.10	3000pcs
R183		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.12	3000pcs

<p><b>R184</b> (Slanting shell)</p>		<p>1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:&lt;2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M</p>	<p><b>\$1.06</b></p>	<p>3000pcs</p>
<p><b>R185</b> (straight shell)</p>		<p>1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:&lt;2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M</p>	<p><b>\$1.09</b></p>	<p>3000pcs</p>
<p><b>R186</b></p>		<p>1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:&lt;2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M</p>	<p><b>\$1.04</b></p>	<p>3000pcs</p>
<p><b>R190</b></p>		<p>1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:&lt;2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M</p>	<p><b>\$0.92</b></p>	<p>3000pcs</p>
<p><b>R204W</b></p>		<p>1) Speaker:10mm 2) Sensitivity:105db 3) Response range:20-20000HZ 4)Impedence: 32Ω 5)Distortion:&lt;2% 6)Plug:3.5mm gold-plated 7)Cable:1.2M</p>	<p><b>\$0.44</b></p>	<p>3000pcs</p>

R205		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$2.10	3000pcs
R206B		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.67	3000pcs
R208B		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.56	3000pcs
R212		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.06	3000pcs
R213(metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.50	3000pcs

R218B		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.88	3000pcs
R219W		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.56	3000pcs
R220P		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.70	3000pcs
R221		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.07	3000pcs
R222		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$0.99	3000pcs

R223(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.58	3000pcs
R224(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.40	3000pcs
R225(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.59	3000pcs
R226(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.40	3000pcs
R227(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.59	3000pcs



R228(Metal shell		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.67	3000pcs
R229		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.06	3000pcs
R230		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.15	3000pcs
R231-1(Metal shel		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.50	3000pcs
R231-2(Metal shel		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.43	3000pcs


R241(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.40	3000pcs
R235		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.06	3000pcs
R243G(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.43	3000pcs
R247B(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.43	3000pcs
R250(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$2.40	3000pcs

R252(Metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$2.00	3000pcs
R253(metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.46	3000pcs
R254(metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.64	3000pcs
R255(metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.67	3000pcs
R256(metal shell)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.59	3000pcs

R257(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.67	3000pcs
R258(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.75	3000pcs
R259(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.64	3000pcs
R260(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.50	3000pcs
R261(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.73	3000pcs

R262(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.75	3000pcs
R263(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.70	3000pcs
R264(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.70	3000pcs
R265(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.70	3000pcs
R266(metal sehl)		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	\$1.59	3000pcs


<p><b>R267(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$1.67</b></p>	<p>3000pcs</p>
<p><b>R270W</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$0.74</b></p>	<p>3000pcs</p>
<p><b>R280</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$0.79</b></p>	<p>3000pcs</p>
<p><b>R281</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$1.20</b></p>	<p>3000pcs</p>
<p><b>R282</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$0.56</b></p>	<p>3000pcs</p>

<p><b>R283</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$0.60</b></p>	<p>3000pcs</p>
<p><b>R284</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$0.56</b></p>	<p>3000pcs</p>
<p><b>R294(Metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$1.59</b></p>	<p>3000pcs</p>
<p><b>R295(Metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$1.56</b></p>	<p>3000pcs</p>
<p><b>R303(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p><b>\$1.83</b></p>	<p>3000pcs</p>

<p><b>R305(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.59</p>	<p>3000pcs</p>
<p><b>R308(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.60</p>	<p>3000pcs</p>
<p><b>R319(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.46</p>	<p>3000pcs</p>
<p><b>R320(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.60</p>	<p>3000pcs</p>
<p><b>R321(metal shell,yellow+red )</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.59</p>	<p>3000pcs</p>



<p><b>R322(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.60</p>	<p>3000pcs</p>
<p><b>R340(Metal housing)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.35</p>	<p>3000pcs</p>
<p><b>R355(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.50</p>	<p>3000pcs</p>
<p><b>R356(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.48</p>	<p>3000pcs</p>
<p><b>R357(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.46</p>	<p>3000pcs</p>

<p><b>R358(metal shell)</b></p>		<p>1) Speaker:10mm  2) Sensitivity:105db  3) Response range:20-20000HZ  4)Impedence: 32Ω  5)Distortion:&lt;2%  6)Plug:3.5mm gold-plated  7)Cable:1.2M</p>	<p>\$1.52</p>	<p>3000pcs</p>
---------------------------------	---	---	---------------	----------------

**REMARKS:**

- 1. THE ABOVE PRICE not including the packing.**
- 2. MOQ: FOR OEM: 3,000PCS**
- 3. DELIVERY TIME: 20 WORKING DAYS**
- 4. PAYMENT: 30% DEPOSIT IN ADVANCE, THE BALANCE PAYMENT BEFORE SHIPMENT**
- 5. FOB SHENZHEN**
- 6. SAMPLE TIME: 3 WORKING DAYS**