



32CH Video 8CH Audio H.264 DVR Card

			GV-900A	GV-900A x 2
Interface			PCI-E (x1)	PCI-E (x1) x 2
Input Type			DVI	
Video Input			8, 16, 32 Cams	16, 24, 32 Cams
Audio Input			8 Channels	16 Channels
Recording Rate	CIF	NTSC	8-port: 240 fps 16/32-port: 240 fps	8+8 port: 480 fps 16+16 port: 480 fps
		PAL	8-port: 200 fps 16/32-port: 200 fps	8+8 port: 400 fps 16+16 port: 400 fps
	D1	NTSC	8-port: 240 fps 16/32-port: 120 fps	8+8 port: 480 fps 16+16 port: 240 fps
		PAL	8-port: 200 fps 16/32-port: 100 fps	8+8 port: 400 fps 16+16 port: 200 fps
Display Rate	CIF	NTSC	8-port: 240 fps 16/32-port: 240 fps	8+8 port: 480 fps 16+16 port: 480 fps
		PAL	8-port: 200 fps 16/32-port: 200 fps	8+8 port: 400 fps 16+16 port: 400 fps
	D1	NTSC	8-port: 240 fps 16/32-port: 120 fps	8+8 port: 480 fps 16+16 port: 240 fps
		PAL	8-port: 200 fps 16/32-port: 100 fps	8+8 port: 400 fps 16+16 port: 200 fps

Video Resolution	NTSC	704 x 480, 704 x 480 De-interlace, 640 x 480, 640 x 480 De-interlace, 352 x 240, 320 x 240
	PAL	704 x 576, 704 x 576 De-interlace, 640 x 480, 640 x 480 De-interlace, 352 x 288, 320 x 240
Video Format	Compression	Geo MPEG4, Geo H264
Audio Format	Compression	AAC (16 kHz / 16 bit, 32 kHz / 16 bit)
GV-NET/IO Card Support		Yes
Dimensions (W x H)		120 x 112 mm / 4.7 x 4.4 in
Installation Guide		GV-900A

Note:

1. GV-900A is currently not compatible with VIA series and ATI series chipset motherboards.
2. 16-port has the same recording rate and display rate as 32-port.
3. Specifications are subject to change without notice.

Minimum System Requirements For One Card

OS Supported	32-bit	Windows XP / Windows Vista / Windows 7 / Windows Server 2008
	64-bit	Windows 7 / Windows Server 2008 R2
CPU		Pentium 4, 3.0 GHz with Dual Core
RAM		2 x 1 GB Dual Channels
HDD		160 GB
Graphic Card		AGP or PCI-Express, 800 x 600 (1280 x 1024 recommended), 32-bit color
DirectX		9.0c

Minimum System Requirements For Two Card

document.write(OS);	32-bit	Windows XP / Windows Vista / Windows 7 / Windows Server 2008
	64-bit	Windows 7 / Windows Server 2008 R2
CPU		Core i5-750, 2.66 GHz
RAM		2 x 1 GB Dual Channels
HDD		500 GB
Graphic Card		AGP or PCI-Express, 800 x 600 (1280 x 1024 recommended), 32-bit color
DirectX		9.0c

Accessory

4 cam video cable



8 cam video cable



16 cam video cable



Notifications:

Warranty:

- ◆ **2 years** hardware warranty
- ◆ Life-time software upgrade and technical support.

Payment:

- ◆ T/T
- ◆ Western Union

Delivery:

- ◆ **2-5 days** goods preparation
- ◆ **3-5 days** international shipping



Contact: Jackie

Office Call :00852-65252550

Cell:0086-15920090951 or 0086-13143882550

Fax: 4008-8921-6330-9912

MSN: jackieliangcn@msn.com Skype: jackieliangcn

Yahoo: jackielcn E-mail: jackielcn@gmail.com

Address: Shing Yip Industrial Bldg No. 19-21 Shing Yip Street Kwun Tong, Kowloon HongKong

Hong Kong RJ Technology Co, Ltd.
<http://www.hkrjtech.com>
Jackie Liang
msn:jackieliangcn@msn.com
Skype: jackieliangcn Yahoo Messenger: jackielcn
Tel:00852-65252550 Cell: 008615920090951
E-mail: jackielcn@gmail.com P.C.: 710500



Address: Shing Yip Industrial Bldg No. 19-21 Shing Yip Street Kwun Tong, Kowloon HongKong