

Escalator Specification:



Escalator	Outdoor
Travel Height	$H \leq 13200\text{mm}$
Step Width	1000mm, 800mm, 600mm
Inclined Degree	35°, 30°
Speed	0.5m/s
Span Length	
Escalator Width	1660mm, 1460mm, 1260mm
Motor Power	Ups to travel height
Noise	$\leq 65\text{dB}$
Vibration	$\leq 35\text{cm/s}^2$
Flat Step	Two flat steps, Three flat steps
Running	Single speed up & down reversible
Delivery	Production time is about 30 days. Escalators with $H < 4000\text{mm}$ , delivered in whole; escalators with $H \geq 4000\text{mm}$ , separated in 2 parts. One set needs 1*40HQ container
Power Supply	Power 380V $\pm$ 7%, 50Hz Three Phase Five Wire System Lighting 220V, 50Hz
FOB Ningbo	
C&F	

Add: No.31 Yangcheng Road, Xiaoshan Economic Development District, Hangzhou, China  
 Contact person: Ms. Effie Huang  
 Tel: 86-571-57176650  
 Fax: 86-571-57176652

Skype: effie\_huang45  
 Mobile: 86-13989467129  
 E-mail: syney.elevator@outlook.com

**Standard Ordnance of Outdoor Escalator**

Spec : 30°/35°		H≤13200mm	Project :	
Part	Name	Brand	Origin	
Control System	Control cabinet	Syney	Syney	
	PLC	Omron	Japan	
	Relay	Omron	Japan	
	Safety Relay	LS	South Korea	
	Contactora	Schneider	French	
	Approach switch	Schneider	French	
	Programmable electric safety system	Monarch/Step	China	
	Inverter (optional)	YASKAWA	Japanese	
	Photoelectric switch(optional)	CEDES	Switzerland	
Main part	Traction	Tianjin Jiali	China, outdoor type	
	Handrail belt	Yu Lian	Shanghai, outdoor type	
	Handrail drive	Syney	Syney, outdoor type	
	Handrail guide rail(430 SS)	Syney	Syney	
	Handrail entry protect	Syney	Syney, outdoor type	
	Handrail Balustrade (10mm glass)	Jufeng	Zhejiang	
	Main drive	Syney	Syney, outdoor type	
	Step system	Syney	Syney, outdoor type	
	Aluminum step	Jiangzhong	Nantong, outdoor type	
	Step chain	Xin'ao	Suzhou, outdoor type	
	Main drive chain	Xin'ao	Suzhou, outdoor type	
	Roll	Xin'ao	Suzhou, outdoor type	
	Front pedal	Syney	Syney, outdoor type	
	Skirt panel(304 type stainless steel)	Syney	Syney, outdoor type	
	Cover (304 type stainless steel)	Syney	Syney, outdoor type	
	Up&down side plate assemble	Syney	Syney, outdoor type	
	Lubrication system	Hade	Nangjing	
	Metal structure	Syney	Syney, galvanized	
	Safety brush	Syney	Syney	
Auxiliary Brake	Syney	Syney, galvanized		

Add: No.31 Yangcheng Road, Xiaoshan Economic Development District, Hangzhou, China  
 Contact person: Ms. Effie Huang  
 Tel: 86-571-57176650  
 Fax: 86-571-57176652

Skype: effie\_huang45  
 Mobile: 86-13989467129  
 E-mail: syney.elevator@outlook.com



Finished Escalator

