












Hefei Dyne Auto Air Conditioner Incorporated Company

7H Series

	Model: 7H15 DY750405 Voltage: 12V Refrigerant: R134a OEM No: 8024,7863, 8220, 82011594	Dyne No: Clutch: 132/AA Cylinder Head: JE Displacement: 154.9	Application: UNIVERSAL, NEW HOLLAND
	Model: 7H15 DY750407 Voltage: 24V Refrigerant: R134a OEM No: 8017, 7866, 8236	Dyne No: Clutch: 132/AA Cylinder Head: JE Displacement: 154.9	Application: UNIVERSAL
	Model: 7H15 No: DY751510 Voltage: 12V Refrigerant: R134a OEM No: 4663	Dyne Clutch: 125/AA Cylinder Head: FZ Displacement: 154.9	Application: UNIVERSAL, MITSUBISHI PAJERO
	Model: 7H15 DY750413 Voltage: 24V Refrigerant: R134a OEM No: 8086, 8240	Dyne No: Clutch: 119/PV8 Cylinder Head: JE Displacement: 154.9	Application: UNIVERSAL

	<p>Model: 7H15 Dyne No: DY751505 Clutch: 132/AA Voltage: 12V Cylinder Head: FZ Refrigerant: R134a Displacement: 154.9 OEM No: 4664, 8104</p>	<p>Application: UNIVERSAL</p>
	<p>Model: 7H15 Dyne No: DY750603 Clutch: 119/PV8 Voltage: 12V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 4710, 7850, 7967, 3503470</p>	<p>Application: RENAULT TRUCK /CLAAS</p>
	<p>Model: 7H15 Dyne No: DY753332 Clutch: 117/PV5 Voltage: 12V Cylinder Head: MH Refrigerant: R134a Displacement: 154.9 OEM No: 7882, 98462134</p>	<p>Application: IVECO, FIAT DUCATO 94-98, FLATBED; CITROEN JUMPER</p>
	<p>Model: 7H15 Dyne No: DY751928 Clutch: 132/PV8 Voltage: 24V Cylinder Head: WV Refrigerant: R134a Displacement: 154.9 OEM No: 8003, 3962650</p>	<p>Application: VOLVO TRUCK FH16</p>
	<p>Model: 7H15 Dyne No: DY753428 Clutch: 132/PV8 Voltage: 24V Cylinder Head: KF Refrigerant: R134a Displacement: 154.9 OEM No: 7834, 8142555</p>	<p>Application: VOLVO TRUCK FH12, FH16</p>


	<p>Model: 7H15 Dyne No: DY753028 Clutch: 132/PV8 Voltage: 24V Cylinder Head: WV Refrigerant: R134a Displacement: 154.9 OEM No: 8044, 8191892, 8113628</p>	<p>Application: VOLVO TRUCK FH16III</p>
	<p>Model: 7H15 Dyne No: DY753129 Clutch: 119/PV6 Voltage: 12Vs Cylinder Head: GN Refrigerant: R134a Displacement: 154.9 OEM No: 4691, 4703, 55037205</p>	<p>Application: GODGE DAKOTA PU, JEEP CHEROKEE MID SIZE 97-99, CHYSLER JEEP WRANGLER</p>
	<p>Model: 7H15 Dyne No: DY752927 Clutch: 130/PV6 Voltage: 12Vs Cylinder Head: 4440 Refrigerant: R134a Displacement: 154.9 OEM No: 4440, 1136519</p>	<p>Application: GM CADILLAC ESCALADE; GM GMC CK SIERRA PICK UP, YUKON, SUBURBAN, SONOMA PICK UP, P3500 VAN, P35 VAN, JIMMY; CHEVROLET C/K PICKUP, CHEVROLET BLAZER,TAHOE, SUBURBAN, S10 PICKUP; OLDS MOBILE BRAVADA</p>
	<p>Model: 7H15 Dyne No: DY750406 Clutch: 119/PV8 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 8028, 8230</p>	<p>Application: UNIVERSAL</p>
	<p>Model: 7H15 Dyne No: DY750412 Clutch: 119/PV6 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 7865, 8026, 8229</p>	<p>Application: UNIVERSAL</p>

	<p> Model: 7H15 Dyne No: DY750607 Clutch: 132/AA Voltage: 24V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 7872 </p>	<p>Application: CTR / DIAVIA</p>
	<p> Model: 7H15 Dyne No: DY752506 Clutch: 119/PV8 Voltage: 12V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 7850, 7700756572 </p>	<p>Application: RENAULT 21, ALFA ROMEO 164, CLAAS</p>
	<p> Model: 7H15 Dyne No: DY750305 Clutch: 132/AA Voltage: 12V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 8019, 7877 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY750303 Clutch: 119/PV8 Voltage: 12V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 7822 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY750307 Clutch: 132/AA Voltage: 24V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 7933 </p>	<p>Application: IVECO EUROCARGO, EUROSTAR, EUROTECH</p>




	<p> Model: 7H15 Dyne No: DY751605 Clutch: 132/AA Voltage: 12V Cylinder Head: MB Refrigerant: R134a Displacement: 154.9 OEM No: 7851 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY750303 Clutch: 119/PV8 Voltage: 12V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 7830 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY750703 Clutch: 119/PV8 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 7889 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY750706 Clutch: 119/PV8 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 8027加长轴 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY752703 Clutch: 119/PV8 Voltage: 12V Cylinder Head: QC Refrigerant: R134a Displacement: 154.9 OEM No: 4707 </p>	<p>Application:</p>

	<p> Model: 7H15 Dyne No: DY750713 Clutch: 119/PV8 Voltage: 24V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 8085 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY750407 Clutch: 132/AA Voltage: 24V Cylinder Head: JE Refrigerant: R134a Displacement: 154.9 OEM No: 8061 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY751507 Clutch: 132/AA Voltage: 24V Cylinder Head: FZ Refrigerant: R134a Displacement: 154.9 OEM No: 7824 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY751417 Clutch: 125/AA Voltage: 24V Cylinder Head: GQ Refrigerant: R134a Displacement: 154.9 OEM No: 4696, 4426 </p>	<p>Application:</p>
	<p> Model: 7H15 Dyne No: DY754513 Clutch: 119/PV8 Voltage: 24V Cylinder Head: WK Refrigerant: R134a Displacement: 154.9 OEM No: 8067, 7890, 10575186, 1376998, 1412263 </p>	<p>Application: SCANIA 94/114/124/144/164</p>

	<p> Model: 7H15 Dyne No: DY752116 Clutch: 125/PV6 Voltage: 24V Cylinder Head: GQ Refrigerant: R134a Displacement: 154.9 OEM No: 4792, 4425 </p>	<p>Application:</p>
	<p> Model: 7H15 Dyne No: DY751607 Clutch: 132/AA Voltage: 24V Cylinder Head: MB Refrigerant: R134a Displacement: 154.9 OEM No: 7871 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY752322 Clutch: 119/PV8 Voltage: 24V Cylinder Head: MD Refrigerant: R134a Displacement: 154.9 OEM No: 8144 </p>	<p>Application:</p>
	<p> Model: 7H15 Dyne No: DY750605 Clutch: 132/AA Voltage: 12V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 4643, 7849 </p>	<p>Application: UNIVERSAL</p>
	<p> Model: 7H15 Dyne No: DY754105 Clutch: 132/AA Voltage: 12V Cylinder Head: FZ Refrigerant: R134a Displacement: 154.9 OEM No: 4426 </p>	<p>Application:</p>

	Model: 7H15 Dyne No: DY751316 Clutch: 125/PV6 Voltage: 12Vs Cylinder Head: 4815 Refrigerant: R134a Displacement: 154.9 OEM No: 4815, 4481	Application: NAVISTAR
	Model: 7H15 Dyne No: DY751820 Clutch: 119/PV8 Voltage: 12Vs Cylinder Head: GH Refrigerant: R134a Displacement: 154.9 OEM No: 4818, 4417	Application: FREIGHTLINER MER 906LA/SER 60
	Model: 7H15 Dyne No: DY751229 Clutch: 119/PV6 Voltage: 12V Cylinder Head: KC Refrigerant: R134a Displacement: 154.9 OEM No: 4727	Application: 99-96 CHRYSLER JEEP WRANGLER
	Model: 7H15 Dyne No: DY750797 Clutch: 132/AA Voltage: 24V Cylinder Head: KG Refrigerant: R134a Displacement: 154.9 OEM No: 4742	Application: UNIVERSAL
	Model: 7H15 Dyne No: DY750612 Clutch: 119/PV6 Voltage: 12V Cylinder Head: CB Refrigerant: R134a Displacement: 154.9 OEM No: 7868	Application: UNIVERSAL

	<p> Model: 7H13 Dyne No: DY730410 Clutch: 132/AA Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 129.2 OEM No: 7302 </p>	<p> Application: UNIVERSAL </p>
	<p> Model: 7H13 Dyne No: DY730101 Clutch: 119/PV5 Voltage: 12V Cylinder Head: SG Refrigerant: R134a Displacement: 129.2 OEM No: 7300/ 6453N3 </p>	<p> Application: CITROEN AX/ BERLING/ZX, PEUGEOT 106/205/306/PARTNER </p>
	<p> Model: 7H13 Dyne No: DY730402 Clutch: 119/PV6 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 129.2 OEM No: 7304 </p>	<p> Application: UNIVERSAL </p>
	<p> Model: 7H13 Dyne No: DY730511 Clutch: 125/A2 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 129.2 OEM No: 7301 </p>	<p> Application: UNIVERSAL </p>
	<p> Model: 7H13 Dyne No: DY730404 Clutch: 119/PV8 Voltage: 12V Cylinder Head: JE Refrigerant: R134a Displacement: 129.2 OEM No: 7306 </p>	<p> Application: UNIVERSAL </p>

	Model: 7H13 Dyne No: DY730504 Clutch: 119/PV8 Voltage: 12V Cylinder Head: KG Refrigerant: R134a Displacement: 129.2 OEM No: 7305	
<h2>7B Series</h2>		
	Model: 7B10 Dyne No: DY710106 Clutch: 115/AA Voltage: 12V Cylinder Head: PB Refrigerant: R134a Displacement: 99.8 OEM No: 7170	Application: FIAT CINQUECENTO
	Model: 7B10 Dyne No: DY710105 Clutch: 112/PV6 Voltage: 12V Cylinder Head: PB Refrigerant: R134a Displacement: 99.8 OEM No: 7176	Application: SUZUKI, OPEL CORSA, FIAT
	Model: 7B10 Dyne No: DY710103 Clutch: 110/PV4 Voltage: 12V Cylinder Head: PB Refrigerant: R134a Displacement: 99.8 OEM No:	Application: WULING
<h2>5H Series</h2>		

	<p> Model: 5H16 Dyne No: DY520203 Clutch: 119/PV8 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 161 OEM No: </p>	<p> Application: UNIVERSAL </p>
	<p> Model: 5H16 Dyne No: DY520202 Clutch: 132/AA Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 161 OEM No: </p>	<p> Application: UNIVERSAL </p>
	<p> Model: 5H16 Dyne No: DY520107 Clutch: 125/PV10 Voltage: 12V Cylinder Head: FG Refrigerant: R134a Displacement: 161 OEM No: </p>	<p> Application: UNIVERSAL </p>
	<p> Model: 5H16 Dyne No: DY520115 Clutch: 119/PV6 Voltage: 12V Cylinder Head: FG Refrigerant: R134a Displacement: 161 OEM No: </p>	<p> Application: UNIVERSAL </p>
	<p> Model: 5H14 Dyne No: DY540215 Clutch: 132/AA Voltage: 24V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6627, 4506 </p>	<p> Application: SCANIA 142-143 / MAN, PICKUP / TRUCK / SUV </p>

	Model: 5H14 Dyne No: DY541128 Clutch: 119/PV7 Voltage: 12V Cylinder Head: K Refrigerant: R134a Displacement: 138 OEM No: 6628	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY540223 Clutch: 119/PV7 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6629, 4514	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY540214 Clutch: 132/AA Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6626	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY540201 Clutch: 119/PV8 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 8396	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY541414 Clutch: 132/AA Voltage: 12V Cylinder Head: M Refrigerant: R134a Displacement: 138 OEM No: 6631	Application: UNIVERSAL

	<p>Model: 5H14 Dyne No: DY541514 Clutch: 132/AA Voltage: 12V Cylinder Head: C Refrigerant: R134a Displacement: 138 OEM No: 6642</p>	<p>Application: UNIVERSAL</p>
	<p>Model: 5H14 Dyne No: DY540115 Clutch: 132/A2 Voltage: 24V Cylinder Head: FG Refrigerant: R134a Displacement: 138 OEM No:</p>	<p>Application: UNIVERSAL</p>
	<p>Model: 5H14 Dyne No: DY540818 Clutch: 119/PV8 Voltage: 24V Cylinder Head: KB Refrigerant: R134a Displacement: 138 OEM No:</p>	<p>Application: UNIVERSAL</p>
	<p>Model: 5H14 Dyne No: DY541134 Clutch: 125/PV10 Voltage: 24V Cylinder Head: K Refrigerant: R134a Displacement: 138 OEM No: 6648</p>	<p>Application: UNIVERSAL</p>
	<p>Model: 5H14 Dyne No: DY540219 Clutch: 125/PV10 Voltage: 12V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 4508, 6656</p>	<p>Application: UNIVERSAL</p>

	Model: 5H14 Dyne No: DY540234 Clutch: 125/PV10 Voltage: 24V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6649	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY541501 Clutch: 119/PV8 Voltage: 12V Cylinder Head: C Refrigerant: R134a Displacement: 138 OEM No: 6667	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY541114 Clutch: 132/AA Voltage: 12V Cylinder Head: E Refrigerant: R134a Displacement: 138 OEM No: 6630	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY541415 Clutch: 132/AA Voltage: 24V Cylinder Head: M Refrigerant: R134a Displacement: 138 OEM No: 6632	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY541419 Clutch: 125/PV10 Voltage: 12V Cylinder Head: M Refrigerant: R134a Displacement: 138 OEM No: 4526	Application: UNIVERSAL

	Model: 5H14 Dyne No: DY540417 Clutch: 152/B Voltage: 24V Cylinder Head: BC Refrigerant: R134a Displacement: 138 OEM No: 6624	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY540224 Clutch: 119/PV7 Voltage: 24V Cylinder Head: FL Refrigerant: R134a Displacement: 138 OEM No: 6652	Application: UNIVERSAL
	Model: 5H14 Dyne No: DY542804 Clutch: 119.6/PV6 Voltage: 12V Cylinder Head: JW Refrigerant: R134a Displacement: 138 OEM No:	Application: JW(捷达王)
	Model: 5H11 Dyne No: DY510206 Clutch: 125/AA Voltage: 12V Cylinder Head: FN Refrigerant: R134a Displacement: 108 OEM No: 6321	Application: UNIVERSAL
	Model: 5H11 Dyne No: DY510203 Clutch: 119/PV8 Voltage: 12V Cylinder Head: FN Refrigerant: R134a Displacement: 108 OEM No: 6328	Application: UNIVERSAL

	Model: 5H11 Dyne No: DY510905 Clutch: 119/PV6 Voltage: 12V Cylinder Head: K Refrigerant: R134a Displacement: 108 OEM No: 6322	Application: UNIVERSAL
	Model: 5H11 Dyne No: DY510406 Clutch: 125/A2 Voltage: 12V Cylinder Head: BC Refrigerant: R134a Displacement: 108 OEM No: 6325	Application: UNIVERSAL
	Model: 5H09 Dyne No: DY590101 Clutch: 125/AA Voltage: 12V Cylinder Head: FN Refrigerant: R134a Displacement: 87 OEM No: 5072	Application: UNIVERSAL
	Model: 5H09 Dyne No: DY591815 Clutch: 120/PV5 Voltage: 12V Cylinder Head: K Refrigerant: R134a Displacement: 87 OEM No: 5086	Application: UNIVERSAL
	Model: 5H09 Dyne No: DY590401 Clutch: 125/A2 Voltage: 12V Cylinder Head: C Refrigerant: R134a Displacement: 87 OEM No: 5071	Application: UNIVERSAL

	Model: 5H09 Dyne No: DY590107 Clutch: 125/A2 Voltage: 24V Cylinder Head: FN Refrigerant: R134a Displacement: 87 OEM No: 5073	Application: UNIVERSAL
--	---	---

UnRegistered