

Huangshan Meisen New Material Technology Co., Ltd.


Add: No.25, Xiagao Rd., Huangshan Economic Development Zone, Anhui, China.

E-mail:wpcdecking@126.com MSN:luciayems@hotmail.com Skype:luciaye1986

Tel: +86-13615596287 Fax: +86-559-2563788

<http://www.chinameisen.com>

**MEISEN
WPC
DECKING**






Picture	Type	Size (MM) Width*Height	Surface Treatment	Quantity Per SQM	Surface Texture
	MS105K31	105*31	Sanding Embossing	9.1-9.53 M/SQM	One Side With Groove
	MS125K23	125*23	Sanding	7.7-8.0 M/SQM	Double Sides With Groove
	MS135K25A	135*25	Sanding Embossing	7.14-7.40 M/SQM	One Side With Groove
	MS135K25B	135*25	Sanding	7.14-7.40 M/SQM	Double Sides With Groove

	MS140K22	140*22	Sanding	6.90-7.14 M/SQM	Double Sides With Groove
	MS140K23 W140mm*H23mm	140*23	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove
	MS140K24	140*24	Sanding	6.90-7.14 M/SQM	Double Sides With Groove
	MS140K25A	140*25	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove
	MS140K25B	140*25	Sanding	6.90-7.14 M/SQM	Double Sides With Groove
	MS140K30	140*30	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove
	MS145K25A	145*25	Sanding Embossing	6.7-6.9 M/SQM	One Side With Groove

	MS145K25B	145*25	Sanding	6.7-6.9 M/SQM	Double Sides With Groove
	MS145K30	145*30	Sanding Embossing	6.7-6.9 M/SQM	One Side With Groove
	MS146K31	146*31	Sanding Embossing	6.63-6.85 M/SQM	One Side With Groove
	MS147K28	147*28	Sanding	6.6-6.8 M/SQM	Double Sides With Groove
	MS148K30	148*30	Sanding Embossing	6.55-6.75 M/SQM	One Side With Groove
	MS150K25A	150*25	Sanding Embossing	6.45-6.67 M/SQM	One Side With Groove
	MS150K25B	150*25	Sanding	6.45-6.67 M/SQM	Double Sides With Groove

	MS150K25C	150*25	Sanding Embossing	6.45-6.67 M/SQM	One Side With Groove
	MS150K25D	150*25	Sanding Embossing	6.45-6.67 M/SQM	Double Sides With Groove
	MS150K25E	150*25	Sanding Embossing	6.45-6.67 M/SQM	Double Sides With Groove
	MS140S20A	140*20	Sanding Embossing	7.14 M/SQM	Two Sides Smooth
	MS140S20B	140*20	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove
	MS140S25A	140*25	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove
	MS140S25B	140*25	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove

	MS150S25	150*25	Sanding Embossing	6.45-6.67 M/SQM	One Side With Groove	
	MS140S30A	140*30	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove	
	MS140S30B	140*30	Sanding	6.90-7.14 M/SQM	Double Sides With Groove	
	MS140S40	140*40	Sanding Embossing	6.90-7.14 M/SQM	One Side With Groove	
DECKING ACCESSORIES						
	Joist MS40K30 3-4m/sqm	Joist MS40S25 3-4m/sqm	Joist MS50K30 3-4m/sqm	L cover MS50B50	Endcover MS71S10	
						
	clip&screw MS-P3	MS-P2	Endcover			

MEISEN WPC TILES



Picture	Type	Size (MM) Length*Width* Height	Surface Treatment	Quantity Per SQM (PC)	Surface Treatment
	EDT1	300*300*22	Sanding Embossing	11	Sanding Embossing
	EDT3	300*300*22	Sanding Embossing	11	Sanding Embossing
	EDT4	300*300*22	Sanding Embossing	11	Sanding Embossing
	EDT5	300*300*22	Sanding Embossing	11	Sanding Embossing
	EDT6	300*300*22	Sanding Embossing	11	Sanding Embossing
	EDT7	600*300*22	Sanding Embossing	5.5	Sanding Embossing

**MEISEN WPC
RAILING
FENCE**



Picture	Type	Size (MM) Width*Height	Surface Treatment	Application	Solid (S) /Hollow (H)
	MS60S25	60*25	Sanding	Joist Railing	S
	MS57S32	57*32	Sanding	Joist Railing	S
	MS60K40	60*40	Sanding Embossing	Joist Railing	H
	MS90K40	90*40	Sanding Embossing	Joist/Railing	H
	MS90S40	90*40	Sanding Embossing	Joist/Railing	S


	MS100K50	100*50	Sanding	Railing	H
	MS51K51	51*51	Sanding	Railing Endcover	H
	MS90K45	90*45	Sanding	Railing	H
	MS160K60	160*60	Sanding Embossing	Railing	H
	MS200K80	160*60	Sanding Embossing	Railing	H
	MS70K70	70*70	Sanding Embossing	Post	H
	MS90K90	90*90	Sanding Embossing	Post	H

	MS102K120 A	120*120	Sanding Embossing	Post	H
	MS120K120 B	120*120	Sanding	Post	H
	MS100K15	100*15	Sanding	Fencing Wall Panel	H
	MS115K9	115*9	Sanding	Fencing Wall Panel	H
	MS145K13	145*13	Sanding	Fencing Wall Panel	H
	MS71S10	71*10	Sanding Embossing	Endcover Wall Penal Fencing	S
	MS151S10	151*10	Sanding Embossing	Fencing Wall Panel	S

**MEISEN WPC
WALL PANEL**



Available Color



Surface Treatment



REMARK:

1. The MOQ :One 20FCL.
2. Delivery Time: Within 15 days after the receipt of deposite and on the premise of balance already for 2FCL
3. CE, ROHS, ASTM, ISO9001 certificate covered .
4. Standard Length: 2.2M, 2.8M,5.6M, 5.7M
5. We supply necessary accessories for decking and railing.
6. We supply the service of matching color according to your request if the order more than a 20' FCL per time.
7. Quantity For FCL: One 20 FCL should load more than 15 tons WPC and 40FCL should load more than 23 tons. Otherwise, the price would be rediscussed. LCL is acceptable for small quantity.
- 9.Packaking: Small Package or Pallet Packages
8. For custom declare, we could provide Commercial Invoice, Packing List, Bill of Ladding, CE Certificate, and Certificate of Origin. For other documents, it would be discussed according to the real circumstance.
9. New mould could be.opend if you order 50Ts per time.