



HaMi Opto Technology Co., Ltd


Contact: Amy Youn

Email: amy@hamiopto.com; MSN: hami_led@hotmail.com; Skype: hami_led;

Phone: 0086-13537598039; Tel: 0086-755-85268575; Fax: 0086-755-36932868;

Address: 1301 Room, 14th Building 16 Row, Wangtang, Bantian street, Shenzhen China

Website: www.hamiopto.com

| 10W LED Flood Light | | | | | | |
|---------------------|---|---|---|--|--|--|
| Picture |  |  |  | | | |
| Model | HM-LF10WA | HM-LF10WB | HM-LF10WC | | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Power: 10W; Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | 450G | 500G | 350G | | | |
| Size | 115*85*90 | 125*120*45 | 112*83*40 | | | |
| 20W LED Flood Light | | | | | | |
| Picture |  |  |  | | | |
| Model | HM-LF20WA | HM-LF20WB | HM-LF20WC | | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Power: 20W; Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | 1150G | 960G | 750G | | | |
| Size | 180*140*100 | 210*195*52 | 180*140*40 | | | |



HaMi Opto Technology Co., Ltd









Contact: Amy Youn

Email: amy@hamiopto.com; MSN: hami_led@hotmail.com; Skype: hami_led;

Phone: 0086-13537598039; Tel: 0086-755-85268575; Fax: 0086-755-36932868;

Address: 1301 Room, 14th Building 16 Row, Wangtang, Bantian street, Shenzhen China

Website: www.hamiopto.com

| 30W LED Flood Light | | | | | | |
|---------------------|---|---|---|---|---|--|
| Picture |  |  |  |  | | |
| Model | HM-LF30WA | HM-LF30WB | HM-LF30WC | HM-LFLS30WA | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Power: 30W; Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | 1900G | 1700G | 1100G | 2000G | | |
| Size | 235*185*145 | 225*220*60 | 222*185*45 | 235*185*145 | | |
| 50W LED Flood Light | | | | | | |
| Picture |  |  |  |  |  | |
| Model | HM-LF50WA | HM-LF50WB | HM-LF50WC | HM-LF50WD | HM-LFLS50WA | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Power: 50W; Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | 3000G | 2200G | 2000G | 2300G | 3100G | |
| Size | 300*240*155 | 285*275*70 | 285*233*45 | 300*240*155 | 300*240*155 | |



Hami Opto Technology Co., Ltd

Contact: Amy Youn


Email: amy@hamiopto.com; MSN: hami_led@hotmail.com; Skype: hami_led;

Phone: 0086-13537598039; Tel: 0086-755-85268575; Fax: 0086-755-36932868;


Address: 1301 Room, 14th Building 16 Row, Wangtang, Bantian street, Shenzhen China

Website: www.hamiopto.com

70W LED Flood Light

| | | | | | | |
|-----------------|---|--|--|--|--|--|
| Picture |  | | | | | |
| Model | HM-LF70WA | | | | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Power: 70W; Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | 4200G | | | | | |
| Size | 395*290*135 | | | | | |

80W LED Flood Light (70W Optional)

| | | | | | | |
|-----------------|---|--|--|--|--|--|
| Picture |  | | | | | |
| Model | HM-LF80WA | | | | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Power: 80W; Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | 5200G | | | | | |
| Size | 395*290*135 | | | | | |



HaMi Opto Technology Co., Ltd

Contact: Amy Youn


Email: amy@hamiopto.com; MSN: hami_led@hotmail.com; Skype: hami_led;

Phone: 0086-13537598039; Tel: 0086-755-85268575; Fax: 0086-755-36932868;

Address: 1301 Room, 14th Building 16 Row, Wangtang, Bantian street, Shenzhen China

Website: www.hamiopto.com

100W LED Flood Light (90W Optional)

| | | | | | |
|-----------------|---|-------------|--|--|--|
| Picture |  | | | | |
| Model | HM-LF100WA | HM-LF100WB | | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | |
| Description | Power: 100W; Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | |
| Weight | 6500G | 9500G | | | |
| Size | 395*290*135 | 405*330*117 | | | |

2 Pieces Chip LED Flood Light

| | | | | | |
|-----------------|---|---|---|--|--|
| Picture |  |  |  | | |
| Model | HM-LF2*50WA | HM-LF2*60WA | HM-LF2*70WA | | |
| Power | 100W | 120W | 140W | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | |
| Description | Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | |
| Weight | 10KG | 10KG | | | |
| Size | 450*310*200 | 450*310*200 | 420*320*200 | | |



HaMi Opto Technology Co., Ltd

Contact: Amy Youn

Email: amy@hamiopto.com; MSN: hami_led@hotmail.com; Skype: hami_led;

Phone: 0086-13537598039; Tel: 0086-755-85268575; Fax: 0086-755-36932868;

Address: 1301 Room, 14th Building 16 Row, Wangtang, Bantian street, Shenzhen China

Website: www.hamiopto.com

3 Pieces Chip LED Flood Light

| | | | | | | |
|-----------------|---|---|---|--|--|--|
| Picture |  |  |  | | | |
| Model | HM-LF3*50WA | HM-LF3*50WA | HM-LF3*60WB | | | |
| Power | 150W | 150W | 180W | | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | 10KG | | 10KG | | | |
| Size | 450*310*200 | 420*320*200 | 450*310*200 | | | |

4 Pieces Chip LED Flood Light

| | | | | | | |
|-----------------|---|---|--|--|--|--|
| Picture |  |  | | | | |
| Model | HM-LF4*50WA | HM-LF4*60WA | | | | |
| Power | 200W | 240W | | | | |
| Genesis chips | Luminous Flux: 90-100LM/W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux: 110-120LM/W; Warranty: 3 years; | | | | | |
| BridgeLux chips | Luminous Flux: 120-130LM/W; Warranty: 3 years; | | | | | |
| Description | Input: AC85-265V; Color: 3000-7000K; Material: Aluminum Alloy; | | | | | |
| Weight | | | | | | |
| Size | 525*325*190 | 560*310*230 | | | | |



HaMi Opto Technology Co., Ltd

Contact: Amy Youn

Email: amy@hamiopto.com; MSN:hami_led@hotmail.com; Skype:hami_led;

Phone:0086-13537598039; Tel: 0086-755-85268575; Fax: 0086-755-36932868;

Address:1301Room,14th Building 16 Row, Wangtang, Bantian street, Shenzhen China


Website: www.hamiopto.com

RGB LED Flood Light

| | | | | | | |
|---------------|---|-------------|-------------|-------------|-------------|--------------|
| Picture | | | | | | |
| Model | HM-LF10WRGB | HM-LF20WRGB | HM-LF30WRGB | HM-LF50WRGB | HM-LF90WRGB | HM-LF100WRGB |
| Power | 10W | 20W | 30W | 50W | 90W | 100W |
| Genesis chips | Luminous Flux:90-100LM / W; Warranty: 2 years; | | | | | |
| Epistar chips | Luminous Flux:100-110LM / W; Warranty: 3 years; | | | | | |
| Description | Input: AC85-265V; Color: RGB; Material: Aluminum Alloy; | | | | | |
| Weight | 560G | 1150G | 2200G | 2500G | 6900G | 7000G |
| Size | 115*85*90 | 180*140*100 | 235*185*145 | 300*240*155 | 395*290*135 | 395*290*135 |

Floodlight Application:

Advertising signs, architectural lighting, wide pan, tennis courts, car parks, stadiums, piers, parks, trees, decorative lighting indoor scenes, sculptures and other green lighting projects.



Floodlight advantages:



HaMi Opto Technology Co., Ltd

Contact: Amy Youn

Email: amy@hamiopto.com; MSN: hami_led@hotmail.com; Skype: hami_led;

Phone: 0086-13537598039; Tel: 0086-755-85268575; Fax: 0086-755-36932868;

Address: 1301 Room, 14th Building 16 Row, Wangtang, Bantian street, Shenzhen China

Website: www.hamiopto.com

• Advantages

Energy saving

LED lights are more energy saving than the CFL and the incandescent lamp. 50% energy-saving than the energy saving lamp. 80% energy-saving than the incandescent lamp.



Energy consumption comparison



Long life-span

Up to 30,000 hours, 6 times compare with energy saving lamp, 40 times compare with incandescent lamp.

Luminance comparison



Lifespan comparison



Environment friendly

Not contain Pb and Hg, no pollution, green lighting.

No radiation

There is no buzzing noise and UV radiation during use. Provide us a quiet safe environment.

No flickering

Working with no flickering will protect your eyes better and comfortable.

