

hand wheel manual operated 3 ton worm gear screw jacks lifting devices 300mm for NC precision slitting production line automatic slitter machine in Australia



hand wheel manual operated 3 ton worm gear screw jacks lifting devices 300mm for NC precision slitting production line automatic slitter machine, such as slit tinplate coil slitter line, galvanized coil sheet slitter line, siliconized steel sheet slitter line, cold rolled coil sheet slitter line, stainless coil sheet slitter line, aluminum coil sheet slitter line. A 8" diameter hand wheel manual operated two screw jacks for upper rolls adjuster in the vertical plane to permit synchronized roll penetration into the material to be achieved from the operator side of this machine, and all lower flattening rolls and pinch rolls are fixed.

Two 3 ton worm gear screw jacks lifting devices model JT-3T-IS-300-H-II-C-PP/HW, maximum load capacity 3 ton, inverted translating screw type, 300mm(12") travel stroke, high gear ratio 1/6, clevis end, double input worm shaft, additional protective pipe for dust-proof and 8" diameter hand wheel.

Jacton Electromechanical Co.,Ltd | Tel: +86 769 81585852 | Fax: +86 769 81620195

Email: sales@screw-jack.com | Web: www.screw-jack.com | Skype: [jactonjack](https://www.skype.com/jactonjack)





Other Products Includes: JT Acme Screw Jack, JTC Cubic Screw Jack, JTW Worm Screw Jack, JTM Machine Screw Jack, JTB Ball Screw Jack, JTS Bevel Gear Jack, JT Series T Type Spiral Bevel Gear Boxes, JTP Series Cubic Spiral Bevel Gear Boxes, JTV Series Cubic Spiral Bevel Gear Boxes, JTA Series Lightweight Aluminum Spiral Bevel Gear Boxes, Multiple Screw Jack System Arrangements, Cast Iron Hand Wheel, Aluminum Hand Crank, Flexible Jaw Coupling, Electric Motor, Worm Gear Speed Reducer, Geared Motor, Digital Position Indicator, Pillow Block Bearing, Ball Joint Rod End Bearing, Bellows Boot, Linking Bar, Limit Switches, Swivel Mounting Plate, Pivoting Mounting Base, Planetary Speed Reducer, Hydraulic Cylinder Rod End Bearing, Frequency Inverter, 24V DC Motor, 12V DC Motor, 36V DC Motor, 48V DC Motor, 24V DC Motor Gear Reducer, 12V DC Motor Gear Reduction, 36V DC Gear Motor, 48V DC Gear Reduction Motor etc.

