

**SPECIFICATION :**

- Voltage : DC 12/24V
- This mini light bar adopts bright LED light source(G-III). It has advanced internal frame and low power consumption without pollution.
- The around material of lens is made of PC for penetrative ability.

- Top of the light is aluminum alloy and with good appearance.
- The LED Mini Lightbar with middle speaker is very good resistance(LTF-A674).
- Size : 425mm L X 260 mm W X 60mm H (LTF-A420) - 670mm L X 260 mm W X 60mm H (LTF-A670/A674)

LTF-A450 LED Mini Lightbar**LTF-A451** LED Mini Lightbar**LTF-A452** LED Mini Lightbar**SPECIFICATION :**

- This mini light bar adopts bright LED light source;
- It has advanced internal frame and low power consumption without pollution.
- The around material of lens is made of PC for penetrative ability.
- Top of the light is aluminum alloy and with good appearance.

- This is a VERY bright 12" LED mini Lightbar.
- This nightbar comes with 4 90 lbs magnets, comes with a very long power cord with cigar plug.
- This nightbar has several flash patterns that can be changed by switch box.
- Light Source : 4-#1 LED (LTF-A451) / 5 LED (LTF-A452)

**SPECIFICATION :**

- Voltage : DC 12-24V
- Streak design with clear lens for smooth look.
- 24X1 watt LED (LTF-A484) 20X1 watt LED (LTF-A486)
- All 5mm LEDs (LTF-A480/484)
- 15 self-contained flash patterns

- Flash pattern single switch
- Cigarette plug with remote switch
- 4 - 40lb magnets
- Size : 320mmx120mmx60mm(LTF-A486/LTF-A480)
- 420mmx220mmx60mm(LTF-A484)

LTF-A350 LED Mini Lightbar**LTF-A86AB/LED v** LED Lightbar**SPECIFICATION :**

- Powered by 12VDC
- Life Span: 100,000 hours Run on 6-25-31 LEDs
- Built in flash patterns synchronized and alternately flash
- Cigarette plug can be installed

- Perfect for police fire EMS and construction vehicle lighting and service
- Dimensions: 400mmx120mmx60mm(LTF-A350)
- 600mmx120mmx60mm(LTF-A86AB)

**SPECIFICATION:**

- Voltage: DC 12/24V
- Power (2W)(LTF-A780), 10W(LTF-B835)
- This lightbar adopts bright 0.3W LED light source.
- It has advanced internal frame and low power consumption without pollution.

ISO9001 & CE Certificate

LTF-A780 LED Mini Lightbar**LTF-B835** LED Mini Lightbar**LTF-A900AB-45** LED Lightbar**LTF-A900AB-70** LED Lightbar**LTF-A900AB-90** LED Lightbar**SPECIFICATION:**

- Life Span: 100,000 hours Rate on G-202-3 LEDS
- Voltage: DC 12/24V
- Dome: Imported high-strength PC material with excellent luminous and light penetrating-ability

- Base: Aluminum alloy material with high strength

- Size: 450mmx300mmx8(45mm)(LTF-A900AB-45)
700mmx300mmx8(45mm)(LTF-A900AB-70)
900mmx300mmx8(45mm)(LTF-A900AB-90)




ISO9001 & CE Certificate

LTF-B311 LED Mini Lightbar**LTF-B314** LED Mini Lightbar**SPECIFICATION:**

- This mini lightbar adopts bright LED light source.
- It has advanced internal frame and low power consumption without pollution.
- The interior of base is made of PC for penetrative ability.
- Light Source: 0.3W LED(LTF-B311), 1W LED(LTF-B314)

- Light power: 0.47W(LTF-B311), 2.7W(LTF-B314)

- Rated Voltage: DC 12V
- Light Color: Blue Red Amber White
- Outside Cover Color: Blue Red Amber Clear
- Bottom Material: Aluminum

LTF-A931AB-45 LED Lightbar**LTF-A931AB-70** LED Lightbar**LTF-A931AB-90** LED Lightbar

LIGHTBARS

SPECIFICATION:

- Life Span: 100,000 hours Rate on G-202-3 LEDS
- Voltage: DC 12/24V
- Dome: Imported high-strength PC material with excellent luminous and light penetrating-ability

- Base: Aluminum alloy material with high strength

- Size: 450mmx300mmx8(45mm)(LTF-A931AB-45)
700mmx300mmx8(45mm)(LTF-A931AB-70)
900mmx300mmx8(45mm)(LTF-A931AB-90)

**SPECIFICATION(LTF-A500AB-70):**

- Voltage: 12V DC
- 16 available flash patterns
- Strong magnetic mounting
- 20 feet of cable provided
- Dimensions: 27.3 x 12 x 3.5 inches
- Cigarette plug with mode switch
- Run-on 500hrs (1W LEDs)
- Red, Blue, Amber and White colors are available

SPECIFICATION(LTF-A600AB-70):

- Life Span: 100,000 (1-3 1W LED)
- Voltage: 12V DC
- Dense Impacted High Strength PC material with excellent impact and high penetration strength
- Base: Aluminum alloy material with high strength
- Light Color: Blue Red Amber White
- Outer Cover Color: Blue, Red, Amber, Clear
- Net Weight: 4KGS

LTF-C612 LED Mini Lightbar

Front View
Dimensions: 10.2 x 3.5 x 1.5 inches

LTF-C614 LED Mini Lightbar

Front View
Dimensions: 10.2 x 3.5 x 1.5 inches

SPECIFICATION:

- This mini lightbar adopts bright LED light source
- It has advanced internal frame and low power consumption without junction. The around frame of lens is made of PC for protective ability
- Top of the light is aluminum alloy and with good appearance

- This lightbar comes with 4.9V DC magnetic, come with a very long power cord of 5 meter plus
- This lightbar has several flash patterns that can be changed by switch box
- Light Source: 12-16W LEDs

LTF-C646 Super Slim Mini Lightbar**SPECIFICATION:**

- PC base and stainless steel base board, LED module, energy saving, low consumption, environmental protection, Multi-use on ambulances.
- Volt: DC12V/DC24V please from us!
- Color: Red/Blue/Amber/Clear

- LED module: 4x CREE XPE 3.0W module
- Power: 12W
- Material: PC base
- Cable: 4 meters cable available
- Dimensions: 255*219*73mm
- Packing: 300*230*100mm/3.2kg/1pc/box

**SPECIFICATION(LTD715/LTD716):**

- Voltage: DC12V/DC24V
- Material: PC Material
- Color: Red/Blue/Amber/Clear
- Integrated circuit design
- High quality spiral halogen long tube(LTD715)
- High quality xenon lamp tube(LTD716)
- Very bright, high penetration rate
- Excellent performance, high durability, long lifespan

SPECIFICATION(LED718):

- Voltage: DC12V/DC24V
- Power: 0.2W
- Integrated circuit design
- This light bar adopts bright C-16 LED light source
- Very bright, high penetration rate
- Excellent performance, high durability, long lifespan
- Light Color: Red/Blue/Amber/Green
- N.W.G.W.13.8KG/STKXGB

LTF-B820 LED Round Lightbar**LTF-B824** LED Round Lightbar**LED950** LED Mini Lightbar**SPECIFICATION(LTF-B820/B824):**

- This mini lightbar adopts bright LED light source
- It has advanced internal frame and low power consumption without junction
- The material of lens made of PC for protective ability
- Working voltage: 12V/24V
- Size:232*232*49mm(3)

SPECIFICATION(LED950):

- Working voltage: 12V/24V
- Light Source: LED High Power LED
- LED Power: 0.2W
- 8 modules High brightness LED light LED Color: Red/Blue
- Packing Size:500*270*100mm

**SPECIFICATION(LTF2-A62B):**

- New color lampshade is made of PC material, low-weight and not easy lose color. Frame with stainless steel and aluminum alloy, strongly against shock. A cigar cord for power connection.
- The rated work voltage: DC12V (DC 10.8~13.8 V), DC24V (DC 21.6~27.6 V)

- The length of the light: 0.6m
- The luminous: > 800LX
- The environment temperature: -40degree~+50degree
- Rated power: 24W
- Frost frequency: 100 hours/minute,

SPECIFICATION(LTF2-A63):

- New color lampshade is made of PC material, low-weight and not easy lose color. Frame with stainless steel and aluminum alloy, strongly against shock. A cigar cord for power connection.
- The rated work voltage: DC12V (DC 10.8~13.8 V), DC24V (DC 21.6~27.6 V)

- The length of the light: 0.6m
- The luminous: > 800LX
- The environment temperature: -40degree~+50degree
- Rotating frequency: 180 times/minute
- Rotating lights power: 56Wx2PCs
- Alley lights power: 23Wx2PCs

**SPECIFICATION(LED2-A62B):**

- It has advantage of long life and high brightness and low power waste. In emergency crisis, LED lights can glowing strong light in two direction, even in fog weather. It have strong piece through ability. New color lampshade is made of PC material, low-weight and not easy lose color. Frame with stainless steel and aluminum alloy, strongly against shock. A cigar cord for power connection, and on top of it there have current switch for pattern control.

- The rated work voltage: DC12V (DC 10.8~13.8 V), DC24V (DC 21.6~27.6 V)
- The length of the light: 0.6m
- The luminous: > 800LX
- The environment temperature: -40 degree~+50 degree
- Rated power: 5.4WX10PCs
- Frost frequency: 100 hours/minute

SPECIFICATION(LED2-A60):

- Life Span: 100,000
- Voltage: DC12/24V
- Power: 170W and 800Lx Multi- flash pattern to pick from
- Device: Imported high-strength PC material with excellent luminescence and high penetrating-for ability
- Base: Aluminum alloy material with high strength
- Cigarette light plug can be installed and Perfect for police fire and construction vehicle lighting

- Size: 300*270*140mm
- Net Weight: 6.5KG

**SPECIFICATION(LED2-A58AB):**

- 8LED modules with alternating flash pattern
- 2x80W strobe lights, each side with separate control
- 12 foot cord with cigarette adapter
- Detachable magnetic mount
- Included 3 button control box

SPECIFICATION(LED2-A59AB):

- 10 LED modules with alternating flash pattern
- Light is about when off for a steady look
- 1x80W strobe light each side with separate controls 12 foot cord with cigarette adapter
- Detachable magnetic mount (includes 3 buttons)
- Overall box size: 32.10" x 13.13" W x 3.15" H

**SPECIFICATION(LTF2-A58FB/LTF2-A58AB):**

- 2x80 strobe lights in the front, rear and sides for maximum warning power and high visibility and rapid flash pattern rapid alternating flashes in front & back for maximum visibility

2 equal strobe lights and diagnostic module, 12-foot cord connects directly to the battery. Detachable magnetic mounting
2 Alley lights, each controlled separately, with a 3 button control box

SPECIFICATION(LTF2-A60AB):

- Life Span: 100,000
- Voltage: DC12/24V
- Power: 470W and 8-pulse lights with 4-Rear lights Multi-Batt. pattern to pick from
- Device: Imported high-strength PC material with excellent luminescence and high penetrating-for ability
- Base: Aluminum alloy material with high strength
- Cigarette light plug can be installed and Perfect for police fire and construction vehicle lighting
- Size: 500*270*140mm



ISO9001 & CE Certificate

LED900 LED Mini Lightbar



LTF-A300AB-70 LED Mini Lightbar

**SPECIFICATION(LED900):**

- Lite Span:100 000 120W
- Power: 10W and One-Half PCB LED's in one module (16 flash patterns to pick from)
- Durable! Imported high-strength PC material with excellent brightness and high penetrating day ability
- Base: Aluminum alloy material with high strength
- Cigarette light plug can be installed and Remotely for police fire and construction vehicle lighting.
- 2 Switch box control the main lightbar
- Size: 560*345*100mm
- Net Weight: 4KG

SPECIFICATION(LTF-A300AB-70):

- PC and aluminum alloy material, low power, long lasting life, LED lights, energy saving, low consumption, environmental protection.
- Volt: DC 12V(DC24V please note off)
 - Color: red/blue/amber/white
 - LED module: LED
 - Flash patterns: Many flash patterns
 - Power: 30W
 - Material: PC lenses
 - Cutout: 4 meters cable available
 - Dimension: 500*140*65mm
 - Packing: 575*195*80mm/8kg/1pc/outer

LTF-C640 LED Mini Lightbar



LTF-M200 Mini LED Lightbar

**SPECIFICATION:**

- Voltage: 12VDC and 24A
- 10 x 3W LED's with 16 flash patterns
- Red, Blue, Amber and White color available
- Dual output LED's available
- Light is clear when off a heavy load
- 10 foot cord with double switch of cigarette adapter
- With adhesive base, wind-resistant, dust-proof and anti-humidity
- Magnetic installation

Double System:

- This product adopts double-layer aluminum alloy boards structure
- The light bar has good sealing and waterproof
- It has 7 kinds flash patterns
- It can be installed on all kinds of special vehicles
- The rated work voltage: DC 12V (range DC 10.8V-13.8V)
- The length of this light bar: 200mm
- The max. lighted current: > 8000 A
- Working current: 1.2A(max) and total power: 14W



ISO9001 & CE Certificate

LED920 Mini Lightbar

**SPECIFICATION:**

- This product adopts double-layer aluminum alloy boards structure, which has a better volume, stronger performance, heat-resist capability, and is not easy to take color and get aged. Moreover, the light bar has good sealing and waterproof. And it has advantages with high brightness and low power waste. It has 7 kinds flash patterns. It can be installed on all kinds of special vehicles. Even in extremely complicated circumstances, it can transmit emergency signal correctly.

- The main capability parameters:
 • The root of work voltage: DC12V (range DC10.8V-13.8V).
 • The length of the light bar: 200mm (31.7inches). Lightened weight: > 3000g.
 • The environment temperature: -40 Degree~+60 Degree.
 • Working current: 1.2A(max).
 • Total power: 14W

LTD720 Mini Lightbar

**SPECIFICATION:**

- Dot 35 with halogen incandescent
- 120 flashes per minute
- 12V 9Amp
- 10 ft heavy-duty power cord with cigarette lighter plug and on/off switch

- The four magnets that are rubber covered to protect the vehicle part
 UV Stabilized and Strong Polycarbonate body. Made for all weather conditions
 Size: 600*200*120mm

LTF-A301A Mini Lightbar

**SPECIFICATION:**

- 1 light source/High power LED
- 10 LED modules with 15 flash patterns
- Light is clear when off a steady load
- 10 foot cord with cigarette adapter
- Threaded #8 L.E.D magnetic mount

- This lightbar is fully encapsulated and fully waterproof
 LED color: Red/Blue/Amber/White
 Size: 380*113*73(15in)*15mm
 Packing size: 100*725*300mm

LTF-A601A Mini Lightbar



- SPECIFICATION:**
 - Light source:High power LED
 - 14 LED MODULES with 16 flash patterns
 - Light is clear when off a steady load
 - 10 ft cord with cigarette adapter
 - Threaded #8 L.E.D magnetic mount

This lightbar is fully encapsulated and fully waterproof
 LED color: Red/Blue/Amber/White
 Size: 640mm L*123mm W*73mm H
 Packing size: 730 x 390 x 240mm