

Qingdao Jinfuquan Anchor Chain Co., Ltd(Jimo Quantou Anchor Chain Factory) is a powerful private enterprise, mainly specializing in all kinds of anchor chains and anchor chain accessories which are widely used in marine, ship, fish cage, fishing, lifting, binding and so on.

Our factory is located in the beautiful coastal city Qingdao where is famous in the world for metal products and convenient for transportation, it's only about half hour by car to the airport and one and a half hours to the sea port.

For more than twenty years' development, the company has already got strict quality management system, first class technology strength, advanced production equipments and perfect testing methods.

Now, we have auto chain making lines, flash welding machines, drawbench, almighty testing machine and other affiliated equipments. There is no thorn on our products and the work load can meet all customers' demand!

We have many customers from all over the world, such as Europe, Mid East, South America, Africa, the United States, Russia, Canada, Australia, New Zealand, South Korea, Japan, etc.

We warmly welcome friends from abroad or domestic to visit us, sincerely hope we can make win-win relationships in the future.

Studless chain technical parameters

Norminal size (mm)	BM1 breaking load	BM1 tensile load	BM2 breaking load (KN)	BM2 tensile load (KN)	BM3 breaking load	BM3 tensile load	Weight (kg/m)
12.5	57.81	28.75	82.6	41.2	-	-	3.39
14	69.93	34.78	101.9	51	-	-	4.25
16	94.72	47.1	132.3	66.2	184.83	92.42	5.56
17.5	113.31	56.35	157.78	78.89	221.1	110.55	6.65
19	133.57	66.42	187.2	93.6	260.64	130.32	7.83
20.5	155.49	77.33	217.27	108.64	303.42	151.7	9.12
22	179.08	89.06	250.9	125.4	349.4	174.7	10.5
24	213.25	105.98	298.9	149.9	415.8	207.9	12.5
26	250.12	124.38	350.8	175.4	488	244	14.67
28	290.08	144.26	406.7	203.8	566	283	17
30	333	165.6	467.5	234.2	649.8	324.9	19.5
32	378.88	188.42	531.2	265.6	739.3	369.6	22.22
34	427.72	212.7	599.8	299.9	834.6	417.3	25.08
36	479.52	238.46	672.3	336.1	935.7	467.8	28.12
38	534.28	265.7	748.7	374.4	1042.5	521.3	31.33
40	592	294.4	829.1	414.5	1155.2	577.6	34.72
42	652.68	324.58	915.3	457.7	1273.6	636.8	38.28
44	716.32	356.22	999.6	502.7	1397.8	698.9	42.01
46	782.92	389.34	1097.6	548.8	1527.8	763.9	45.92
48	852.48	423.94	1195.6	597.8	1663.5	831.7	50
50	926.09	460	1293.6	648.8	1805	902.5	54.25



Stud link chain technical parameters

Norminal size (mm)	AM1 breaking load	AM1 tensile load	AM2 breaking load (KN)	AM2 tensile load (KN)	AM3 breaking load	AM3 tensile load	Weight (kg/m)
12.5	66	46	92	66	132	92	3.42
14	82	58	116	82	165	116	4.29
16	107	76	150	107	216	150	5.61
17.5	127	89	179	127	256	179	6.71
19	150	105	211	150	301	211	7.91
20.5	175	123	244	175	349	244	9.2
22	200	140	280	200	401	280	10.6
24	237	167	332	237	476	332	12.61
26	278	194	389	278	556	389	14.8
28	321	225	449	321	642	449	17.17
30	368	257	514	368	735	514	19.71
32	417	291	583	417	833	583	22.43
34	468	328	655	468	937	655	25.32
36	523	366	732	523	1050	732	28.38
38	581	406	812	581	1160	812	31.62
40	640	448	895	640	1280	895	35.04
42	703	492	981	703	1400	981	38.63
44	769	538	1080	769	1540	1080	42.4
46	837	585	1170	837	1680	1170	46.34
48	908	635	1270	908	1810	1270	50.46
50	981	686	1370	981	1960	1370	54.75
52	1060	739	1480	1060	2110	1480	59.22
54	1140	794	1590	1140	2270	1590	63.86
56	1220	851	1710	1220	2430	1710	68.68
58	1290	909	1810	1290	2600	1810	73.67
60	1380	969	1940	1380	2770	1940	78.84



We can also provide anchor chain accessories such as below,

Swivel group



Kenter shackle



Anchor end shackle



Here attached some of our equipments,
Tensile test equipment



Cutting machine



Chain making machine



Qingdao Jinfuquan Anchor Chain Co., Ltd

Nangehoujie Village, longshan district, Jimo, Qingdao, Shandong, CN

Zip code, 266200

Phone, 86 532 87552795

Fax, 86 532 87557208

Website, www.china-anchorchain.com

Contact person, Mr Kevin Wan

Cell phone, 86 15954087637

Email, kevin@qdjinfuquan.com