

REALI-SLIM Bearing Types														J-series		
Structure	Series	Model Number	Size(in)		Land Diameters (in)			Capacities in Pounds <sup>1</sup>						Weight in Pounds	Limiting Speeds (RPM)	Torque Max. No Load
			Bore	Outside Diameter	Land Dia. L1	Land Dia. L2	C'bore Dia. L3	Radial		Thrust		Moment				
								Static <sup>2</sup>	Dyn.	Static <sup>2</sup>	Dyn.	Static <sup>2</sup>	Dyn.			
Type A Angular Contact	Type A-KAA	KAA10AG0	1	1.375	1.14	1.235	1.274	340	194	970	450			0.025		
		KAA15AG0	1.5	1.875	1.64	1.735	1.774	480	238	1380	560			0.038		
		KAA17AG0	1.75	2.125	1.89	1.985	2.024	530	251	1520	600			0.045		
	Type A-KA	KA020AR0	2	2.5	2.186	2.314	2.369	790	405	2,280	960			0.1		
		KA025AR0	2.5	3	2.686	2.814	2.869	960	459	2,780	1,100			0.12		
		KA030AR0	3	3.5	3.186	3.314	3.367	1,140	507	3,290	1,230			0.14		
		KA035AR0	3.5	4	3.686	3.814	3.867	1,310	552	3,790	1,350			0.17		
		KA040AR0	4	4.5	4.186	4.314	4.367	1,490	595	4,300	1,470			0.19		
		KA042AR0	4.25	4.75	4.436	4.564	4.615	1,580	616	4,550	1,530			0.2		
		KA045AR0	4.5	5	4.686	4.814	4.865	1,660	637	4,810	1,580			0.21		
		KA047AR0	4.75	5.25	4.936	5.064	5.115	1,750	657	5,060	1,640			0.22		
		KA050AR0	5	5.5	5.186	5.314	5.365	1,840	676	5,310	1,690			0.23		
		KA055AR0	5.5	6	5.686	5.814	5.863	2,020	715	5,820	1,800			0.25		
		KA060AR0	6	6.5	6.186	6.314	6.363	2,190	752	6,320	1,900			0.28		
		KA065AR0	6.5	7	6.686	6.814	6.861	2,370	788	6,830	2,000			0.3		
		KA070AR0	7	7.5	7.186	7.314	7.361	2,540	823	7,340	2,100			0.32		
		KA075AR0	7.5	8	7.686	7.814	7.861	2,720	857	7,840	2,190			0.34		
		KA080AR0	8	8.5	8.186	8.314	8.359	2,890	890	8,350	2,280			0.36		
		KA090AR0	9	9.5	9.186	9.314	9.357	3,240	954	9,360	2,470			0.41		
		KA100AR0	10	10.5	10.186	10.314	10.355	3,590	1,014	10,370	2,640			0.45		
		KA110AR0	11	11.5	11.186	11.314	11.353	3,940	1,072	11,380	2,810			0.5		
	KA120AR0	12	12.5	12.186	12.314	12.349	4,290	1,128	12,390	2,970			0.54			
	Type A-KB	KB020AR0	2	2.625	2.231	2.393	2.464	1,090	601	3,150	1,380			0.15		
		KB025AR0	2.5	3.125	2.731	2.893	2.964	1,340	675	3,860	1,590			0.19		
		KB030AR0	3	3.625	3.231	3.393	3.462	1,550	734	4,470	1,750			0.22		
		KB035AR0	3.5	4.125	3.731	3.893	3.962	1,790	801	5,180	1,930			0.27		
		KB040AR0	4	4.625	4.231	4.393	4.46	2,040	865	5,890	2,100			0.3		
		KB042AR0	4.25	4.875	4.481	4.643	4.71	2,150	891	6,200	2,170			0.31		
		KB045AR0	4.5	5.125	4.731	4.893	4.96	2,250	917	6,500	2,240			0.34		
		KB047AR0	4.75	5.375	4.981	5.143	5.210	2,390	951	6,910	2,340			0.35		
		KB050AR0	5	5.625	5.231	5.393	5.46	2,500	976	7,210	2,410			0.37		
		KB055AR0	5.5	6.125	5.731	5.893	5.958	2,740	1,033	7,920	2,560			0.4		
		KB060AR0	6	6.625	6.231	6.393	6.458	2,990	1,088	8,630	2,710			0.44		
		KB065AR0	6.5	7.125	6.731	6.893	6.958	3,200	1,132	9,240	2,840			0.47		
		KB070AR0	7	7.625	7.231	7.393	7.456	3,450	1,184	9,960	2,980			0.5		
		KB075AR0	7.5	8.125	7.731	7.893	7.955	3,700	1,235	10,670	3,120			0.54		
		KB080AR0	8	8.625	8.231	8.393	8.453	3,940	1,284	11,380	3,260			0.57		
		KB090AR0	9	9.625	9.231	9.393	9.451	4,400	1,370	12,700	3,510			0.64		
		KB100AR0	10	10.625	10.231	10.393	10.449	4,890	1,461	14,120	3,760			0.71		
		KB110AR0	11	11.625	11.231	11.393	11.447	5,350	1,540	15,440	4,000			0.78		
	KB120AR0	12	12.625	12.231	12.393	12.445	5,840	1,623	16,860	4,240			0.85			
	KB140AR0	14	14.625	14.231	14.393	14.439	6,760	1,767	19,500	4,670			0.98			
	KB160AR0	16	16.625	16.231	16.393	16.433	7,710	1,907	22,250	5,100			1.12			
	KB180AR0	18	18.625	18.231	18.393	18.425	8,660	2,038	24,990	5,510			1.26			
	KB200AR0	20	20.625	20.231	20.393	20.416	9,610	2,162	27,730	5,900			1.4			
	Type A-KC	KC040AR0	4	4.75	4.277	4.473	4.554	2,550	1,153	7,360	2,770			0.44		
		KC042AR0	4.25	5	4.527	4.723	4.804	2,710	1,194	7,820	2,880			0.46		
		KC045AR0	4.5	5.25	4.777	4.973	5.052	2,860	1,234	8,270	2,990			0.49		
		KC047AR0	4.75	5.5	5.027	5.223	5.302	3,020	1,274	8,720	3,100			0.51		
		KC050AR0	5	5.75	5.277	5.473	5.552	3,180	1,313	9,170	3,200			0.54		
		KC055AR0	5.5	6.25	5.777	5.973	6.052	3,440	1,374	9,920	3,370			0.58		
		KC060AR0	6	6.75	6.277	6.473	6.55	3,750	1,448	10,820	3,580			0.64		
		KC065AR0	6.5	7.25	6.777	6.973	7.05	4,060	1,519	11,720	3,770			0.68		
		KC070AR0	7	7.75	7.277	7.473	7.55	4,320	1,575	12,470	3,930			0.74		
		KC075AR0	7.5	8.25	7.777	7.973	8.048	4,630	1,642	13,380	4,120			0.78		
		KC080AR0	8	8.75	8.277	8.473	8.548	4,950	1,708	14,280	4,300			0.84		
		KC090AR0	9	9.75	9.277	9.473	9.546	5,520	1,822	15,930	4,630			0.98		
		KC100AR0	10	10.75	10.277	10.473	10.544	6,140	1,942	17,730	4,970			1.04		
		KC110AR0	11	11.75	11.277	11.473	11.542	6,720	2,047	19,390	5,280			1.14		
		KC120AR0	12	12.75	12.277	12.473	12.54	7,290	2,147	21,040	5,570			1.23		
		KC140AR0	14	14.75	14.277	14.473	14.535	8,490	2,347	24,500	6,170			1.43		
		KC160AR0	16	16.75	16.277	16.473	16.529	9,680	2,533	27,950	6,730			1.63		
		KC180AR0	18	18.75	18.277	18.473	18.523	10,880	2,707	31,410	7,280			1.83		
	KC200AR0	20	20.75	20.277	20.473	20.517	12,030	2,863	34,720	7,780			2.03			
	KC250AR0	25	25.75	25.277	25.473	25.5	14,900	3,233	43,280	9,010			2.52			
	KC300AR0	30	30.75	30.277	30.473	30.484	17,960	3,561	51,850	10,160			3.02			
	Type A-KD	KD040AR0	4	5	4.37	4.63	4.741	3,550	1,819	10,260	4,260			0.8		
		KD042AR0	4.25	5.25	4.62	4.88	4.991	3,750	1,876	10,830	4,420			0.84		
		KD045AR0	4.5	5.5	4.87	5.13	5.241	3,950	1,931	11,400	4,570			0.88		
		KD047AR0	4.75	5.75	5.12	5.38	5.49	4,150	1,986	11,970	4,720			0.93		
		KD050AR0	5	6	5.37	5.63	5.74	4,340	2,040	12,540	4,870			0.98		
		KD055AR0	5.5	6.5	5.87	6.13	6.238	4,740	2,145	13,680	5,160			1.06		
		KD060AR0	6	7	6.37	6.63	6.738	5,130	2,247	14,820	5,440			1.15		
		KD065AR0	6.5	7.5	6.87	7.13	7.236	5,530	2,346	15,960	5,720			1.24		
		KD070AR0	7	8	7.37	7.63	7.736	5,920	2,442	17,100	5,990			1.33		
		KD075AR0	7.5	8.5	7.87	8.13	8.236	6,320	2,536	18,240	6,250			1.42		
		KD080AR0	8	9	8.37	8.63	8.734	6,710	2,627	19,380	6,510			1.52		
		KD090AR0	9	10	9.37	9.63	9.732	7,500	2,803	21,660	7,010			1.69		
		KD100AR0	10	11	10.37	10.63	10.732	8,290	2,972	23,940	7,500			1.87		
		KD110AR0	11	12	11.37	11.63	11.73	9,080	3,133	26,220	7,960			2.05		
		KD120AR0	12	13	12.37	12.63	12.728	9,870	3,288	28,500	8,420			2.23		
		KD140AR0	14	15	14.37	14.63	14.724	11,450	3,582	33,060	9,290			2.57		
		KD160AR0	16	17	16.37	16.63	16.718	13,030	3,856	37,620	10,130			2.93		
		KD180AR0	18	19	18.37	18.63	18.712	14,610	4,113	42,180	10,930			3.29		
	KD200AR0	20	21	20.37	20.63	20.705	16,190	4,356	46,740	11,710			3.65			
	KD210AR0	21	22	21.37	21.63	21.7	16,981	4,472	49,020	12,086			3.83			
	KD250AR0	25	26	25.37	25.63	25.688	20,140	4,908	58,140	13,540			4.54			
	KD300AR0	30	31	30.37	30.63	30.672	24,090	5,397	69,540	15,260			5.44			
	KF040AR0	4	5.5	4.555	4.945	5.115	6,350	3,736	18,340	8,420			1.92			

Type A-KF	KF042AR0	4.25	5.75	4.805	5.195	5.365	6,600	3,805	19,050	8,630			2.04	
	KF045AR0	4.5	6	5.06	5.445	5.615	7,090	3,966	20,460	9,050			2.14	
	KF047AR0	4.75	6.25	5.305	5.695	5.865	7,330	4,034	21,160	9,260			2.26	
	KF050AR0	5	6.5	5.555	5.945	6.115	7,570	4,101	21,870	9,460			2.37	
	KF055AR0	5.5	7	6.055	6.445	6.613	8,310	4,319	23,980	10,060			2.59	
	KF060AR0	6	7.5	6.555	6.945	7.113	9,040	4,530	26,100	10,650			2.72	
	KF065AR0	6.5	8	7.055	7.445	7.613	9,770	4,734	28,220	11,220			2.94	
	KF070AR0	7	8.5	7.555	7.945	8.113	10,510	4,932	30,330	11,770			3.16	
	KF075AR0	7.5	9	8.055	8.445	8.61	11,000	5,052	31,740	12,130			3.39	
	KF080AR0	8	9.5	8.555	8.945	9.11	11,730	5,242	33,860	12,670			3.61	
	KF090AR0	9	10.5	9.555	9.945	10.108	13,190	5,608	38,090	13,700			3.95	
	KF100AR0	10	11.5	10.555	10.945	11.106	14,420	5,890	41,620	14,530			4.4	
	KF110AR0	11	12.5	11.555	11.945	12.106	15,880	6,227	45,850	15,500			4.75	
	KF120AR0	12	13.5	12.555	12.945	13.104	17,100	6,487	49,380	16,290			5.2	
	KF140AR0	14	15.5	14.555	14.945	15.102	19,790	7,043	57,140	17,950			5.76	
	KF160AR0	16	17.5	16.555	16.945	17.098	22,480	7,563	64,890	19,540			6.78	
	KF180AR0	18	19.5	18.555	18.945	19.096	25,410	8,103	73,360	21,210			7.67	
	KF200AR0	20	21.5	20.555	20.945	21.092	28,100	8,562	81,120	22,680			8.47	
	KF250AR0	25	26.5	25.555	25.945	26.085	34,700	9,585	100,200	26,100			10.5	
	KF300AR0	30	31.5	30.555	30.945	31.075	41,540	10,533	119,900	29,430			12.5	
	KF350AR0	35	36.5	35.555	35.945	36.064	48,380	11,382	139,700	32,580			14.6	
	KF400AR0	40	41.5	40.555	40.945	41.054	55,220	12,147	159,400	35,580			16.6	
	Type A-KG	KG040AR0	4	6	4.742	5.258	5.491	9,480	6,281	27,360	13,630			3.61
		KG042AR0	4.25	6.25	4.992	5.508	5.741	9,950	6,438	28,730	14,090			3.83
		KG045AR0	4.5	6.5	5.242	5.758	5.989	10,430	6,562	30,100	14,530			3.95
		KG047AR0	4.75	6.75	5.492	6.008	6.239	10,900	6,745	31,460	14,970			4.17
		KG050AR0	5	7	5.742	6.258	6.489	11,370	6,897	32,830	15,400			4.42
		KG055AR0	5.5	7.5	6.242	6.758	6.989	12,320	7,192	35,570	16,240			4.73
		KG060AR0	6	8	6.742	7.258	7.489	13,270	7,480	38,300	17,060			5.07
		KG065AR0	6.5	8.5	7.242	7.758	7.987	14,220	7,761	41,040	17,870			5.41
		KG070AR0	7	9	7.742	8.258	8.487	15,160	8,035	43,780	18,650			5.87
		KG075AR0	7.5	9.5	8.242	8.758	8.987	16,110	8,303	46,510	19,420			6.2
		KG080AR0	8	10	8.742	9.258	9.485	17,060	8,566	49,250	20,180			6.54
		KG090AR0	9	11	9.742	10.258	10.485	18,960	9,073	54,720	21,640			7.22
		KG100AR0	10	12	10.742	11.258	11.483	20,850	9,561	60,190	23,060			8
		KG110AR0	11	13	11.742	12.258	12.481	22,750	10,027	65,660	24,440			8.68
		KG120AR0	12	14	12.742	13.258	13.481	24,640	10,481	71,140	25,780			9.47
		KG140AR0	14	16	14.742	15.258	15.478	28,430	11,338	82,080	28,360			10.9
		KG160AR0	16	18	16.742	17.258	17.474	32,220	12,142	93,020	30,830			12.4
		KG180AR0	18	20	18.742	19.258	19.472	36,020	12,898	104,000	33,200			13.8
KG200AR0		20	22	20.742	21.258	21.468	39,810	13,612	114,900	35,490			15.2	
KG220AR0		22	24	22.742	23.258	23.468	43,598	14,290	125,856	37,712			16.63	
KG250AR0	25	27	25.742	26.258	26.461	49,280	15,239	142,300	40,920			18.8		
KG300AR0	30	32	30.742	31.258	31.451	58,760	16,687	169,600	46,020			22.5		
KG350AR0	35	37	35.742	36.258	36.44	68,240	17,982	197,000	50,840			26.2		
KG400AR0	40	42	40.742	41.258	41.43	77,720	19,153	224,400	55,440			29.8		
Type A-SAA	SAA10AG0	1	1.375	1.14	1.235	1.274	340	194	970	450			0.025	
	SAA15AG0	1.5	1.875	1.64	1.735	1.774	480	238	1,380	560			0.038	
	SAA17AG0	1.75	2.125	1.89	1.985	2.024	530	251	1,520	600			0.045	
Type A-SA	SA020AR0	2	2.5	2.186	2.314	2.369	790	405	2,280	960			0.1	
	SA025AR0	2.5	3	2.686	2.814	2.869	960	459	2,780	1,100			0.12	
	SA030AR0	3	3.5	3.186	3.314	3.367	1,140	507	3,290	1,230			0.14	
	SA035AR0	3.5	4	3.686	3.814	3.867	1,310	552	3,790	1,350			0.17	
Type A-SB	SB040AR0	4	4.5	4.186	4.314	4.367	1,490	595	4,300	1,470			0.19	
	SB020AR0	2	2.625	2.231	2.393	2.464	1,090	601	3,150	1,380			0.15	
	SB025AR0	2.5	3.125	2.731	2.893	2.964	1,340	675	3,860	1,590			0.19	
	SB030AR0	3	3.625	3.231	3.393	3.462	1,550	734	4,470	1,750			0.22	
	SB035AR0	3.5	4.125	3.731	3.893	3.962	1,790	801	5,180	1,930			0.27	
	SB040AR0	4	4.625	4.231	4.393	4.46	2,040	865	5,890	2,100			0.3	
	SB045AR0	4.5	5.125	4.731	4.893	4.962	2,300	934	6,600	2,280			0.34	
Type C-KAA	KAA10CLO	1	1.375	1.14	1.235	1.274	290	188					0.026	
	KAA15CLO	1.5	1.875	1.64	1.735	1.774	400	225					0.039	
	KAA17CLO	1.75	2.125	1.89	1.985	2.024	460	242					0.045	
	Type C-KA	KA020CP0	2	2.5	2.186	2.314	2.369	680	393					0.1
		KA025CP0	2.5	3	2.686	2.814	2.869	830	442					0.13
		KA030CP0	3	3.5	3.186	3.314	3.367	990	487					0.15
		KA035CP0	3.5	4	3.686	3.814	3.867	1,140	530					0.18
		KA040CP0	4	4.5	4.186	4.314	4.367	1,290	571					0.19
		KA042CP0	4.25	4.75	4.436	4.564	4.619	1,370	591					0.2
		KA045CP0	4.5	5	4.686	4.814	4.869	1,440	610					0.22
		KA047CP0	4.75	5.25	4.936	5.064	5.119	1,520	629					0.23
		KA050CP0	5	5.5	5.186	5.314	5.369	1,590	648					0.24
		KA055CP0	5.5	6	5.686	5.814	5.869	1,750	685					0.25
		KA060CP0	6	6.5	6.186	6.314	6.369	1,900	720					0.28
		KA065CP0	6.5	7	6.686	6.814	6.869	2,050	754					0.3
		KA070CP0	7	7.5	7.186	7.314	7.369	2,200	787					0.31
		KA075CP0	7.5	8	7.686	7.814	7.869	2,350	820					0.34
		KA080CP0	8	8.5	8.186	8.314	8.369	2,500	851					0.38
		KA090CP0	9	9.5	9.186	9.314	9.369	2,810	912					0.44
		KA100CP0	10	10.5	10.186	10.314	10.369	3,110	969					0.5
KA110CP0		11	11.5	11.186	11.314	11.369	3,410	1,025					0.52	
KA120CP0		12	12.5	12.186	12.314	12.369	3,720	1,078					0.56	
Type C-KB		KB020CP0	2	2.625	2.231	2.393	2.464	930	577					0.16
	KB025CP0	2.5	3.125	2.731	2.893	2.964	1,140	644					0.2	
	KB030CP0	3	3.625	3.231	3.393	3.462	1,340	707					0.24	
	KB035CP0	3.5	4.125	3.731	3.893	3.962	1,540	767					0.27	
	KB040CP0	4	4.625	4.231	4.393	4.46	1,750	825					0.3	
	KB042CP0	4.25	4.875	4.481	4.643	4.714	1,830	846					0.31	
	KB045CP0	4.5	5.125	4.731	4.893	4.962	1,950	880					0.33	
	KB047CP0	4.75	5.375	4.981	5.143	5.214	2,030	901					0.34	
	KB050CP0	5	5.625	5.231	5.393	5.462	2,150	933					0.38	
	KB055CP0	5.5	6.125	5.731	5.893	5.962	2,360	984					0.41	
	KB060CP0	6	6.625	6.231	6.393	6.462	2,560	1,034					0.44	
	KB065CP0	6.5	7.125	6.731	6.893	6.962	2,760	1,082					0.47	

Type C Radial Contact	Type C-KC	KB070CP0	7	7.625	7.231	7.393		2,970	1,129				0.5
		KB075CP0	7.5	8.125	7.731	7.893		3,170	1,175				0.53
		KB080CP0	8	8.625	8.231	8.393		3,370	1,219				0.57
		KB090CP0	9	9.625	9.231	9.393		3,780	1,304				0.66
		KB100CP0	10	10.625	10.231	10.393		4,190	1,386				0.73
		KB110CP0	11	11.625	11.231	11.393		4,590	1,464				0.75
		KB120CP0	12	12.625	12.231	12.393		5,000	1,539				0.83
		KB140CP0	14	14.625	14.231	14.393		5,810	1,680				1.05
		KB160CP0	16	16.625	16.231	16.393		6,620	1,812				1.2
		KB180CP0	18	18.625	18.231	18.393		7,440	1,936				1.35
		KB200CP0	20	20.625	20.231	20.393		8,250	2,053				1.5
		KC040CP0	4	4.75	4.277	4.473		2,100	1,073				0.45
		KC042CP0	4.25	5	4.527	4.723		2,220	1,108				0.47
		KC045CP0	4.5	5.25	4.777	4.973		2,340	1,143				0.48
		KC047CP0	4.75	5.5	5.027	5.223		2,460	1,176				0.5
		KC050CP0	5	5.75	5.277	5.473		2,590	1,209				0.58
		KC055CP0	5.5	6.25	5.777	5.973		2,830	1,274				0.59
		KC060CP0	6	6.75	6.277	6.473		3,070	1,337				0.63
		KC065CP0	6.5	7.25	6.777	6.973		3,310	1,397				0.68
		KC070CP0	7	7.75	7.277	7.473		3,550	1,457				0.73
	KC075CP0	7.5	8.25	7.777	7.973		3,790	1,514				0.78	
	KC080CP0	8	8.75	8.277	8.473		4,030	1,570				0.84	
	KC090CP0	9	9.75	9.277	9.473		4,510	1,678				0.94	
	KC100CP0	10	10.75	10.277	10.473		4,990	1,781				1.06	
	KC110CP0	11	11.75	11.277	11.473		5,470	1,879				1.16	
	KC120CP0	12	12.75	12.277	12.473		5,950	1,974				1.25	
	KC140CP0	14	14.75	14.277	14.473		6,910	2,154				1.52	
	KC160CP0	16	16.75	16.277	16.473		7,880	2,321				1.73	
	KC180CP0	18	18.75	18.277	18.473		8,840	2,478				1.94	
	KC200CP0	20	20.75	20.277	20.473		9,800	2,626				2.16	
	KC250CP0	25	25.75	25.277	25.473		12,200	2,962				2.69	
	KC300CP0	30	30.75	30.277	30.473		14,610	3,260				3.21	
	KD040CP0	4	5	4.37	4.63		3,080	1,755				0.78	
	KD042CP0	4.25	5.25	4.62	4.88		3,190	1,787				0.83	
	KD045CP0	4.5	5.5	4.87	5.13		3,420	1,861				0.88	
	KD047CP0	4.75	5.75	5.12	5.38		3,530	1,892				0.94	
	KD050CP0	5	6	5.37	5.63		3,760	1,964				1	
	KD055CP0	5.5	6.5	5.87	6.13		4,100	2,063				1.06	
	KD060CP0	6	7	6.37	6.63		4,450	2,160				1.16	
	KD065CP0	6.5	7.5	6.87	7.13		4,790	2,254				1.22	
KD070CP0	7	8	7.37	7.63		5,130	2,345				1.31		
KD075CP0	7.5	8.5	7.87	8.13		5,470	2,434				1.41		
KD080CP0	8	9	8.37	8.63		5,810	2,520				1.53		
KD090CP0	9	10	9.37	9.63		6,500	2,688				1.72		
KD100CP0	10	11	10.37	10.63		7,180	2,847				1.88		
KD110CP0	11	12	11.37	11.63		7,870	3,000				2.06		
KD120CP0	12	13	12.37	12.63		8,550	3,148				2.25		
KD140CP0	14	15	14.37	14.63		9,920	3,427				2.73		
KD160CP0	16	17	16.37	16.63		11,290	3,688				3.1		
KD180CP0	18	19	18.37	18.63		12,650	3,933				3.48		
KD200CP0	20	21	20.37	20.63		14,020	4,164				3.85		
KD210CP0	21	22	21.37	21.63		14,706	4,274				4.04		
KD250CP0	25	26	25.37	25.63		17,440	4,689				4.79		
KD300CP0	30	31	30.37	30.63		20,860	5,153				5.73		
KF040CP0	4	5.5	4.555	4.945		5,360	3,559				1.9		
KF042CP0	4.25	5.75	4.805	5.195		5,640	3,655				2		
KF045CP0	4.5	6	5.06	5.445		5,930	3,750				2.1		
KF047CP0	4.75	6.25	5.305	5.695		6,210	3,843				2.2		
KF050CP0	5	6.5	5.555	5.945		6,490	3,936				2.3		
KF055CP0	5.5	7	6.055	6.445		7,050	4,116				2.5		
KF060CP0	6	7.5	6.555	6.945		7,620	4,291				2.7		
KF065CP0	6.5	8	7.055	7.445		8,180	4,461				2.9		
KF070CP0	7	8.5	7.555	7.945		8,750	4,628				3.2		
KF075CP0	7.5	9	8.055	8.445		9,310	4,791				3.4		
KF080CP0	8	9.5	8.555	8.945		9,880	4,949				3.5		
KF090CP0	9	10.5	9.555	9.945		11,000	5,256				3.9		
KF100CP0	10	11.5	10.555	10.945		12,130	5,550				4.3		
KF110CP0	11	12.5	11.555	11.945		13,260	5,833				4.8		
KF120CP0	12	13.5	12.555	12.945		14,390	6,105				5.2		
KF140CP0	14	15.5	14.555	14.945		16,650	6,620				6		
KF160CP0	16	17.5	16.555	16.945		18,900	7,104				7.1		
KF180CP0	18	19.5	18.555	18.945		21,160	7,557				7.9		
KF200CP0	20	21.5	20.555	20.945		23,420	7,986				8.9		
KF250CP0	25	26.5	25.555	25.945		29,060	8,963				10.9		
KF300CP0	30	31.5	30.555	30.945		34,700	9,828				13		
KF350CP0	35	36.5	35.555	35.945		40,350	10,603				15.1		
KF400CP0	40	41.5	40.555	40.945		45,990	11,302				17.2		
KG040CP0	4	6	4.742	5.258		8,210	6,115				3.6		
KG042CP0	4.25	6.25	4.992	5.508		8,210	6,061				3.8		
KG045CP0	4.5	6.5	5.242	5.758		8,760	6,277				4		
KG047CP0	4.75	6.75	5.492	6.008		9,300	6,487				4.1		
KG050CP0	5	7	5.742	6.258		9,850	6,691				4.3		
KG055CP0	5.5	7.5	6.242	6.758		10,400	6,850				4.7		
KG060CP0	6	8	6.742	7.258		11,490	7,241				5.1		
KG065CP0	6.5	8.5	7.242	7.758		12,040	7,393				5.4		
KG070CP0	7	9	7.742	8.258		13,130	7,764				5.8		
KG075CP0	7.5	9.5	8.242	8.758		13,680	7,911				6.1		
KG080CP0	8	10	8.742	9.258		14,770	8,265				6.5		
KG090CP0	9	11	9.742	10.258		16,420	8,743				7.2		
KG100CP0	10	12	10.742	11.258		18,060	9,204				7.9		
KG110CP0	11	13	11.742	12.258		19,700	9,648				8.6		
KG120CP0	12	14	12.742	13.258		21,340	10,074				9.3		
KG140CP0	14	16	14.742	15.258		24,620	10,886				10.8		



Type X-KB	KA110XP0	11	11.5	11.186	11.314	3,410	1,362	8,540	2,320	19,210	5,750	0.52
	KA120XP0	12	12.5	12.186	12.314	3,720	1,433	9,300	2,450	22,770	6,587	0.56
	KB020XP0	2	2.625	2.231	2.393	930	758	2,340	1,130	1,080	658	0.16
	KB025XP0	2.5	3.125	2.731	2.893	1,140	848	2,840	1,290	1,600	895	0.19
	KB030XP0	3	3.625	3.231	3.393	1,340	933	3,350	1,440	2,220	1,159	0.24
	KB035XP0	3.5	4.125	3.731	3.893	1,540	1,014	3,860	1,590	2,940	1,450	0.27
	KB040XP0	4	4.625	4.231	4.393	1,750	1,091	4,370	1,720	3,770	1,764	0.3
	KB042XP0	4.25	4.875	4.481	4.643	1,830	1,120	4,570	1,780	4,170	1,917	0.31
	KB045XP0	4.5	5.125	4.731	4.893	1,950	1,165	4,880	1,850	4,690	2,103	0.33
	KB047XP0	4.75	5.375	4.981	5.143	2,030	1,193	5,080	1,900	5,140	2,265	0.34
	KB050XP0	5	5.625	5.231	5.393	2,150	1,236	5,380	1,980	5,720	2,463	0.38
	KB055XP0	5.5	6.125	5.731	5.893	2,360	1,304	5,890	2,100	6,850	2,844	0.41
	KB060XP0	6	6.625	6.231	6.393	2,560	1,371	6,400	2,220	8,080	3,247	0.44
	KB065XP0	6.5	7.125	6.731	6.893	2,760	1,435	6,910	2,340	9,410	3,668	0.47
	KB070XP0	7	7.625	7.231	7.393	2,970	1,498	7,420	2,450	10,850	4,109	0.5
	KB075XP0	7.5	8.125	7.731	7.893	3,170	1,559	7,920	2,560	12,380	4,568	0.53
	KB080XP0	8	8.625	8.231	8.393	3,370	1,618	8,430	2,670	14,020	5,045	0.57
	KB090XP0	9	9.625	9.231	9.393	3,780	1,732	9,450	2,880	17,600	6,050	0.66
	KB100XP0	10	10.625	10.231	10.393	4,190	1,841	10,460	3,080	21,580	7,121	0.73
	KB110XP0	11	11.625	11.231	11.393	4,590	1,945	11,480	3,280	25,970	8,254	0.75
	KB120XP0	12	12.625	12.231	12.393	5,000	2,045	12,500	3,470	30,770	9,446	0.83
	KB140XP0	14	14.625	14.231	14.393	5,810	2,234	14,530	3,840	41,580	11,994	1.05
	KB160XP0	16	16.625	16.231	16.393	6,620	2,410	16,560	4,190	54,020	14,750	1.2
	KB180XP0	18	18.625	18.231	18.393	7,440	2,576	18,590	4,520	68,090	17,694	1.35
	KB200XP0	20	20.625	20.231	20.393	8,250	2,731	20,620	4,850	83,780	20,813	1.5
	KC040XP0	4	4.75	4.277	4.473	2,100	1,417	5,260	2,210	4,600	2,326	0.45
	KC042XP0	4.25	5	4.527	4.723	2,220	1,464	5,560	2,290	5,140	2,541	0.47
	KC045XP0	4.5	5.25	4.777	4.973	2,340	1,510	5,860	2,380	5,710	2,762	0.48
	KC047XP0	4.75	5.5	5.027	5.223	2,460	1,556	6,160	2,460	6,320	2,991	0.5
	KC050XP0	5	5.75	5.277	5.473	2,590	1,600	6,460	2,540	6,950	3,226	0.58
	KC055XP0	5.5	6.25	5.777	5.973	2,830	1,687	7,060	2,690	8,300	3,717	0.59
	KC060XP0	6	6.75	6.277	6.473	3,070	1,770	7,660	2,840	9,770	4,234	0.63
	KC065XP0	6.5	7.25	6.777	6.973	3,310	1,851	8,270	2,990	11,370	4,775	0.68
	KC070XP0	7	7.75	7.277	7.473	3,550	1,931	8,870	3,130	13,080	5,341	0.73
	KC075XP0	7.5	8.25	7.777	7.973	3,790	2,007	9,470	3,270	14,910	5,930	0.78
	KC080XP0	8	8.75	8.277	8.473	4,030	2,082	10,070	3,410	16,870	6,542	0.84
	KC090XP0	9	9.75	9.277	9.473	4,510	2,226	11,270	3,670	21,130	7,830	0.94
	KC100XP0	10	10.75	10.277	10.473	4,990	2,364	12,470	3,930	25,880	9,201	1.06
	KC110XP0	11	11.75	11.277	11.473	5,470	2,496	13,680	4,180	31,110	10,651	1.16
	KC120XP0	12	12.75	12.277	12.473	5,950	2,622	14,880	4,420	36,830	12,174	1.25
	KC140XP0	14	14.75	14.277	14.473	6,910	2,862	17,280	4,890	49,690	15,434	1.52
	KC160XP0	16	16.75	16.277	16.473	7,880	3,086	19,690	5,330	64,480	18,955	1.73
KC180XP0	18	18.75	18.277	18.473	8,840	3,295	22,090	5,760	81,190	22,712	1.94	
KC200XP0	20	20.75	20.277	20.473	9,800	3,492	24,500	6,170	99,830	26,695	2.16	
KC250XP0	25	25.75	25.277	25.473	12,200	3,941	30,510	7,140	154,800	37,518	2.69	
KC300XP0	30	30.75	30.277	30.473	14,610	4,338	36,520	8,050	221,900	49,436	3.21	
KD040XP0	4	5	4.37	4.63	3,080	2,311	7,700	3,520	6,930	3,901	0.78	
KD042XP0	4.25	5.25	4.62	4.88	3,190	2,355	7,980	3,600	7,580	4,196	0.83	
KD045XP0	4.5	5.5	4.87	5.13	3,420	2,454	8,550	3,770	8,550	4,602	0.88	
KD047XP0	4.75	5.75	5.12	5.38	3,530	2,496	8,840	3,860	9,280	4,916	0.94	
KD050XP0	5	6	5.37	5.63	3,760	2,592	9,410	4,020	10,350	5,348	1	
KD055XP0	5.5	6.5	5.87	6.13	4,100	2,725	10,260	4,260	12,310	6,134	1.06	
KD060XP0	6	7	6.37	6.63	4,450	2,855	11,120	4,490	14,450	6,961	1.16	
KD065XP0	6.5	7.5	6.87	7.13	4,790	2,980	11,970	4,720	16,760	7,826	1.22	
KD070XP0	7	8	7.37	7.63	5,130	3,103	12,830	4,940	19,240	8,730	1.31	
KD075XP0	7.5	8.5	7.87	8.13	5,470	3,222	13,680	5,160	21,890	9,669	1.41	
KD080XP0	8	9	8.37	8.63	5,810	3,338	14,540	5,370	24,710	10,643	1.53	
KD090XP0	9	10	9.37	9.63	6,500	3,561	16,250	5,790	30,870	12,693	1.72	
KD100XP0	10	11	10.37	10.63	7,180	3,776	17,960	6,190	37,710	14,872	1.88	
KD110XP0	11	12	11.37	11.63	7,870	3,981	19,670	6,570	45,230	17,173	2.06	
KD120XP0	12	13	12.37	12.63	8,550	4,178	21,380	6,950	53,440	19,590	2.25	
KD140XP0	14	15	14.37	14.63	9,920	4,551	24,800	7,670	71,910	24,755	2.73	
KD160XP0	16	17	16.37	16.63	11,290	4,899	28,220	8,360	93,110	30,325	3.1	
KD180XP0	18	19	18.37	18.63	12,650	5,226	31,640	9,030	117,000	36,268	3.48	
KD200XP0	20	21	20.37	20.63	14,020	5,534	35,060	9,670	143,700	42,561	3.85	
KD210XP0	21	22	21.37	21.63	14,710	5,682	36,770	9,980	158,100	45,826	4.04	
KD250XP0	25	26	25.37	25.63	17,440	6,235	43,610	11,180	222,400	59,649	4.79	
KD300XP0	30	31	30.37	30.63	20,860	6,856	52,160	12,600	318,100	78,447	5.73	
KF040XP0	4	5.5	4.555	4.945	5,360	4,665	13,400	6,830	12,730	8,312	1.9	
KF042XP0	4.25	5.75	4.805	5.195	5,640	4,795	14,110	7,070	14,110	8,993	2	
KF045XP0	4.5	6	5.06	5.445	5,930	4,923	14,810	7,300	15,550	9,695	2.1	
KF047XP0	4.75	6.25	5.305	5.695	6,210	5,048	15,520	7,530	17,070	10,416	2.2	
KF050XP0	5	6.5	5.555	5.945	6,490	5,172	16,220	7,760	18,660	11,157	2.3	
KF055XP0	5.5	7	6.055	6.445	7,050	5,415	17,630	8,200	22,040	12,696	2.5	
KF060XP0	6	7.5	6.555	6.945	7,620	5,651	19,050	8,630	25,710	14,311	2.7	
KF065XP0	6.5	8	7.055	7.445	8,180	5,880	20,460	9,050	29,660	15,993	2.9	
KF070XP0	7	8.5	7.555	7.945	8,750	6,103	21,870	9,460	33,890	17,744	3.2	
KF075XP0	7.5	9	8.055	8.445	9,310	6,323	23,280	9,870	38,410	19,568	3.4	
KF080XP0	8	9.5	8.555	8.945	9,880	6,535	24,690	10,260	43,200	21,453	3.5	
KF090XP0	9	10.5	9.555	9.945	11,000	6,947	27,510	11,030	53,640	25,410	3.9	
KF100XP0	10	11.5	10.555	10.945	12,130	7,342	30,330	11,770	65,210	29,608	4.3	
KF110XP0	11	12.5	11.555	11.945	13,260	7,721	33,150	12,490	77,910	34,032	4.8	
KF120XP0	12	13.5	12.555	12.945	14,390	8,084	35,970	13,190	91,730	38,666	5.2	
KF140XP0	14	15.5	14.555	14.945	16,650	8,775	41,620	14,530	122,800	48,556	6	
KF160XP0	16	17.5	16.555	16.945	18,900	9,421	47,260	15,820	158,300	59,200	7.1	
KF180XP0	18	19.5	18.555	18.945	21,160	10,028	52,900	17,060	198,400	70,537	7.9	
KF200XP0	20	21.5	20.555	20.945	23,420	10,602	58,550	18,250	243,000	82,528	8.9	
KF250XP0	25	26.5	25.555	25.945	29,060	11,909	72,650	21,070	374,200	115,037	10.9	
KF300XP0	30	31.5	30.555	30.945	34,700	13,065	86,760	23,720	533,600	150,708	13	
KF350XP0	35	36.5	35.555	35.945	40,350	14,100	100,900	26,220	721,200	189,106	15.1	
KF400XP0	40	41.5	40.555	40.945	45,990	15,034	115,000	28,620	937,100	229,832	17.2	
KG040XP0	4	6	4.742	5.258	8,210	7,979	20,520	11,260	20,520	14,966	3.6	
KG042XP0	4.25	6.25	4.992	5.508	8,210	7,917	20,520	11,260	21,550	15,592	3.8	

Type X  
Four-Point  
Contact

