

Series	Model Number	Dimensions			$\alpha=15^\circ$		$\alpha=25^\circ$		Material (Cage)	Weight (kg) Approx
					Limiting speed		Limiting speed			
		d	D	B	Basic load rating	Lubrication	Basic load rating	Lubrication		
					Cr Cor	Grease Oil	Cr Cor	Grease Oil		
70 series	7000	10	26	8	4.0 2.4	66000 90000	3.8 2.3	59000 89000	PA/PF	0.023
	7001	12	28	8	5.0 3.0	59000 89000	4.8 2.8	55000 84000	PA/PF	0.025
	7002	15	32	9	5.3 3.3	49000 74000	5.1 3.1	44000 66000	PA/PF	0.035
	7003	17	35	10	6.7 4.9	44000 66000	6.4 4.7	39000 59000	PA/PF	0.046
	7004	20	42	12	9.6 6.3	37000 55000	9.2 6.0	33000 49000	PA/PF	0.08
	7005	25	47	12	12.9 8.7	33000 49000	12.3 8.3	29000 44000	PA/PF	0.093
	7006	30	55	13	15.7 11.6	27000 42000	14.9 10.9	23000 37000	PA/PF	0.135
	7007	35	62	14	19.3 17.5	19000 33000	10.4 10.3	19000 33000	PA/PF	0.18
	7008	40	68	15	19.9 19.1	18000 31000	18.9 18.2	16000 27000	PA/PF	0.222
	7009	45	75	16	26.7 25.3	16000 27000	25.4 24.1	15000 25000	PA/PF	0.23
	7010	50	80	16	27.6 27.5	15000 25000	26.2 26.2	14000 23000	PA/PF	0.306
	7011	55	90	18	36.7 37.1	13000 21000	34.8 35.3	12000 19000	PA/PF	0.37
	7012	60	95	18	37.8 40	13000 21000	35.8 38	11000 18000	PA/PF	0.389
	7013	65	100	18	38.9 42.9	12000 19000	36.8 40.7	10000 17000	PA/PF	0.412
	7014	70	110	20	49.9 55.5	11000 18000	47.2 52.7	9000 16000	PA/PF	0.585
	7015	75	115	20	51.3 59.2	10000 17000	48.5 56.2	8500 15000	PA/PF	0.617
	7016	80	125	22	61.6 70.4	9000 16000	58.3 66.9	8000 14000	PA/PF	0.854
	7017	85	130	22	63.6 75	8500 15000	59.9 71.3	7500 13000	PA/PF	0.878
	7018	90	140	24	66.9 84	8000 14000	63.2 79.7	7000 12000	PA/PF	1.15
	7019	95	145	24	79.1 97.6	7500 13000	74.8 92.7	6500 11000	PA/PF	1.2
	7020	100	150	24	81.2 103.3	7000 12000	76.7 9.8	6000 10000	PA/PF	1.22
	7021	105	160	26	93.9 118.2	6500 11000	88.8 112.2	6000 10000	PA/PF	1.59
	7022	110	170	28	110.4 139.8	6000 10000	104.4 132.8	5700 9000	PA/PF	1.97
	7024	120	180	28	112.7 148.7	6000 10000	106.3 141.1	5700 9000	PA/PF	2.09
	7026	130	200	33	144.8 190.8	5700 9000	136.8 181.0	5000 8000	PA/PF	3.23
	7028	140	210	33	148.7 202.6	5000 8000	140.4 192.2	4600 7500	PA/PF	3.45
	7030	150	225	35	168.4 232.5	4600 7500	159.1 220.6	4000 6500	PA/PF	4.82
	7032	160	240	38	189.1 264.5	4000 6500	178.6 251.0	3800 6000	PA/PF	5.96
	7034	170	260	42	205.6 299.3	3800 6000	194.2 284.0	3300 5300	PA/PF	7.96
	7036	180	280	46	229.5 352.1	3500 5700	216.8 334.1	3000 5000	PA/PF	10.4
	7038	190	290	46	235.1 370.8	3300 5300	222.1 351.8	2800 4600	Copper	10.8
	7040	200	310	51	289.1 471.4	2800 4600	273.1 447.3	2600 4300	Copper	14
7044	220	340	56	338 445	2500 3700	319 440	2400 3500	Copper	16	
7048	240	360	56	345 490	2200 3300	325 465	2100 3100	Copper	17	
7052	260	460	65	346 490	2201 3300	326 465	2101 3100	Copper		
7056	280	420	65	347 490	2202 3300	327 465	2102 3100	Copper		
7060	300	460	74	348 490	2203 3300	328 465	2103 3100	Copper		
7064	320	480	74	349 490	2204 3300	329 465	2104 3100	Copper		
7068	340	520	82	350 490	2205 3300	330 465	2105 3100	Copper		
7072	360	540	82	351 490	2206 3300	331 465	2106 3100	Copper		
7076	380	560	82	352 490	2207 3300	332 465	2107 3100	Copper		
7080	400	600	90	353 490	2208 3300	333 465	2108 3100	Copper		
7084	420	620	90	354 490	2209 3300	334 465	2109 3100	Copper		
71900C	10	22	6	2.9 1.8	69000 109000	2.7 1.7	66000 90000	PF	0.01	
71901C	12	24	6	3.2 2.2	62000 94000	3.1 2.1	55000 84000	PF	0.01	
71902C	15	28	7	4.8 3.4	52000 79000	4.6 3.2	49000 74000	PF	0.02	
71903C	17	30	7	5.1 3.8	49000 74000	4.8 3.6	44000 66000	PF	0.02	
71904C	20	37	9	7.4 5.8	39000 59000	7.0 5.6	37000 55000	PF	0.04	
71905C	25	42	9	7.6 6.5	33000 49000	7.2 6.2	29000 44000	PF	0.04	
71906C	30	47	9	8.0 7.6	29000 44000	7.6 7.2	25000 39000	PF	0.06	
71907C	35	55	10	11 10.9	25000 39000	10.4 10.3	19000 33000	PF	0.07	
71908C	40	62	12	14 14.2	19000 33000	13.3 13.5	17000 29000	PF	0.11	
71909C	45	68	12	14.7 16.1	17000 29000	13.9 15.2	16000 27000	PF	0.13	
71910C	50	72	12	19 21.2	16000 27000	17.9 20.1	14000 23000	PF	0.13	
71911C	55	80	13	23.7 27.4	14000 23000	22.4 26	13000 21000	PF	0.18	
71912C	60	85	13	24.8 30.3	13000 21000	23.3 28.7	12000 19000	PF	0.19	
71913C	65	90	13	25.1 31.9	12000 19000	23.6 30.2	11000 18000	PF	0.2	
71914C	70	100	16	34.5 43.3	11000 18000	32.6 41.2	10000 17000	PF	0.33	
71915C	75	105	16	25 45.6	10000 17000	33 43.2	8500 15000	PF	0.35	
71916C	80	110	16	35.5 47.8	9000 16000	33.5 45.3	8000 14000	PF	0.37	

719 series

71917C	85	120	18	46.5	61.9	8500	15000	43.8	58.6	7500	13000	PF	0.53
71918C	90	115	18	47.2	64.8	8000	15000	20.4	31.6	7500	13000	PF	0.56
71919C	95	130	18	47.9	67.8	8000	14000	45.2	64.1	7000	12000	PF	0.58
71920C	100	140	20	60.4	84.4	7500	13000	56.9	79.9	7000	12000	PF	0.79
71921C	105	145	20	61.4	88.2	7000	12000	57.8	83.5	6500	11000	PF	0.83
71922C	110	150	20	62.3	91.9	6500	11000	58.7	87	6000	10000	PF	0.86
71924C	120	165	22	73.7	107.6	6000	10000	69.5	101.9	5700	9000	PF	1.17
71926C	130	180	24	76.3	117.1	5700	9000	71.9	110.9	5000	8000	PF	1.58
71928C	140	190	24	78.9	126.4	5000	8000	74.4	119.7	4600	7500	PF	1.68
71930C	150	210	28	118.2	175.1	4600	7500	111.4	165.8	4000	6500	PF	2.48
71932C	160	220	28	123.3	191.2	4000	6500	116.5	181.1	3800	6000	PF	2.64
71934C	170	230	28	125.7	200.0	3800	6000	118.5	189.4	3300	5300	PF	2.77
71936C	180	250	33	159.7	249.1	3500	5700	150.6	235.9	3000	5000	PF	4.1
71938C	190	260	33	162.8	260.8	3300	5300	153.5	247.0	2800	4600	PF	4.29
71940C	200	280	38	198.4	311.4	2800	4600	187.1	394.9	2600	4300	PF	6.02
71944C	220	300	38	206.6	341.1	2600	4300	194.8	323.0	2200	3800	PF	6.52
71948C	240	320	38	225	310	2300	3500	212	300	2200	3300	PF	7.07
71952C	260	360	46	281	425	2100	3100	265	400	2000	2900	PF	12
71956C	280	380	46	282	425	2101	3100	266	400	2001	2900	PF	12.7
71960C	300	420	56	283	425	2102	3100	267	400	2002	2900	Copper	
71964C	320	440	56	284	425	2103	3100	268	400	2003	2900	Copper	
71968C	340	460	56	285	425	2104	3100	269	400	2004	2900	Copper	
71972C	360	480	56	286	425	2105	3100	270	400	2005	2900	Copper	
71976C	380	520	65	287	425	2106	3100	271	400	2006	2900	Copper	
71980C	400	540	65	288	425	2107	3100	272	400	2007	2900	Copper	
71984C	420	560	65	289	425	2108	3100	273	400	2008	2900	Copper	
71988C	440	600	74	290	425	2109	3100	274	400	2009	2900	Copper	
71992C	460	620	74	291	425	2110	3100	275	400	2010	2900	Copper	

718 series

71800C	10	19	5	1.8	1.1	74000	119000	1.7	1.1	69000	109000	PF	0.005
71801C	12	21	5	2.0	1.4	69000	109000	1.9	1.3	62000	94000	PF	0.006
71802C	15	24	5	2.2	1.8	59000	89000	2.1	1.7	53000	79000	PF	0.007
71803C	17	25	5	2.3	1.9	52000	79000	2.1	1.8	49000	74000	PF	0.008
71804C	20	32	7	3.9	3.4	44000	66000	3.7	3.2	39000	59000	PF	0.018
71805C	25	37	7	4.2	4.1	37000	55000	3.9	3.9	33000	49000	PF	0.022
71806C	30	42	7	4.4	4.8	31000	47000	4.1	4.5	27000	42000	PF	0.025
71807C	35	47	7	4.6	5.5	25000	39000	4.3	5.2	23000	37000	PF	0.029
71808C	40	52	7	4.8	6.2	23000	37000	4.5	5.8	19000	33000	PF	0.032
71809C	45	58	7	4.9	6.7	19000	33000	4.6	6.3	17000	29000	PF	0.04
71810C	50	65	7	7.4	10.0	17000	29000	6.9	9.5	15000	25000	PF	0.052
71811C	55	72	9	10.2	13.8	15000	25000	9.6	13.1	14000	23000	PF	0.081
71812C	60	78	10	13.4	18.0	14000	23000	12.6	17.0	13000	21000	PF	0.1
71813C	65	85	10	13.4	18.8	13000	21000	12.6	17.8	12000	19000	PF	0.125
71814C	70	90	10	13.8	20.3	12000	19000	13.0	19.1	11000	18000	PF	0.133
71815C	75	95	10	14.2	21.7	11000	18000	13.3	20.5	10000	17000	PF	0.142
71816C	80	100	10	14.5	23.1	10000	17000	13.6	21.8	85000	15000	PF	0.15
71817C	85	110	13	21.5	32.2	9000	16000	20.2	30.5	8000	14000	PF	0.262
71818C	90	115	13	21.7	33.5	8500	15000	20.4	31.6	7500	13000	PF	0.274
71819C	95	120	13	21.9	34.7	8000	14000	20.6	32.8	7500	13000	PF	0.287
71820C	100	125	13	22.5	37.0	7500	13000	21.2	34.9	7000	12000	PF	0.301
71821C	105	130	13	22.7	38.3	7500	13000	21.3	36.1	7000	12000	PF	0.314
71822C	110	140	16	31.8	51.6	7000	12000	29.9	48.7	6500	11000	PF	0.496
71824C	120	150	16	33.1	56.9	60000	10000	31.3	53.7	5700	9000	PF	0.537
71826C	130	165	18	38.7	67.6	5700	9000	36.3	63.8	5000	8000	PF	0.782
71828C	140	175	18	44.8	79.2	5000	8000	42.0	74.7	4600	7500	PF	0.813
71830C	150	190	20	51.2	92.0	4600	7500	48.0	86.8	4000	6500	PF	1.14
71832C	160	200	20	52.4	97.7	4000	6500	49.2	92.2	3800	6000	PF	1.21
71834C	170	215	22	66.5	123.4	3800	6000	62.4	116.5	3300	5300	PF	1.61
71836C	180	225	22	159.7	249.1	3500	5700	150.6	235.9	3000	5000	PF	
71838C	190	240	24	159.7	249.2	3501	5700	150.6	235.10	3001	5000	PF	
71840C	200	250	24	159.7	249.3	3502	5700	150.6	235.11	3002	5000	PF	
71844C	220	270	24	159.7	249.4	3503	5700	150.6	235.12	3003	5000	PF	
71848C	240	300	28	159.7	249.5	3504	5700	150.6	235.13	3004	5000	PF	
71852C	260	320	28	159.7	249.6	3505	5700	150.6	235.14	3005	5000	PF	
71856C	280	350	33	159.7	249.7	3506	5700	150.6	235.15	3006	5000	PF	
71860C	300	380	38	159.7	249.8	3507	5700	150.6	235.16	3007	5000	Copper	

	71864C	320	400	38	159.7	249.9	3508	5700	150.6	235.17	3008	5000	Copper	
	71868C	340	420	38	159.7	249.10	3509	5700	150.6	235.18	3009	5000	Copper	
	71872C	360	440	38	159.7	249.11	3510	5700	150.6	235.19	3010	5000	Copper	
	71876C	380	480	46	159.7	249.12	3511	5700	150.6	235.20	3011	5000	Copper	
	71880C	400	500	46	159.7	249.13	3512	5700	150.6	235.21	3012	5000	Copper	
	71884C	420	520	46	159.7	249.14	3513	5700	150.6	235.22	3013	5000	Copper	
	71888C	440	540	46	159.7	249.15	3514	5700	150.6	235.23	3014	5000	Copper	
	71892C	460	580	56	159.7	249.16	3515	5700	150.6	235.24	3015	5000	Copper	
	71896C	480	600	56	159.7	249.17	3516	5700	150.6	235.25	3016	5000	Copper	
	718/500C	500	620	56	159.7	249.18	3517	5700	150.6	235.26	3017	5000	Copper	
72 series	7200	10	30	9	6.4	3.8	55000	84000	6.3	3.7	52000	79000	PA/PF	0.029
	7201	12	32	10	7.2	4.5	52000	79000	6.9	4.3	47000	69000	PA/PF	0.035
	7202	15	35	11	9.1	5.8	47000	69000	8.8	5.6	42000	62000	PA/PF	0.046
	7203	17	40	12	11.3	7.4	39000	59000	10.9	7.1	37000	55000	PA/PF	0.064
	7204	20	47	14	13.1	9.6	33000	49000	12.6	9.2	29000	44000	PA/PF	0.1
	7205	25	52	15	16.8	13.1	29000	44000	16.1	12.5	25000	39000	PA/PF	0.125
	7206	30	62	16	23.4	18.8	23000	37000	22.3	18.0	19000	33000	PA/PF	0.193
	7207	35	72	17	25.8	22.9	17000	29000	24.5	21.9	16000	27000	PA/PF	0.281
	7208	40	80	18	34.1	30.9	16000	27000	32.5	29.5	14000	23000	PA/PF	0.355
	7209	45	85	19	35.5	33.8	15000	25000	33.8	32.3	13000	21000	PA/PF	0.404
	7210	50	90	20	43.3	40.6	14000	23000	41.3	38.7	13000	21000	PA/PF	0.457
	7211	55	100	21	53.6	51.1	13000	21000	51.1	48.8	12000	19000	PA/PF	0.6
	7212	60	110	22	55.8	56.2	11000	18000	53.0	53.5	10000	17000	PA/PF	0.8
	7213	65	120	23	67.5	69.0	10000	17000	64.2	65.8	8500	15000	PA/PF	0.95
	7214	70	125	24	70.2	74.6	9000	16000	66.6	71.7	8000	14000	PA/PF	1.04
	7215	75	130	25	72.7	80.2	8500	15000	68.9	76.3	7500	13000	PA/PF	1.14
	7216	80	140	26	86.5	96.5	8000	14000	82.1	91.9	7000	12000	PA/PF	1.39
	7217	85	150	28	97.4	107.5	7500	13000	92.5	102.4	6500	11000	PA/PF	1.73
	7218	90	160	30	121.9	131.3	7000	12000	115.8	124.6	6000	10000	PA/PF	2.13
	7219	95	170	32	128.9	145.1	6500	11000	122.5	138.3	5700	9000	PA/PF	2.58
	7220	100	180	34	146.2	165.9	6000	10000	138.9	158.2	5700	9000	PA/PF	3.08
	7221	105	190	36	164.3	118.2	6000	10000	156.3	179.5	5300	8500	PA/PF	3.66
	7222	110	200	38	170.4	202.5	5700	9000	161.8	193.0	5000	8000	PA/PF	4.29
	7224	120	215	40	175.4	218.4	5000	8000	166.3	207.9	4300	7000	PA/PF	5.16
7226	130	230	40	200.6	258.3	4600	7500	190.4	246.2	4000	6500	PA/PF	6.45	
7228	140	250	42	223.6	306.6	4000	6500	212.3	292.2	3500	5700	PA/PF	8.09	
7230	150	270	45	240.9	341.5	3500	5700	228.7	325.5	3000	5000	PA/PF	11	
7232	160	290	48	248.6	365.8	3300	5300	236.1	348.6	2800	4600	PA/PF	13.7	
7234	170	310	52	300.2	459.2	2800	4600	285.0	473.6	2600	4300	PA/PF	17	
7236	180	320	52	300.2	459.2	2800	4600	285.0	473.6	2600	4300	PA/PF	17.7	
7238	190	340	55	300.2	459.2	2800	4600	285.0	473.6	2600	4300	PA/PF	21.3	
7240	200	360	58	300.2	459.2	2800	4600	285.0	473.6	2600	4300	PA/PF	25.3	
7244	220	400	65	300.2	459.2	2800	4600	285.0	473.6	2600	4300	PA/PF	33.6	
70 HQ1	7000 HQ1	10	26	8	3.4	1.5	89000	149000	3.3	1.4	79000	129000	PA/PF	0.023
	7001 HQ1	12	28	8	3.8	1.7	79000	129000	3.6	1.6	69000	109000	PA/PF	0.025
	7002 HQ1	15	32	9	4.4	2.2	74000	119000	4.2	2.1	66000	99000	PA/PF	0.035
	7003 HQ1	17	35	10	5.2	2.5	62000	94000	5.0	2.4	59000	89000	PA/PF	0.046
	7004 HQ1	20	42	12	7.4	3.9	59000	89000	7.0	3.8	47000	69000	PA/PF	0.08
	7005 HQ1	25	47	12	8.4	4.8	47000	69000	8.0	4.6	42000	62000	PA/PF	0.093
	7006 HQ1	30	55	13	9.5	6.2	44000	66000	9.0	5.9	37000	55000	PA/PF	0.135
	7007 HQ1	35	62	14	11.2	7.9	37000	55000	10.7	7.5	33000	49000	PA/PF	0.18
	7008 HQ1	40	68	15	12.5	9.1	33000	49000	11.1	8.6	27000	42000	PA/PF	0.222
	7009 HQ1	45	75	16	13.1	10.2	27000	42000	12.5	9.7	25000	39000	PA/PF	0.23
	7010 HQ1	50	80	16	15.4	12.0	23000	37000	14.7	11.4	19000	33000	PA/PF	0.306
	7011 HQ1	55	90	18	17.0	14.5	21000	35000	16.0	13.7	18000	31000	PA/PF	0.37
	7012 HQ1	60	95	18	17.0	15.3	19000	33000	16.2	14.4	17000	29000	PA/PF	0.389
	7013 HQ1	65	100	18	20.2	18.6	18000	31000	19.0	17.6	14000	23000	PA/PF	0.412
	7014 HQ1	70	110	20	24.1	21.4	17000	29000	22.6	20.6	14000	23000	PA/PF	0.585
	7015 HQ1	75	115	20	26.2	25.5	15000	25000	24.7	24.2	13000	21000	PA/PF	0.617
	7016 HQ1	80	125	22	34.2	32.7	14000	23000	32.3	31.0	12000	19000	PA/PF	0.854
	7017 HQ1	85	130	22	35.0	35.2	13000	21000	33.0	33.4	11000	18000	PA/PF	0.878
7018 HQ1	90	140	24	36.4	38.1	11000	18000	34.3	36.1	9000	16000	PA/PF	1.15	
	7200 HQ1	10	30	9	6.4	3.8	77000	117600	6.3	3.7	72800	110600	PA/PF	0.029
	7201 HQ1	12	32	10	7.2	4.5	72800	110600	6.9	4.3	65800	96600	PA/PF	0.035
	7202 HQ1	15	35	11	9.1	5.8	65800	96600	8.8	5.6	58800	86800	PA/PF	0.046

72 HQ1	7203 HQ1	17	40	12	11.3 7.4	54600 82600	10.9 7.1	51800 77000	PA/PF	0.064
	7204 HQ1	20	47	14	13.1 9.6	46200 68600	12.6 9.2	40600 61600	PA/PF	0.1
	7205 HQ1	25	52	15	16.8 13.1	40600 61600	16.1 12.5	35000 54600	PA/PF	0.125
	7206 HQ1	30	62	16	23.4 18.8	32200 51800	22.3 18.0	26600 46200	PA/PF	0.193
	7207 HQ1	35	72	17	25.8 22.9	23800 40600	24.5 21.9	22400 37800	PA/PF	0.281
	7208 HQ1	40	80	18	34.1 30.9	22400 37800	32.5 29.5	19600 32200	PA/PF	0.355
	7209 HQ1	45	85	19	35.5 33.8	21000 35000	33.8 32.3	18200 29400	PA/PF	0.404
	7210 HQ1	50	90	20	43.3 40.6	19600 32200	41.3 38.7	18000 29000	PA/PF	0.457
	7211 HQ1	55	100	21	53.6 51.1	18200 29400	51.1 48.8	16800 26600	PA/PF	0.6
	7212 HQ1	60	110	22	55.8 56.2	15400 25200	53.0 53.5	14000 23800	PA/PF	0.8
719 HQ1	71900C HQ1	10	22	6	2.1 0.9	94000 159000	2.0 0.9	84000 139000	PF	0.01
	71901C HQ1	12	24	6	2.2 1.1	89000 149000	2.1 1.1	79000 129000	PF	0.01
	71902C HQ1	15	28	7	3.2 1.7	79000 129000	3.1 1.6	69000 109000	PF	0.02
	71903C HQ1	17	30	7	3.3 1.8	74000 119000	3.2 1.7	62000 94000	PF	0.02
	71904C HQ1	20	37	9	5.0 2.9	62000 94000	4.8 2.7	52000 79000	PF	0.04
	71905C HQ1	25	42	9	5.2 3.4	52000 79000	4.9 3.3	44000 66000	PF	0.04
	71906C HQ1	30	47	9	5.8 3.8	47000 69000	5.4 3.6	39000 59000	PF	0.06
	71907C HQ1	35	55	10	7.7 5.4	39000 59000	7.4 5.1	33000 49000	PF	0.07
	71908C HQ1	40	62	12	9.8 7.0	33000 49000	9.3 6.6	27000 42000	PF	0.11
	71909C HQ1	45	68	12	10.3 7.7	27000 42000	9.7 7.3	25000 39000	PF	0.13
	71910C HQ1	50	72	12	13.2 10.0	25000 39000	12.5 9.5	21000 35000	PF	0.13
	71911C HQ1	55	80	13	16.0 12.6	21000 35000	15.0 11.9	18000 31000	PF	0.18
	71912C HQ1	60	85	13	16.6 13.8	19000 33000	15.7 3.1	17000 29000	PF	0.19
	71913C HQ1	65	90	13	16.8 14.5	18000 31000	16.0 13.7	16000 27000	PF	0.2
	71914C HQ1	70	100	16	20.9 17.8	17000 29000	19.7 16.9	14000 23000	PF	0.33
	71915C HQ1	75	105	16	21.7 19.3	16000 27000	20.5 18.2	14000 23000	PF	0.35
	71916C HQ1	80	110	16	22.4 20.8	15000 25000	21.2 19.6	13000 21000	PF	0.37
	71917C HQ1	85	120	18	26.1 24.2	14000 23000	24.7 22.9	12000 19000	PF	0.53
	71918C HQ1	90	115	18	27.0 26.0	13000 22000	25.5 24.6	11000 18000	PF	0.56
71919C HQ1	95	130	18	27.3 26.9	12000 2000	25.8 25.4	11000 18000	PF	0.58	
71920C HQ1	100	140	20	40.1 37.6	11000 18000	37.9 35.5	9000 16000	PF	0.79	
B70 HQ1	B7000C HQ1	10	26	8	3.0 1.2	99000 159000	-	-	PF	0.023
	B7001C HQ1	12	28	8	3.3 1.3	84000 129000	-	-	PF	0.025
	B7002C HQ1	15	32	9	3.6 1.6	74000 109000	-	-	PF	0.035
	B7003C HQ1	17	35	10	3.9 1.7	66000 99000	-	-	PF	0.046
	B7004C HQ1	20	42	12	5.7 2.7	31000 84000	-	-	PF	0.08
	B7005C HQ1	25	47	12	7.4 3.8	44000 66000	-	-	PF	0.093
	B7006C HQ1	30	55	13	9.1 4.8	37000 55000	-	-	PF	0.135
	B7007C HQ1	35	62	14	10.9 6.0	33000 52000	-	-	PF	0.18
	B7008C HQ1	40	68	15	12.9 7.4	31000 47000	-	-	PF	0.222
	B7009C HQ1	45	75	16	15.0 9.0	29000 44000	-	-	PF	0.23
	B7010C HQ1	50	80	16	15.9 10.0	25000 42000	-	-	PF	0.306
	B7011C HQ1	55	90	18	19.9 12.9	21000 37000	-	-	PF	0.37
B7012C HQ1	60	95	18	20.4 13.6	20000 35000	-	-	PF	0.389	