

Designation	Principal Dimensions (mm)			Load ratings (KN)		Limiting speed (r/min)	Preloads (N)			weight (Kg) ≈
	d	D	B	Cr Dynamic	Cor Static		Grease	light	medial	
760203	17	40	12	16.2	19.1	13000	850	1700	3400	0.07
760204	20	47	14	17.5	32	12000	1150	2300	4600	0.13
760205	25	52	15	19.8	40	11000	1250	2500	5000	0.16
760206	30	62	16	23.3	50	9000	1425	2900	5800	0.24
760207	35	72	17	27	64	8000	1650	3300	6600	0.34
760208	40	80	18	33.8	82.3	7000	2150	4300	8600	0.44
760209	45	85	19	34.2	86.8	6700	2250	4500	9000	0.50
760210	50	90	20	35	95.4	6300	2300	4600	9200	0.57
760211	55	100	21	36.3	102	6000	2450	4900	9800	0.75
760212	60	110	22	50.5	144	5000	3250	6500	13000	0.96
760213	65	120	23	51.3	153	4800	3500	7000	14000	1.20
760214	70	125	24	58.5	173	4500	3500	7000	14000	1.32
760215	75	130	25	60.3	187	4300	3800	7600	15200	1.45
760216	80	140	26	68.8	216	4000	4450	8900	17800	1.76
760217	85	150	28	79.2	252	3800	5250	10500	21000	2.19
760218	90	160	30	88.2	283	3600	5500	11000	22000	2.69
760219	95	170	32	99	320	3400	6250	12500	25000	3.26
760220	100	180	34	110	360	3200	7000	14000	28000	3.91
760222	110	200	38	122	400	2800	8200	16400	32800	5.5
760224	120	215	40	146	425	2600	10300	20600	41200	6.5
760226	130	230	40	176	455	2400	10300	20600	41200	7.4

Designation	Principal Dimensions (mm)			Load ratings (KN)		Limiting speed (r/min)	Preloads (N)			weight (Kg) ≈
	d	D	B	Cr Dynamic	Cor Static		Grease	light	medial	
760304	20	52	15	24.5	32	11000	1450	2900	5800	0.17
760305	25	62	17	28.5	41.5	9000	1650	3300	6600	0.28
760306	30	72	19	34.5	55	8000	2150	4300	8600	0.41
760307	35	80	21	36.5	61	7000	2400	4800	9600	0.55
760308	40	90	23	50	83	6300	2800	5600	11200	0.76

760309	45	100	25	58.5	104	5600	3500	7000	14000	1.02
760310	50	110	27	69.5	127	5000	3800	7600	15200	1.33
760311	55	120	29	78	146	4800	4400	8800	17600	1.69
760312	60	130	31	88	166	4500	5000	10000	20000	2.12
760313	65	140	33	100	196	4000	6000	12000	24000	2.6
760314	70	150	35	110	220	3800	6000	12000	24000	3.16
760315	75	160	37	125	255	3600	7250	14500	29000	3.79
760316	80	170	39	137	285	3400	8000	16000	32000	4.5
760317	85	180	41	160	325	3200	8750	17500	35000	5.29
760318	90	190	43	163	345	3000	9000	18000	36000	6.17
760319	95	200	45	163	360	3000	9500	19000	38000	7.15
760320	100	215	47	193	430	2600	10750	21500	43000	8.73
760322	110	240	50	250	560	2400	14650	29300	58600	11.8
760324	120	260	55	265	620	2200	15650	31300	62600	14.6
760326	130	280	58	290	695	2000	16850	33700	67400	18.7