

Model Number	Dimensions(mm)						Load		Limiting Speed		Weight (Kg)
	d	D	B	rsmi	r1sm	a	Cr	Cor	Grease	Oil	
B7000C	10	26	8	0.3	0.15	6	3	1.2	80000	130000	0.02
B7001C	12	28	8	0.3	0.15	7	3.3	1.3	70000	110000	0.02
B7002C	15	32	9	0.3	0.15	8	3.6	1.6	60000	90000	0.03
B7003C	17	35	10	0.3	0.15	8	3.9	1.7	53000	80000	0.04
B7004C	20	42	12	0.6	0.15	10	5.7	2.7	45000	67000	0.06
B7005C	25	47	12	0.6	0.15	11	7.4	3.8	38000	56000	0.08
B7006C	30	55	13	1	0.3	12	9.1	4.8	32000	48000	0.11
B7007C	35	62	14	1	0.3	13	10.9	6	28000	43000	0.15
B7008C	40	68	15	1	0.3	15	12.9	7.4	26000	40000	0.19
B7009C	45	75	16	1	0.3	16	15	9	24000	38000	0.24
B7010C	50	80	16	1	0.3	17	15.9	10	22000	36000	0.26
B7011C	55	90	18	1.1	0.6	19	19.9	12.9	19000	32000	0.41
B7012C	60	95	18	1.1	0.6	19	20.4	13.6	18000	30000	0.44
B7000C-2RZ	10	26	8	0.3	0.15	6	2.2	1.2	80000	-	0.02
B7000AC-	10	26	8	0.3	0.15	8	2.1	1.2	67000	-	0.02
B7001C-2RZ	12	28	8	0.3	0.15	7	2.2	1.3	70000	-	0.02
B7001AC-	12	28	8	0.3	0.15	9	2	1.2	60000	-	0.02
B7002C-2RZ	15	32	9	0.3	0.15	8	3.6	2.3	60000	-	0.03
B7002AC-	15	32	9	0.3	0.15	10	3.5	2.2	50000	-	0.03
B7003C-2RZ	17	35	10	0.3	0.15	8	3.8	2.5	53000	-	0.04
B7003AC-	17	35	10	0.3	0.15	11	3.6	2.3	45000	-	0.04
B7004C-2RZ	20	42	12	0.6	0.15	10	6.1	4.3	45000	-	0.08
B7004AC-	20	42	12	0.6	0.15	13	5.8	4.1	38000	-	0.08
B7005C-2RZ	25	47	12	0.6	0.15	11	6.2	4.6	38000	-	0.09
B7005AC-	25	47	12	0.6	0.15	14	5.8	4.4	34000	-	0.09
B7006C-2RZ	30	55	13	1	0.3	12	8.6	6.6	32000	-	0.13
B7006AC-	30	55	13	1	0.3	17	8.1	6.3	28000	-	0.13
B7007C-2RZ	35	62	14	1	0.3	13	9.2	7.8	28000	-	0.18
B7007AC-	35	62	14	1	0.3	18	8.7	7.4	24000	-	0.18
B7008C-2RZ	40	68	15	1	0.3	15	9.8	8.9	26000	-	0.22
B7008AC-	40	68	15	1	0.3	20	9.3	8.4	22000	-	0.22
B7009C-2RZ	45	75	16	1	0.3	16	12.5	11.4	24000	-	0.28
B7009AC-	45	75	16	1	0.3	22	11.8	10.7	20000	-	0.28
B7010C-2RZ	50	80	16	1	0.3	17	12.9	12.4	22000	-	0.3
B7010AC-	50	80	16	1	0.3	23	12.2	11.7	18000	-	0.3
B7011C-2RZ	55	90	18	1.1	0.6	19	18.6	17.8	19000	-	0.44
B7011AC-	55	90	18	1.1	0.6	26	17.5	16.8	17000	-	0.44
B7012C-2RZ	60	95	18	1.1	0.6	19	19.3	19.3	18000	-	0.47
B7012AC-	60	95	18	1.1	0.6	27	18.2	18.2	15000	-	0.47
B7013C-2RZ	65	##	18	1.1	0.6	20	19.9	20.8	17000	-	0.5
B7013AC-	65	##	18	1.1	0.6	28	18.8	19.7	15000	-	0.5
B7014C-2RZ	70	##	20	1.1	0.6	22	25.9	26.7	16000	-	0.69
B7014AC-	70	##	20	1.1	0.6	31	24.4	25.2	13000	-	0.69
B7015C-2RZ	75	##	20	1.1	0.6	23	26.2	27.8	15000	-	0.73
B7015AC-	75	##	20	1.1	0.6	32	24.7	26.3	13000	-	0.73
B7016C-2RZ	80	##	22	1.1	0.6	25	31.2	33.5	14000	-	0.99
B7016AC-	80	##	22	1.1	0.6	35	29.5	31.7	12000	-	0.99
B7017C-2RZ	85	##	22	1.1	0.6	25	31.6	34.9	13000	-	1.03
B7017AC-	85	##	22	1.1	0.6	36	29.9	32.9	11000	-	1.03
B7018C-2RZ	90	##	24	1.5	0.6	27	37.1	41.4	12000	-	1.35
B7018AC-	90	##	24	1.5	0.6	39	35.1	39.1	10000	-	1.35
B7019C-2RZ	95	##	24	1.5	0.6	28	37.6	43	11000	-	1.4
B7019AC-	95	##	24	1.5	0.6	40	35.5	40.6	9500	-	1.4
B7020C-2RZ	##	##	24	1.5	0.6	29	38.1	44.6	11000	-	1.46
B7020AC-	##	##	24	1.5	0.6	41	36	42.1	9000	-	1.46
B7021C-2RZ	##	##	26	2	1	31	49.1	56.3	10000	-	1.82
B7021AC-	##	##	26	2	1	44	46.4	53.2	8000	-	1.82
B7022C-2RZ	##	##	28	2	1	33	49.7	58.5	9500	-	2.31
B7022AC-	##	##	28	2	1	47	46.9	55.3	8000	-	2.31

B7024C-2RZ	##	##	28	2	1	34	51	62.8	8500	-	2.47
B7024AC-	##	##	28	2	1	49	48.2	58.5	7500	-	2.47
B7026C-2RZ	##	##	33	2	1	39	65.4	81.5	7500	-	3.68
B7026AC-	##	##	33	2	1	55	61	77	6700	-	3.68
B7028C-2RZ	##	##	33	2	1	40	67.1	87	6700	-	3.91
B7028AC-	##	##	33	2	1	57	63.4	82.2	6300	-	3.91
B7030C-2RZ	##	##	35	2.1	1.1	43	82.4	107	6000	-	4.71
B7030AC-	##	##	35	2.1	1.1	61	77.8	101	5600	-	4.71
B7032C-2RZ	##	##	38	2.1	1.1	46	84.3	113	5600	-	5.9
B7032AC-	##	##	38	2.1	1.1	66	79.6	107	5000	-	5.9
B7034C-2RZ	##	##	42	2.1	1.1	50	103	140	5300	-	7.94
B7034AC-	##	##	42	2.1	1.1	71	97	132	4800	-	7.94
B7036C-2RZ	##	##	46	2.1	1.1	54	105	148	4800	-	10.57
B7036AC-	##	##	46	2.1	1.1	77	99	140	4300	-	10.57
B7038C-2RZ	##	##	46	2.1	1.1	55	124	174	4500	-	10.84
B7038AC-	##	##	46	2.1	1.1	79	117	164	4000	-	10.84
B7040C-2RZ	##	##	51	2.1	1.1	60	126	184	4000	-	14.32
B7040AC-	##	##	51	2.1	1.1	85	119	174	3800	-	14.32
B7044C-2RZ	##	##	56	3	1.1	66	148	220	3800	-	18.82
B7044AC-	##	##	56	3	1.1	93	140	207	3600	-	18.82
H71900C	10	22	6	0.3	0.1	5	2.1	0.9	85000	140000	0.01
H71900AC	10	22	6	0.3	0.1	7	2	0.9	75000	120000	0.01
H71901C	12	24	6	0.3	0.1	5	2.2	1.1	80000	130000	0.01
H71901AC	12	24	6	0.3	0.1	7	2.1	1.1	70000	110000	0.01
H71902C	15	28	7	0.3	0.1	6	3.2	1.7	70000	110000	0.01
H71902AC	15	28	7	0.3	0.1	9	3.1	1.6	60000	90000	0.01
H71903C	17	30	7	0.3	0.1	7	3.3	1.8	67000	100000	0.02
H71903AC	17	30	7	0.3	0.1	9	3.2	1.7	56000	85000	0.02
H71904C	20	37	9	0.3	0.15	8	5	2.9	53000	80000	0.04
H71904AC	20	37	9	0.3	0.15	11	4.8	2.7	45000	67000	0.04
H71905C	25	42	9	0.3	0.15	9	5.2	3.4	48000	70000	0.04
H71905AC	25	42	9	0.3	0.15	12	4.9	3.3	40000	60000	0.04
H71906C	30	47	9	0.3	0.15	10	5.8	3.8	43000	63000	0.05
H71906AC	30	47	9	0.3	0.15	13	5.4	3.6	36000	53000	0.05
H71907C	35	55	10	0.6	0.15	11	7.7	5.4	36000	53000	0.07
H71907AC	35	55	10	0.6	0.15	16	7.4	5.1	30000	45000	0.07
H71908C	40	62	12	0.6	0.15	13	9.8	7	30000	45000	0.12
H71908AC	40	62	12	0.6	0.15	18	9.3	6.6	26000	40000	0.12
H71909C	45	68	12	0.6	0.15	14	10.3	7.7	26000	40000	0.14
H71909AC	45	68	12	0.6	0.15	19	9.7	7.3	22000	36000	0.14
H71910C	50	72	12	0.6	0.15	14	13.2	10	22000	36000	0.14
H71910AC	50	72	12	0.6	0.15	20	12.5	9.5	19000	32000	0.14
H71911C	55	80	13	1	0.3	16	16	12.6	19000	32000	0.18
H71911AC	55	80	13	1	0.3	22	15	11.9	16000	26000	0.18
H71912C	60	85	13	1	0.3	16	16.6	13.8	18000	30000	0.2
H71912AC	60	85	13	1	0.3	23	15.7	13.1	15000	24000	0.2
H71913C	65	90	13	1	0.3	17	16.8	14.5	17000	28000	0.21
H71913AC	65	90	13	1	0.3	25	16	13.7	15000	24000	0.21
H71914C	70	##	16	1	0.3	19	20.9	17.8	16000	26000	0.35
H71914AC	70	##	16	1	0.3	28	19.7	16.9	13000	20000	0.35
H71915C	75	##	16	1	0.3	20	21.7	19.3	15000	24000	0.37
H71915AC	75	##	16	1	0.3	29	20.5	18.2	13000	20000	0.37
H71916C	80	##	16	1	0.3	21	22.4	20.8	14000	22000	0.39
H71916AC	80	##	16	1	0.3	30	21.2	19.6	12000	19000	0.39
H71917C	85	##	18	1.1	0.6	23	26.1	24.2	13000	20000	0.56
H71917AC	85	##	18	1.1	0.6	23	24.7	22.9	11000	18000	0.56
H71918C	90	##	18	1.1	0.6	23	27	26	13000	20000	0.59
H71918AC	90	##	18	1.1	0.6	34	25.5	24.6	11000	18000	0.59
H71919C	95	##	18	1.1	0.6	24	27.3	26.9	12000	19000	0.62
H71919AC	95	##	18	1.1	0.6	35	25.8	25.4	11000	18000	0.62
H71920C	##	##	20	1.1	0.6	26	40.1	37.6	11000	18000	0.82

H71920AC	##	##	20	1.1	0.6	38	37.9	35.5	9000	15000	0.82
H71921C	##	##	20	1.1	0.6	27	40.7	39.1	10000	17000	0.85
H71921AC	##	##	20	1.1	0.6	39	38.4	36.9	8500	14000	0.85
H71922C	##	##	20	1.1	0.6	27	41.3	40.5	9000	15000	0.89
H71922AC	##	##	20	1.1	0.6	40	39	38.3	7500	12000	0.89
H71924C	##	##	22	1.1	0.6	30	43.1	44.9	8500	14000	1.25
H71924AC	##	##	22	1.1	0.6	44	40.7	42.4	7500	12000	1.25
H71926C	##	##	24	1.5	0.6	33	53.1	56.6	8000	13000	1.58
H71926AC	##	##	24	1.5	0.6	48	50.1	53.4	7500	12000	1.58
H71928C	##	##	24	1.5	0.6	34	53.7	59.1	7000	11000	1.67
H71928AC	##	##	24	1.5	0.6	50	50.7	55.8	6700	10000	1.67
H71930C	##	##	28	2	1	38	65.2	72.8	6700	10000	2.64
H71930AC	##	##	28	2	1	56	61.5	68.7	6000	9000	2.64
H71932C	##	##	28	2	1	39	66	75.8	6000	9000	2.78
H71932AC	##	##	28	2	1	58	62.3	71.6	5600	8500	2.78
H71934C	##	##	28	2	1	41	66.7	78.7	5600	8500	2.92
H71934AC	##	##	28	2	1	61	63	74.3	5000	7500	2.92
H71936C	##	##	33	2	1	45	79.6	95	5000	7500	4.42
H71936AC	##	##	33	2	1	67	75.2	89.7	4800	7000	4.42
H71938C	##	##	33	2	1	47	80.6	98.6	4800	7000	4.62
H71938AC	##	##	33	2	1	69	76.1	93.1	4300	6300	4.61
H71940C	##	##	38	2	1	51	82.8	105	4500	6700	6.74
H71940AC	##	##	38	2	1	75	78.2	99.5	4000	6000	6.74
H71944C	##	##	38	2	1	54	96.9	125	4300	6300	7.12
H71944AC	##	##	38	2	1	80	91.5	118	3800	5600	7.12
H7000C	10	26	8	0.3	0.15	6	3.4	1.5	80000	130000	0.02
H7000AC	10	26	8	0.3	0.15	8	3.3	1.4	67000	110000	0.02
H7001C	12	28	8	0.3	0.15	7	3.8	1.7	70000	110000	0.02
H7001AC	12	28	8	0.3	0.15	9	3.6	1.6	60000	90000	0.02
H7002C	15	32	9	0.3	0.15	8	4.4	2.2	67000	100000	0.03
H7002AC	15	32	9	0.3	0.15	10	4.2	2.1	56000	85000	0.03
H7003C	17	35	10	0.3	0.15	8	5.2	2.5	56000	85000	0.04
H7003AC	17	35	10	0.3	0.15	11	5	2.4	50000	75000	0.04
H7004C	20	42	12	0.6	0.15	10	7.4	3.9	50000	75000	0.07
H7004AC	20	42	12	0.6	0.15	13	7	3.8	43000	63000	0.07
H7005C	25	47	12	0.6	0.15	11	8.4	4.8	43000	63000	0.08
H7005AC	25	47	12	0.6	0.15	14	8	4.6	36000	53000	0.08
H7006C	30	55	13	1	0.3	12	9.5	6.2	38000	56000	0.11
H7006AC	30	55	13	1	0.3	17	9	5.9	34000	50000	0.11
H7007C	35	62	14	1	0.3	13	11.2	7.9	34000	50000	0.15
H7007AC	35	62	14	1	0.3	18	10.7	7.5	30000	45000	0.15
H7008C	40	68	15	1	0.3	15	12.5	9.1	28000	43000	0.19
H7008AC	40	68	15	1	0.3	20	11.1	8.6	24000	38000	0.19
H7009C	45	75	16	1	0.3	16	13.1	10.2	24000	38000	0.24
H7009AC	45	75	16	1	0.3	22	12.5	9.7	22000	36000	0.24
H7010C	50	80	16	1	0.3	17	15.4	12	20000	34000	0.26
H7010AC	50	80	16	1	0.3	23	14.7	11.4	18000	30000	0.26
H7011C	55	90	18	1.1	0.6	19	17	14.5	19000	32000	0.41
H7011AC	55	90	18	1.1	0.6	26	16	13.7	17000	28000	0.41
H7012C	60	95	18	1.1	0.6	19	17	15.3	18000	30000	0.44
H7012AC	60	95	18	1.1	0.6	27	16.2	14.4	15000	24000	0.44
H7013C	65	##	18	1.1	0.6	20	20.2	18.6	16000	26000	0.45
H7013AC	65	##	18	1.1	0.6	28	19	17.6	13000	20000	0.45
H7014C	70	##	20	1.1	0.6	22	24.1	21.4	15000	24000	0.64
H7014AC	70	##	20	1.1	0.6	31	22.6	20.1	13000	20000	0.64
H7015C	75	##	20	1.1	0.6	23	26.2	25.5	14000	22000	0.68
H7015AC	75	##	20	1.1	0.6	32	24.7	24.2	12000	19000	0.68
H7016C	80	##	22	1.1	0.6	25	34.2	32.7	13000	20000	0.9
H7016AC	80	##	22	1.1	0.6	35	32.3	31	11000	18000	0.9
H7017C	85	##	22	1.1	0.6	25	35	35.2	9500	19000	0.95
H7017AC	85	##	22	1.1	0.6	36	33	33.4	10000	17000	0.95

H7018C	90	##	24	1.5	0.6	27	36.4	38.1	11000	18000	1.26
H7018AC	90	##	24	1.5	0.6	39	34.3	36.1	9500	16000	1.26
H7019C	95	##	24	1.5	0.6	28	44.4	45.2	10000	17000	1.27
H7019AC	95	##	24	1.5	0.6	40	41.9	42.9	8500	14000	1.27
H7020C	##	##	24	1.5	0.6	29	45.4	48.1	10000	17000	1.33
H7020AC	##	##	24	1.5	0.6	41	42.7	44.7	8500	14000	1.33
H7021C	##	##	26	2	1	31	46.1	49.2	9500	16000	1.72
H7021AC	##	##	26	2	1	44	43.3	46.6	8000	13000	1.72
H7022C	##	##	28	2	1	33	47.9	53.9	9500	16000	2.2
H7022AC	##	##	28	2	1	47	45.1	51.1	8000	13000	2.2
H7024C	##	##	28	2	1	34	58.3	64.9	8500	14000	2.3
H7024AC	##	##	28	2	1	49	54.8	61.5	7500	12000	2.3
H7026C	##	##	33	2	1	39	58.6	66.8	8000	13000	3.59
H7026AC	##	##	33	2	1	55	55.1	63.2	7000	11000	3.59
H7028C	##	##	33	2	1	40	60.7	72.5	7500	12000	3.81
H7028AC	##	##	33	2	1	57	57.1	68.7	6700	10000	3.81
H7030C	##	##	35	2.1	1.1	43	74.9	88.5	6700	10000	4.61
H7030AC	##	##	35	2.1	1.1	61	70.5	83.8	6300	9500	4.61
H7032C	##	##	38	2.1	1.1	46	76.2	94.5	6000	9000	5.78
H7032AC	##	##	38	2.1	1.1	66	71.6	89.5	5600	8500	5.78
H7034C	##	##	42	2.1	1.1	50	78.1	101	5600	8500	7.94
H7034AC	##	##	42	2.1	1.1	71	73.4	95.2	5000	7500	7.94
H7036C	##	##	46	2.1	1.1	54	79.8	107	5300	8000	10.57
H7036AC	##	##	46	2.1	1.1	77	75	101	4800	7000	10.57
H7038C	##	##	46	2.1	1.1	55	95.3	125	4800	7000	10.84
H7038AC	##	##	46	2.1	1.1	79	89.7	118	4300	6300	10.84
H7040C	##	##	51	2.1	1.1	60	96.5	132	4500	6700	14.32
H7040AC	##	##	51	2.1	1.1	85	90.8	125	4000	6000	14.32
H7044C	##	##	56	3	1.1	66	114	157	4000	6000	18.82
H7044AC	##	##	56	3	1.1	93	107	148	3800	5600	18.82