


# Zouping King Mechanical Facilities Engineering Co., Ltd



Zhangxin Industrial Zone, Zouping City Shandong Province, China  
 ACY Phone: 0086-543 4282622 Faxes: 0086-543 4586431  
 Mobile: 0086-15266789835 Skype: acyacy0728  
 E-mail: sales5@sprayboothsupplies.com.cn  
 Website: www.kexingcoating.com

## Quotation Sheet for Powder Coating Booth

Model No.	PCB-11701
External Size(mm)	1170 (L)*1630 (W)*2805 (H)
Inside Size(mm)	1170 (L)*1150 (W)*1700 (H)
Structure	Packing down, easy to transport
Cabin System	- Made of galvanized steel, powder coated on the surface. - There is a cross bar on the top for hanging the work piece.
Powder Recovery System	- Dust filter cartridge *2pcs, each size 600mm*Ø320mm
	- Solenoid valve*2pcs, the holeØ20mm,DC24V
Circulation System	- 1 set of centrifugal blower, motor 3KW, air flow 2500~3500 m3/h. - The blower connected with booth by anti-flaming soft tubes - The exhaust vent of the blower could be adjusted in four directions
Blower Holder System	- Made by 40*40 square tubes - Independent from the booth to prevent the resonance and reduce the noise.
Lighting System	- 1set of explosion proof light,2 Philips tubes, each 36w
Control System	- 1 set, control the blower, pulse blowback and powder light.
<b>PICTURES</b>	

# Zouping King Mechanical Facilities Engineering Co., Ltd



Zhangxin Industrial Zone, Zouping City Shandong Province, China  
 ACY Phone: 0086-543 4282622 Faxes: 0086-543 4586431  
 Mobile: 0086-15266789835 Skype: acyacy0728  
 E-mail: sales5@sprayboothsupplies.com.cn  
 Website: www.kexingcoating.com

## Quotation Sheet for Powder Coating Booth

<b>Model No.</b>	<b>PCB-24001</b>
External Size(mm)	2400(L)*1670(W)*2805(H)
Inside Size(mm)	2400(L)*1150(W)*1700(H)
Structure	Packing down, easy for transport
Cabin System	Made of galvanized steel, powder coated on the surface. There is a cross bar on the top for hanging the work piece.
Powder Recovery System	Dust filter cartridge,4 pcs,600mm*Ø320mm
	Solenoid valve,4pcs, the holeØ20mm,DC24V
Circulation System	- 1 set of centrifugal blower, motor 3KW, air flow 3000~5000 m3/h. - The blower connected with booth by anti-flaming soft tubes - The exhaust vent of the blower could be adjusted in four directions
Blower Holder System	- Made by 40*40 square tubes - Independent from the booth to prevent the resonance and reduce the noise.
Lighting System	- 1set of explosion proof light,2 Philips tubes, each 36w
Control System	- 1 set, control the blower, pulse blowback and powder light.
<b>PICTURES</b>	

# Zouping King Mechanical Facilities Engineering Co., Ltd



Zhangxin Industrial Zone, Zouping City Shandong Province, China  
 ACY Phone: 0086-543 4282622 Faxes: 0086-543 4586431  
 Mobile: 0086-15266789835 Skype: acyacy0728  
 E-mail: sales5@sprayboothsupplies.com.cn  
 Website: www.kexingcoating.com

## Quotation Sheet for Powder Coating Booth


<b>Model No.</b>	<b>PCB-28001</b>
External Size(mm)	2800(L)*1670(W)*2880(H)
Inside Size(mm)	2800(L)*1150(W)*1700(H)
Structure	Packing down, easy to transport Exit/Entrance on the sides, could be used with suspended rail together
Cabin System	Made of cold-plates, powder coated. There is a cross bar on the top for hanging the work piece.
Powder Recovery System	Dust filter cartridge *4pcs, 600mm*Ø320mm
	Solenoid valve*4pcs, the holeØ20mm,DC24V
Circulation system	- 1 set of centrifugal blower, motor 3KW, air flow 2500~3500 m3/h. - The blower connected with booth by anti-flaming soft tubes - The exhaust vent of the blower could be adjusted in four directions
Blower Holder System	- Made by 40*40 square tubes - Independent from the booth to prevent the resonance and reduce the noise.
Lighting System	- 1 set of explosion proof light,2 Philips tubes, 36w for each
Control System	- 1 set, control the blower, pulse blowback and powder light.
<b>PICTURES</b>	

# Zouping King Mechanical Facilities Engineering Co., Ltd



Zhangxin Industrial Zone, Zouping City Shandong Province, China  
 ACY Phone: 0086-543 4282622 Faxes: 0086-543 4586431  
 Mobile: 0086-15266789835 Skype: acyacy0728  
 E-mail: sales5@sprayboothsupplies.com.cn  
 Website: www.kexingcoating.com

## Quotation Sheet for Powder Coating Booth

Model No.	PCB-34001
Structure	<ul style="list-style-type: none"> <li>- Packing down, easy to transport</li> <li>- Exit/entrance on the sides, could be used with suspended rail together</li> </ul>
External Size(mm)	3400 (L)*1670 (W)*2880 (H)
Inside Size(mm)	2400 (L)*1150 (W)*1700 (H)
Entrance/Exit Size(mm)	600(W)*1700(W)
Cabin system	Made of galvanized steel, powder coated on the surface
Powder recovery system	Dust filter cartridge *4pcs, 600mm*Ø320mm
	Solenoid valve *4pcs, the holeØ20mm,DC24V
Circulation system	<ul style="list-style-type: none"> <li>- 1 set of centrifugal blower, motor 5.5kw, air flow 4000~6800 m3/h.</li> <li>- The blower connected with booth by anti-flaming soft tubes</li> <li>- The exhaust vent of the blower could be adjusted in four directions</li> </ul>
Blower Holder System	<ul style="list-style-type: none"> <li>- Made by 40*40 square tubes</li> <li>- Independent from the booth to prevent the resonance and reduce the noise.</li> </ul>
Lighting System	- 1set of explosion proof light,2 Philips tubes, 36w for each
Control System	- 1 set, control the blower, pulse blowback and powder light.
PICTURES	

# Zouping King Mechanical Facilities Engineering Co., Ltd



Zhangxin Industrial Zone, Zouping City Shandong Province, China  
 ACY Phone: 0086-543 4282622 Faxes: 0086-543 4586431  
 Mobile: 0086-15266789835 Skype: acyacy0728  
 E-mail: sales5@sprayboothsupplies.com.cn  
 Website: www.kexingcoating.com

## Quotation Sheet for Powder Coating Booth

Model No.	PCB-25001		
Structure	Packing down, easy to transport Ground type, staff could go inside for painting		
External Size(mm)	2580(L)*3355(W)*3040(H)		
Internal Size(mm)	2500(L)*2500(W)*2200(H)		
Cabin System	Made by galvanized steel, powder coated on the surface.		
Powder Recovery System	Dust filter cartridges*6 sets, each size 600mm*Ø320mm		
	Solenoid valves*6 sets, the holeØ20mm,DC24V		
Circulation System	1 set of centrifugal blower, 7.5kw motor, air flow6000-9000m <sup>3</sup> /h The blower connected with booth by anti-flaming soft tubes The exhaust vent of the blower could be adjusted in four directions		
Blower Holder System	Made by 80*80 square tubes Independent from the booth to prevent the resonance and reduce the noise		
Lighting System	6 sets of explosion proof lights,2 Philips tubes, total 12pcs,36w for each		
Control System	1 set, control the fan and powder recovery system		
PICTURES			
			

# Zouping King Mechanical Facilities Engineering Co., Ltd



Zhangxin Industrial Zone, Zouping City Shandong Province, China  
ACY Phone: 0086-543 4282622 Faxes: 0086-543 4586431  
Mobile: 0086-15266789835 Skype: acyacy0728  
E-mail: sales5@sprayboothsupplies.com.cn  
Website: www.kexingcoating.com

## Quotation Sheet for Powder Coating Booth

Model No.	PCB-48002 / PCB-48002(V)
Outside Size	4880mm (L)*2600mm (W)*2980mm (H)
Inside Size	3480mm (L)*1500mm (W)*2000mm (H)
Entrance/Exit Size(mm)	800(W)*1700(H)
Operation Position Size(mm)	700(W)*1400(H)
Structure	Packing down, easy to transport Two operation position for painting PCB-48802(V) have V shape bottom
Cabin system	Made of galvanized steel, powder coated on the surface
Powder recovery system	PCB-48802 : PR-PB04(S),PR-PB06,PR-PB06(F)
	PCB-48802(V) : PR-BC900,PR-BC900(F),PR-MC09
Circulation system	Refer to the Powder Recovery System
Blower Holder System	Made by 80*80 square tubes Independent from the booth to prevent the resonance and reduce the noise
Lighting system	2 sets of explosion proof lights,2 Philips tubes, total 4pcs,36w for each
Control System	Control the blower, pulse blowback system and lights
PICTURES	A photograph of the PCB-48002 powder coating booth. The booth is a large, white, rectangular structure with a dark entrance. It is situated in a factory environment with blue overhead cranes and other industrial equipment visible in the background.