

Ningbo Realpower Magnetic Industry Co., Ltd.

with transverse pole pitch ,p:15m,nedoymium magnets enhanced holding force

Use:


Heavy machining, such as milling and planing. The dense, concentrated magnetic field enablesit to be used for small, medium and large workpieces, including those with rough or uneven surfaces. The magnetic field is without any stray fields, preventing magnetization of the tool.


Features:


Exceptionally strong neodymium magnetic system. ON-OFF control by means of hand lever. In the OFF position, a weak opposing field eases the removal of the workpiece. The magnets are equipped with longitudinal and transverse stop rails.

Laminations 3 mm brass / 12 mm steel. Suitable for use with laminated topplates: Nominal holding force: 150 N/cm2

Magnetic field height: 12 mm Pole plate wearing limit: 5 mm







Specifications

Model	Dimensions in mm				Weight in kg	Pole pitch
	Α	В	С	D		
PMM1018	180	104	56	126	9.50	12+3
PMM1225	250	120	56	196	15.0	12+3
PMM1525	250	150	56	199	20.0	12+3
PMM1530	300	150	56	244	24.0	12+3
PMM1535	350	150	56	289	25.0	12+3
PMM2040	400	200	56	349	35.0	12+3
PMM2050	500	200	56	439	44.0	12+3
PMM2060	600	200	56	544	52.0	12+3
PMM3060	600	300	56	544	67.0	12+3

other size on requrst