





































# HK Eevonik Electronics Co.,Ltd



Add:4f, 39#, Luozu Road, Shiyao Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG




































Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-R30X3528		8*5000	150	12V	12W	620-630nm	400-500mcd
			8*5000	150	12V	12W	585-590nm	400-600mcd
			8*5000	150	12V	12W	465-470nm	300-500mcd
			8*5000	150	12V	12W	520-525nm	800-1000mcd
			8*5000	150	12V	12W	5500-7500k	6-7LM/85Ra
			8*5000	150	12V	12W	2800-3200k	6-7LM/81Ra
	EWI-R48X3528		8*5000	240	12V	19W	620-630nm	400-500mcd
			8*5000	240	12V	19W	585-590nm	400-600mcd
			8*5000	240	12V	19W	465-470nm	300-500mcd
			8*5000	240	12V	19W	520-525nm	800-1000mcd
			8*5000	240	12V	19W	5500-7500k	6-7LM/85Ra
			8*5000	240	12V	19W	2800-3200k	6-7LM/81Ra
	EWI-R60X3528		5/8*5000	300	12V	24W	620-630nm	400-500mcd
			5/8*5000	300	12V	24W	585-590nm	400-600mcd
			5/8*5000	300	12V	24W	465-470nm	300-500mcd
			5/8*5000	300	12V	24W	520-525nm	800-1000mcd
			5/8*5000	300	12V	24W	5500-7500k	6-7LM/85Ra
			5/8*5000	300	12V	24W	2800-3200k	6-7LM/81Ra
	EWI-R60X3528		10*5000	300	12V	24W	620-630nm	400-500mcd
			10*5000	300	12V	24W	585-590nm	400-600mcd
			10*5000	300	12V	24W	465-470nm	300-500mcd
			10*5000	300	12V	24W	520-525nm	800-1000mcd
			10*5000	300	12V	24W	5500-7500k	6-7LM/85Ra
			10*5000	300	12V	24W	2800-3200k	6-7LM/81Ra
	EWI-R60X3528RGB R/G/B can be customized		10*5000	300	12V	24W	620-630nm	400-500mcd
			10*5000	300	12V	24W	465-470nm	300-500mcd
			10*5000	300	12V	24W	520-525nm	800-1000mcd
	EWI-R90X3528RGB R/G/B can be customized		10*5000	450	12V	36W	620-630nm	400-500mcd
			10*5000	450	12V	36W	465-470nm	300-500mcd
			10*5000	450	12V	36W	520-525nm	800-1000mcd

# HK Eevonik Electronics Co.,Ltd



Add:4f, 39#, LuoZu Road, Shiyuan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG
































Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-R96X3528		8*5000	480	12/24V	38W	620-630nm	400-500mcd
			8*5000	480	12/24V	38W	585-590nm	400-600mcd
			8*5000	480	12/24V	38W	465-470nm	300-500mcd
			8*5000	480	12/24V	38W	520-525nm	800-1000mcd
			8*5000	480	12/24V	38W	5500-7500k	6-7LM/85Ra
			8*5000	480	12/24V	38W	2800-3200k	6-7LM/81Ra
	EWI-R120X3528		5/8*5000	600	12V,12/24V	48W	620-630nm	400-500mcd
			5/8*5000	600	12V,12/24V	48W	585-590nm	400-600mcd
			5/8*5000	600	12V,12/24V	48W	465-470nm	300-500mcd
			5/8*5000	600	12V,12/24V	48W	520-525nm	800-1000mcd
			5/8*5000	600	12V,12/24V	48W	5500-7500k	6-7LM/85Ra
			5/8*5000	600	12V,12/24V	48W	2800-3200k	6-7LM/81Ra
	EWI-R120X3528		10*5000	600	12/24V	48W	620-630nm	400-500mcd
			10*5000	600	12/24V	48W	585-590nm	400-600mcd
			10*5000	600	12/24V	48W	465-470nm	300-500mcd
			10*5000	600	12/24V	48W	520-525nm	800-1000mcd
			10*5000	600	12/24V	48W	5500-7500k	6-7LM/85Ra
			10*5000	600	12/24V	48W	2800-3200k	6-7LM/81Ra
	EWI-R120X3528		10*5000	600	12/24V	48W	620-630nm	400-500mcd
			10*5000	600	12/24V	48W	585-590nm	400-600mcd
			10*5000	600	12/24V	48W	465-470nm	300-500mcd
			10*5000	600	12/24V	48W	520-525nm	800-1000mcd
			10*5000	600	12/24V	48W	5500-7500k	6-7LM/85Ra
			10*5000	600	12/24V	48W	2800-3200k	6-7LM/81Ra
	EWI-R180X3528		10*5000	900	24V	72W	620-630nm	400-500mcd
			10*5000	900	24V	72W	585-590nm	400-600mcd
			10*5000	900	24V	72W	465-470nm	300-500mcd
			10*5000	900	24V	72W	520-525nm	800-1000mcd
			10*5000	900	24V	72W	5500-7500k	6-7LM/85Ra
			10*5000	900	24V	72W	2800-3200k	6-7LM/81Ra



# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, LuoZu Road, Shiyan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG









Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-R240X3528(single row)		10*5000	1200	24V	96W	620-630nm	400-500mcd
			10*5000	1200	24V	96W	585-590nm	400-600mcd
			10*5000	1200	24V	96W	465-470nm	300-500mcd
			10*5000	1200	24V	96W	520-525nm	800-1000mcd
			10*5000	1200	24V	96W	5500-7500k	6-7LM/85Ra
			10*5000	1200	24V	96W	2800-3200k	6-7LM/81Ra
	EWI-2R240X3528(double rows)		15*5000	1200	24V	96W	620-630nm	400-500mcd
			15*5000	1200	24V	96W	585-590nm	400-600mcd
			15*5000	1200	24V	96W	465-470nm	300-500mcd
			15*5000	1200	24V	96W	520-525nm	800-1000mcd
			15*5000	1200	24V	96W	5500-7500k	6-7LM/85Ra
			15*5000	1200	24V	96W	2800-3200k	6-7LM/81Ra
	EWI-3R360X3528(three rows)		20*5000	1800	12/24V	144W	620-630nm	400-500mcd
			20*5000	1800	12/24V	144W	585-590nm	400-600mcd
			20*5000	1800	12/24V	144W	465-470nm	300-500mcd
			20*5000	1800	12/24V	144W	520-525nm	800-1000mcd
			20*5000	1800	12/24V	144W	5500-7500k	6-7LM/85Ra
			20*5000	1800	12/24V	144W	2800-3200k	6-7LM/81Ra
	EWI-4R480X3528(four rows)		28*5000	2400	24V	192W	620-630nm	400-500mcd
			28*5000	2400	24V	192W	585-590nm	400-600mcd
			28*5000	2400	24V	192W	465-470nm	300-500mcd
			28*5000	2400	24V	192W	520-525nm	800-1000mcd
			28*5000	2400	24V	192W	5500-7500k	6-7LM/85Ra
			28*5000	2400	24V	192W	2800-3200k	6-7LM/81Ra
	EWI-R60X3528WWW		8*5000	300	12V 12/24V	24W 48W	2800-3200K	6-8LM/81Ra
			8*5000	300	12V	24W	5500-7500K	
			8*5000	600	12/24V	48W		



# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, LuoZu Road, Shiyan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG

Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-R120X3528WWW	<input type="checkbox"/>	10*5000	600	12/24V	48W	2800-3200K	6-8LM/81Ra
		<input type="checkbox"/>	10*5000	600	12/24V	48W	5500-7500K	
	EWI-2R240X3528WW W(double rows)	<input type="checkbox"/>	15*5000	1200	24V	96W	2800-3200K	6-8LM/81Ra
		<input type="checkbox"/>	15*5000	1200	24V	96W	5500-7500K	
		<input type="checkbox"/>	15*5000	1200	24V	96W	96W	
	EWI-2R240X3528RGB W(double rows)	<input type="checkbox"/>	15*5000	1200	24V	96W	2800-3200K	W: 6-8LM
		<input type="checkbox"/>					5500-7500K	
		<input type="checkbox"/>					RGB	
	EWI-R30X2835	<input type="checkbox"/>	8*5000	150	12V	30W	6000-6500K	22-24LM/Ra83
		<input type="checkbox"/>	8*5000	150	12V	30W	2800-3000K	22-24LM/Ra81
	EWI-R60X2835	<input type="checkbox"/>	8*5000	300	12/24V	60W	6000-6500K	22-24LM/Ra83
		<input type="checkbox"/>	8*5000	300	12/24V	60W	2800-3000K	22-24LM/Ra81
	EWI-R60X2835	<input type="checkbox"/>	10*5000	300	24V	60W	6000-6500K	22-24LM/Ra83
		<input type="checkbox"/>	10*5000	300	24V	60W	2800-3000K	22-24LM/Ra81
	EWI-R70X2835(constant current)	<input type="checkbox"/>	10*5000	350	24V	60W	6000-6500K	22-24LM/Ra81
		<input type="checkbox"/>	10*5000	350	24V	60W	2800-3000K	22-24LM/Ra81
	EWI-R112X2835WWW	<input type="checkbox"/>	10*5000	560	24V	112W	5500-7500K	22-24LM/Ra81
		<input type="checkbox"/>	10*5000	560	24V	112W	2800-3200K	22-24LM/Ra81



# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, Luozu Road, Shiyan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG

Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-R120X2835WWW	<input type="checkbox"/>	10*5000	600	12V	120W	5500-7500K	22-24LM/Ra81
		<input type="checkbox"/>	10*5000	600	12V	120W	2800-3200K	22-24LM/Ra81
	EWI-R120X2835	<input type="checkbox"/>	5*5000	600	24V	120W	6000-6500K	22-24LM/Ra83
		<input type="checkbox"/>	5*5000	600	24V	120W	2800-3000K	22-24LM/Ra81
	EWI-R120X2835	<input type="checkbox"/>	10*5000	600	12/24V	120W	6000-6500K	22-24LM/Ra83
		<input type="checkbox"/>	10*5000	600	12/24V	120W	2800-3000K	22-24LM/Ra81
	EWI-R144X2835	<input type="checkbox"/>	15*5000	720	24V	144W	6000-6500K	22-24LM/Ra83
		<input type="checkbox"/>	15*5000	720	24V	144W	2800-3000K	22-24LM/Ra81
	EWI-R30X5050RGBW	<input type="checkbox"/>	15*5000	150	12V	36W	2800-3200K	20-22LM/Ra80
		<input type="checkbox"/>					5500-7500K	
		<input type="checkbox"/>					RGB	2000-2500mcdRGB
	EWI-R60X5050RGBW	<input type="checkbox"/>	10*5000	300	12/24V	72W	2800-3200K	20-22LM/Ra80
		<input type="checkbox"/>					5500-7500K	
		<input type="checkbox"/>					RGB	2000-2500mcdRGB
	EWI-R60X5050RGBW	<input type="checkbox"/>	12*5000	300	12V	72W	2800-3200K	20-22LM/Ra80
		<input type="checkbox"/>					5500-7500K	
		<input type="checkbox"/>					RGB	2000-2500mcdRGB
	EWI-R72X5050RGBW	<input type="checkbox"/>	12*5000	360	12V	86W	2800-3200K	20-22LM/Ra80
		<input type="checkbox"/>					5500-7500K	
		<input type="checkbox"/>					RGB	2000-2500mcdRGB
	EWI-2R120X5050RGB+ 3528W(double rows)	<input type="checkbox"/>	15*5000	600	24V	120W	2800-3200K	6-8LM/Ra80
		<input type="checkbox"/>					5500-7500K	
		<input type="checkbox"/>					RGB	2000-2500mcdRGB



# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, LuoZu Road, Shiyuan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG

Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-2R120X5050RGB W(double rows)		20*5000	600	12V	144W	2800-3200K	20-22LM/Ra80
							5500-7500K	
							RGB	2000-2500mcdRGB
	EWI-2R144X5050RGB W(double rows)		20*5000	720	24V	172W	2800-3200K	20-22LM/Ra80
							5500-7500K	
							RGB	2000-2500mcdRGB
	EWI-R60X5050RGBW(4 in 1)		12*5000	300	12/24V	96W	2800-3200K	6-8LM/Ra80
							5500-7500K	
							RGB	2000-2500mcdRGB
	EWI-R96X5050RGBW(4 in 1)		12*5000	480	24V	153W	2800-3200K	6-8LM/Ra80
							5500-7500K	
							RGB	2000-2500mcdRGB
	EWI-R30X5050		10*5000	150	12/24V	36W	620-630nm	1200-1500mcd
			10*5000	150	12/24V	36W	585-590nm	1200-1500mcd
			10*5000	150	12/24V	36W	465-470nm	1000-1500mcd
			10*5000	150	12/24V	36W	520-525nm	2000-3000mcd
			10*5000	150	12/24V	36W	5500-7500k	18-20LM/85Ra
			10*5000	150	12/24V	36W	2800-3200k	18-20LM/81Ra
			10*5000	150	12/24V	36W	RGB	2000-2500mcd
	EWI-R48X5050		10*5000	240	12V	57.6W	620-630nm	1200-1500mcd
			10*5000	240	12V	57.6W	585-590nm	1200-1500mcd
			10*5000	240	12V	57.6W	465-470nm	1000-1500mcd
			10*5000	240	12V	57.6W	520-525nm	2000-3000mcd
			10*5000	240	12V	57.6W	5500-7500k	18-20LM/85Ra
			10*5000	240	12V	57.6W	2800-3200k	18-20LM/81Ra
			10*5000	240	12V	57.6W	RGB	2000-2500mcd



# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, LuoZu Road, Shiyan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG








Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-R60X5050		8/10*5000	300	12V,12/24V	72W	620-630nm	1200-1500mcd
			8/10*5000	300	12V,12/24V	72W	585-590nm	1200-1500mcd
			8/10*5000	300	12V,12/24V	72W	465-470nm	1000-1500mcd
			8/10*5000	300	12V,12/24V	72W	520-525nm	2000-3000mcd
			8/10*5000	300	12V,12/24V	72W	5500-7500k	18-20LM/85Ra
			8/10*5000	300	12V,12/24V	72W	2800-3200k	18-20LM/81Ra
			8/10*5000	300	12V,12/24V	72W	RGB	2000-2500mcd
	EWI-R60X5050WWW		10*5000	300	12/24V	72W	5500-7500K	18-20LM/Ra81
			10*5000	300	12/24V	72W	2800-3200K	18-20LM/Ra85
	EWI-R60X5050		12*5000	300	24V	72W	620-630nm	1200-1500mcd
			12*5000	300	24V	72W	585-590nm	1200-1500mcd
			12*5000	300	24V	72W	465-470nm	1000-1500mcd
			12*5000	300	24V	72W	520-525nm	2000-3000mcd
			12*5000	300	24V	72W	5500-7500k	18-20LM/85Ra
			12*5000	300	24V	72W	2800-3200k	18-20LM/81Ra
			12*5000	300	24V	72W	RGB	2000-2500mcd
	EWI-R72X5050		7*5000	360	12V	86.4W	620-630nm	1200-1500mcd
			7*5000	360	24V	86.4W	585-590nm	1200-1500mcd
			7*5000	360	24V	86.4W	465-470nm	1000-1500mcd
			7*5000	360	24V	86.4W	520-525nm	2000-3000mcd
			7*5000	360	24V	86.4W	5500-7500k	18-20LM/85Ra
			7*5000	360	24V	86.4W	2800-3200k	18-20LM/81Ra
			7*5000	360	24V	86.4W	RGB	2000-2500mcd
	EWI-R80X5050		10*5000	400	24V	96W	620-630nm	1200-1500mcd
			10*5000	400	24V	96W	585-590nm	1200-1500mcd
			10*5000	400	24V	96W	465-470nm	1000-1500mcd
			10*5000	400	24V	96W	520-525nm	2000-3000mcd
			10*5000	400	24V	96W	5500-7500k	18-20LM/85Ra
			10*5000	400	24V	96W	2800-3200k	18-20LM/81Ra
			10*5000	400	24V	96W	RGB	2000-2500mcd



# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, LuoZu Road, ShiyAn Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG

Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-2R120X5050(double rows)	<input checked="" type="checkbox"/>	15*5000	600	24V	144W	620-630nm	1200-1500mcd
		<input checked="" type="checkbox"/>	15*5000	600	24V	144W	585-590nm	1200-1500mcd
		<input checked="" type="checkbox"/>	15*5000	600	24V	144W	465-470nm	1000-1500mcd
		<input checked="" type="checkbox"/>	15*5000	600	24V	144W	520-525nm	2000-3000mcd
		<input type="checkbox"/>	15*5000	600	24V	144W	5500-7500k	18-20LM/85Ra
		<input type="checkbox"/>	15*5000	600	24V	144W	2800-3200k	18-20LM/81Ra
	EWI-2R120X5050(double rows)	<input checked="" type="checkbox"/>	20*5000	600	24V	144W	620-630nm	1200-1500mcd
		<input checked="" type="checkbox"/>	20*5000	600	24V	144W	585-590nm	1200-1500mcd
		<input checked="" type="checkbox"/>	20*5000	600	24V	144W	465-470nm	1000-1500mcd
		<input checked="" type="checkbox"/>	20*5000	600	24V	144W	520-525nm	2000-3000mcd
		<input type="checkbox"/>	20*5000	600	24V	144W	5500-7500k	18-20LM/85Ra
		<input type="checkbox"/>	20*5000	600	24V	144W	2800-3200k	18-20LM/81Ra
		<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	20*5000	600	24V	144W	RGB	2000-2500mcd
	EWI-R30X5630	<input type="checkbox"/>	10*5000	150	12V	36W	2800-3200K	50-55LM/Ra81
		<input type="checkbox"/>	10*5000	150	12V	36W	5500-7500K	50-55LM/Ra85
	EWI-R60X5630	<input type="checkbox"/>	10*5000	300	12/24V	72W	2800-3200K	50-55LM/Ra81
		<input type="checkbox"/>	10*5000	300	12/24V	72W	5500-7500K	50-55LM/Ra85
	EWI-R60X5630	<input type="checkbox"/>	6*5000	300	12V	72W	2800-3200K	50-55LM/Ra81
		<input type="checkbox"/>	6*5000	300	12V	72W	5500-7500K	50-55LM/Ra85
	EWI-R60X56300WWW	<input type="checkbox"/>	10*5000	300	24V	72W	2800-3200K	50-55LM/Ra81
		<input type="checkbox"/>	10*5000	300	24V	72W	5500-7500K	50-55LM/Ra81
	EWI-R70X5630(Constant current)	<input type="checkbox"/>	12*5000	350	24V	72W	2800-3200K	55-60LM/Ra81
		<input type="checkbox"/>	12*5000	350	24V	72W	5500-7500K	55-60LM/Ra81





# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, Luozu Road, Shiyuan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG






Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theoretical value)
			(mm/Roll)	Roll		Roll		
	EWI-R72X5630	<input checked="" type="checkbox"/>	10*5000	360	24V	86.4W	2800-3200K	50-55LM/Ra81
		<input type="checkbox"/>	10*5000	360	24V	86.4W	5500-7500K	50-55LM/Ra85
	EWI-R112X5630(WWW)	<input checked="" type="checkbox"/>	10*5000	560	24V	115W	2800-3200K	50-55LM/Ra81
		<input type="checkbox"/>	10*5000	560	24V	115W	5500-7500K	50-55LM/Ra81
	EWI-2R120X5630(double rows)	<input checked="" type="checkbox"/>	15*5000	600	24V	144W	2800-3200K	50-55LM/Ra81
		<input type="checkbox"/>	15*5000	600	24V	144W	5500-7500K	50-55LM/Ra85
	EWI-R42X3014	<input checked="" type="checkbox"/>	8*5000	210	24V	21.5W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	8*5000	210	24V	21.5W	6000-6500K	10-12LM/Ra83
	EWI-R60X3014	<input checked="" type="checkbox"/>	8*5000	300	12/24V	30W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	8*5000	300	12/24V	30W	6000-6500K	10-12LM/Ra83
	EWI-R70X3014	<input checked="" type="checkbox"/>	8*5000	350	24V	36W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	8*5000	350	24V	36W	6000-6500K	10-12LM/Ra83
	EWI-R120X3014	<input checked="" type="checkbox"/>	5/8*5000	600	24V,12/24V	60W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	5/8*5000	600	24V,12/24V	60W	6000-6500K	10-12LM/Ra83
	EWI-R140X3014	<input checked="" type="checkbox"/>	10*5000	700	24V	72W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	10*5000	700	24V	72W	6000-6500K	10-12LM/Ra83
	EWI-R156X3014	<input checked="" type="checkbox"/>	10*5000	780	12V	93.6W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	10*5000	780	12V	93.6W	6000-6500K	10-12LM/Ra83



# HK Eevonik Electronics Co.,Ltd

Add:4f, 39#, Luozu Road, Shiyan Town, Bao'an District, Shenzhen, Guangdong  
 9052989 Fax: 86-0755-29052989 Web: www.Eevonik.com E-mail: ewiled@eevonik.com

## FLEX LED STRIP CATALOG

Photos	Item number	Color	Dimension	LED QTY	Voltage(DC)	Power	WL/CCT	Lumen/Led(theo retical value)
			(mm/Roll)	Roll		Roll		
	EWI-R204X3014	<input checked="" type="checkbox"/>	10*5000	1020	12V	102W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	10*5000	1020	12V	102W	6000-6500K	10-12LM/Ra83
	EWI-3R490X3014(three rows)	<input checked="" type="checkbox"/>	42.5*5000	2450	24V	244W	2800-3000K	10-12LM/Ra81
		<input type="checkbox"/>	42.5*5000	2450	24V	244W	6000-6500K	10-12LM/Ra83
	EWI-R224X3014WWW	<input checked="" type="checkbox"/>	10*5000	1120	24V	125W	2800-3200K	10-12LM/Ra81
		<input type="checkbox"/>	10*5000	1120	24V	125W	5500-7500K	10-12LM/Ra81
	EWI-R60X335	<input checked="" type="checkbox"/>	8*5000	300	12/24V	24W	2800-3200K	10-12LM/Ra81
		<input type="checkbox"/>	8*5000	300	12/24V	24W	5500-7500K	10-12LM/Ra81
	EWI-R120X335	<input checked="" type="checkbox"/>	8*5000	600	12/24V	48W	2800-3200K	10-12LM/Ra81
		<input type="checkbox"/>	8*5000	600	12/24V	48W	5500-7500K	10-12LM/Ra81

**Remark:**

IP55: inbedded in silicone, IP64:drip glue waterproof, IP65:silicon glue with coating,IP67:Encapsulating compound,  
 IP68:encapsulating silicone compound WWW--- CCT adjustable