

## Parts of machine Mainly Body

PLC system	LG/ Mitsubishi
Bear	NSK
Seals	Hallite (England )
Cylinder	China
Motor	China
Pump	China
Steel	Bao Steel
Hydraulic Part	Japan brand in China
Electrical components	Schneider
Tubing /pipe	China

## Features:

1. PLC Control System which simplifies the operation and promotes accuracy.
2. Sensor Switch on Hopper for controlling bales under your desired weight
3. Automatic Feeding Conveyor can be Equipped for further enhancing feeding speed and maximizing throughput
4. One Button Operation makes baling, bale ejecting and bagging a continuous, efficient process, saving you both time and money.

## Usage:

It used in sawdust ,wood shaving ,chips ,paper powder mill ,rice husk ,cottonseed ,rad ,peanut shell, fiber and other similar loose fiber .

## Bagging Machines Specification(NKB90):

Model	NKB90
Hydraulic power	40/50Ton
bale size (L*W*H)	750*430*310mm
Feed opening size/ (L*H)	1000*700mm
Packing materials	hay/mineral wool
Output capacity	40-45bale per/hour
Capability	1.5-1.8T/hour
Voltage	200-480V/50HZ/3Phase
strapping	Plastic bags/woven bags
Power	11KW/15HP
Machine size (L*W*H)	3920*2880*1700mm
Feeding Way	Belt Conveyor
Weight	2400Kg

## Bagging Machines Specification(NKB110):

Model	NKB110
Hydraulic power	50/60Ton
bale size (L*W*H)	750*430*310mm
Feed opening size/ (L*H)	1000*700mm
Packing materials	cotton seed/corn cob
Output capacity	40-45bale per/hour
Capability	2-2.5T/hour
Voltage	200-480V/50HZ/3Phase
strapping	Plastic bags/woven bags
Power	15KW/20HP
Machine size (L*W*H)	3920*2880*1700mm
Feeding Way	Belt Conveyor
Weight	2700Kg

## Bagging Machines Specification(NKB140):

Model	NKB140
Hydraulic power	60/80Ton
bale size (L*W*H)	750*430*310mm
Feed opening size/ (L*H)	1000*700mm
Packing materials	saw dust/wood shavings/rice husk
Output capacity	45-50bale/hour
Capability	2.5-3T/hour
Voltage	200-480V/50HZ/3Phase
strapping	Plastic bags/woven bags
Power	18.5KW/25HP
Machine size (L*W*H)	3960*3030*1700mm
Feeding Way	Belt Conveyor
Weight	3000kg