

### Class 150 lb


P	lpe .		Flang	e Data		Lap	Hub		orlling Da	ta	Weight
nal	Ŷ	Α	В	O	О	R	F	H	$\Gamma$	7	414
Nominal Pipe Size	Outside Diameter	Overall Diameter	Imaide Diameter	Flange Thickness min	Overall Length	Lap Radius	Hub Diameter	Number of Holes	Bolt Hole Diameter	of Circle of Holes	kg/ plece
	mm	mm.	in	in mm	m	mm	mm	( ME INAME)	mm	mm	piece
1/2	21.30	3.500 88.90	0.900 22.90	0.440 11.20	15.70	3,000	1.190 30.20	4	15.70	2.380 60.45	0.38
3/4	1.050 26.70	3.880 98.60	1.110	0.500	0.620 15.70	0.120 3.000	1.500 38.10	4	0.620 15.70	2.750 69.85	0.55
1	1.315	4.250 108.0	1.380 35.10	0.560 14.20	0.690	0.120	1.940 49.30	4	0.620	3.120 79.25	0.76
13/4	1.660	4.620	1.720	0.620	0.810	0.190	2.310	4	0.620	3.500 88.90	1.01
11/2	1.900 48.30	5.000	1.970	0.690 17.50	0.880	0.250	2.560 65.00	4	0.620	3.880 98.60	1,30
2	2.375	6.000	2.460 62.50	0.750	1.000	0.310 7.900	3.060 77.70	4	0.750	4.750	2.03
21/2	2.875 73.00	7.000	2.970 75.40	0.880 22.40	1.120	0.310 7.900	3.560 90.40	4	0.750	5.500	3.25
3	3.500	7.500	3.600 91.40	0.940 23.90	1.190	0.38D 9.700	4.250	4	0.750	6.000	3.81
31/2	4.000	8.500 215.9	4.100	0.940	1.250	0.380	4.810	8	0.750	7.000	4.76
4	4.500	9.000	4.600	0.94D 23.90	1.310	0.440	5.310	8	0.750	7.500	5.25
5	5.563	10.00	5.690	0.940	1,440 36.60	0.440	6.440 163.6	8	0.880	8.500 215.9	6.02
6	6.625	11.00	6.750 171.5	1.000	1.560	0.500	7.560 192.0	8	0.880	9.500 241.3	7.40
8	8.625 219.1	13.50	8.750 222.3	1.120	1.750	0.500	9.690	8	0.880	11.75	12.1
10	10.75	16.00 406.4	10.92	1.190	1.940	0.500	246.1 12.00 304.8	12	1.000 25.40	14.25 362.0	15.4
12	12.75	19.00 482.6	12.92	1.250	2.190 55.60	0.500	14.38 365.3	12	1.000	17.00 431.8	26.1
14	14.00 355.6	21.00	14.18 360.2	1.380	3.120 79.25	0.500	15.75 400.1	12	1.120	18.75 476.3	34.5
16	16.00	23.50 596.9	16.19 411.2	1.440	3.440	0.500	18.00	16	1.120 28.40	21.25 539.8	44.6
18	18.00	25.00	18.20	1.560	3.810	0.500	457.2 19.88	16	1.250	22.75	48.7
20	457.2 20.00	635.0 27.50	462.3 20.25	39.60 1.690	96.80 4.060	0.500	505.0 22.00	20	31.75 1.250	577.9 25.00	61.6
24	24.00 609.6	698.5 32.00 812.8	514.4 24.25 616.0	42,90 1,880 47,80	103.1 4.380 111.3	0.500 12.70	558.8 26.12 663.4	20	31.75 1.380 35.10	635.0 29.50 749.3	86.6

- Notes

  Weights are based on manufacturer's data and are approximate.

  For tolerances see page 8-4.





## Class 300 lb


F	Pipe		Flang	e Data		Lap	Hub		orlling Da	ta	Weight
ize	<b>⊗</b> ≻	Α	В	C	О	R	F	H		J	0I9
Nominal Pipe Size	Outside Diameter	Overall Diameter	Inside Diameter	Flange Thickness min	Overall Length	Lap Radius	Hub Diameter	Number of Holes	Bot Hole Diameter	Diameter of Circle of Holes	kg/ plece
	mm	mm	mm	mm	in in	mm	mm		mm	mm	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1/2	0.840 21.30	3.750 95.20	0.900 22.90	0.560 14.20	0.880	3,000	1.500 38.10	4	0.620 15.70	2.620 66.55	0.62
3/4	1.050	4.620	1.110 28.20	0.620 15.70	1.000	0.120 3.000	1.880 47.70	4	0.750 19.00	3.250 82.50	1.10
1	1.315	4.880	1.380	0.690	1.060	0.120	2.120	4	0.750	3.500 88.90	1.33
11/4	1.660 42.20	5.250	1.720 43.70	0.750 19.00	1.060 26.90	0.190 4.800	2.500 63.50	4	0.750 19.00	3.880 98.50	1.65
11/2	1.900 48.30	6.120 155.4	1.970	0.810 20.60	1.190 30.20	0.250 6.400	2.750 69.85	4	0.880 22.30	4.500	2,44
2	2.375	6.500 165.1	2.460 62.50	0.880 22.30	1.310	0.310 7.900	3.310 84.00	8	0.750 19.10	5.000 127.0	2.83
21/2	2.875 73.00	7.500 190.5	2.970 75.40	1.000 25.40	1.500 38.10	0.310 7.900	3.940 100.0	8	0.880	5.880 149.3	4.25
3	3.500 88.90	8.250 209.5	3.600 91.40	1.120 28.40	1.690 42.90	0.380 9.700	4.620	8	0.880	5.620 168.1	5.78
31/2	4.000	9.000	4.100	1.190	1.750	0.380	5.250	8	0.880	7.250	7.27
4	101.6 4.500	10.00	4.600	1.250	44.40 1.880	9,700 0,440	133.3 5.750	8	0.880	184.1 7.880	9.55
5	114.3 5.563	254.D 11.DD	116.8 5.690	1.380	47.70 2.000	11,20 0,440	7.000	8	22.30 0.880	9.250	12.2
6	141.3 6.625	279.4 12.50	114.5 6.750	35.00 1.440	2.060	0.500	177.8 8.120	12	22.30 0.880	234.9 10.62	15.5
8	168.3 8.625	317.5 15.00	171.5 8.750	36.50 1.620	52.30 2.440	0.500	10.25	12	1.000	269.7 13.00	24.1
10	219.1 10.75 273.0	381.0 17.50 444.5	10.92 277.4	41.10 1.880 47.70	51.90 3.750 95.20	12.70 0.500 12.70	260.3 12.62 320.5	16	25,40 1,120 28,40	330.2 15.25 387.3	34.4
12	12.75	20.50	12.92	2.000	4.000	0.500	14.75 374.6	16	1.250	17.75 450.8	50.4
14	14.00	23.00	14.18	2.120 53.80	4.38D	0.500	16.75 425.4	20	1.250	20.25	70.9
16	16.00 406.4	25.50 647.7	16.19 411.2	2.250 57.15	4.750 120.6	0.500	19.00	20	1.380	22.50 571.5	89.5
18	18.00	28.00	18.20	2.380	5.120	0.500	21.00	24	1.380	24.75	111
20	457.2 20.00	711.2 30.50	462.3 20.25	2.500	130.0 5.500	0.500	533.4 23.12	24	1.380	628.6 27.00	137
24	508.0 24.00 609.6	774.7 36.00 914.4	514.4 24.25 616.0	63.50 2.750 69.8	139.7 6.000 152.4	12.70 0.500 12.70	587.2 27.62 701.5	24	35.0 1.620 41.10	585.8 32.00 812.8	204

- Notes

  Weights are based on manufacturer's data and are approximate.

  For tolerances see page 8-4.






## Class 400 lb

- 1	Pipe		Flang	e Data		Lap	Hub		Orlling Da	ta	Welght
ize	<b>⊗</b> ≻	Α	В	C	D	R	F	Н	$ \mathbf{I} $	J	9]0
Nominal Pipe Size	Outside Diameter	Overall Diameter	Inside Diameter	Flange Thickness min	Overall Langth	Lap Radus	Hub Diameter	Number of Holes	Bot Hole Diameter	Diameter of Circle of Holes	kg/ plece
	(min)	HTV TOWN	in.	mm	min	in.	mm		mm	in item	piece
1/2	21.30	3.750 95.30	0.900 22.90	0.560 14.20	22,40	0.120 3.000	1.500	4	15.70	2.620 66.55	0.72
3/4	1.050	4.620 117.3	1.110	0.620 15.70	1.000	0.120 3.000	1.880 47.80	4	0.750	3.250 82.60	1.25
1	1.315	4.880 124.0	1.380 35.10	0.690 17.50	1.060 26.90	0.120 3.000	2.120 53.80	4	0.750 19.10	3.500 88.90	1.50
11/4	1.660 42.20	5.250 133.4	1.720 43.70	0.810 20.60	1.120	0.190 4.800	2.500 63.50	4	0.750 19.10	3.880 98.60	2.00
11/2	1.900 48.30	6.120 155.4	1.970 50.00	0.880 22.40	1,250	6.400	2.750 69.85	4	0.880 22.40	4.500	2.92
2	2.375 60.30	6.500 165.1	2.460 62.50	1.000 25.40	1.440	0.310 7.900	3.310 84.10	8	0.750 19.10	5.000 127.0	3.55
21/2	2.875 73.00	7.500 190.5	2.970 75.40	1.120 28.40	1.620 41.10	0.310 7.900	3.940 100.1	8	0.880 22.40	5.880 149.4	5.23
3	3.500 88.90	8.250 209.6	3.600 91.40	1.125 31.75	1.810 46.00	0.380 9.700	4.620 117.3	8	0.880 22.40	6.620 168.1	6.95
31/2	4.000	9.000 228.6	4.100	1.380	1.940 49.30	9,700	5.250 133.4	8	1.000	7,250 184,2	8.78
4	4.500 114.3	10.00 254.0	4.600 116.8	1.380 35.10	2.000	0.440 11.20	5.750 146.1	8	1.000	7.880 200.2	10.9
5	5.563 141.3	11.00 279.4	5.690 114.5	1.500 38.10	2.120	0.440	7.000	8	1.000 25.40	9.250 235.0	13.7
6	6.625	12.50 317.5	6.750 171.5	1.620 41.10	2.250 57.15	0.500	8.120 206.2	12	1.000	10.62 269.7	18.0
8	8.625 219.1	15.00 381.0	8.75D 222.3	1.880 47.80	2.690	0.500	10.25 260.4	12	1.120 28.40	13.00 330.2	28.3
10	10.75 273.0	17.50 444.5	10.92 277.4	2.120 53.80	4.000	0.500	12.62 320.5	16	1.250	15.25 387.4	38.8
12	12.75 323.8	20.50 520.7	12.92 328.2	2.250 57.15	4.250 108.0	0.500	14.75 374.7	16	1.380	17.75 450.9	56.6
14	14.00 355.6	23.00 584.2	14.18 360.2	2.380 60.45	4.620	0.500	16.75 425.5	20	1,380	20.25	78.6
16	16.00 406.4	25.50 647.7	16.19 411.2	2.500 63.50	5.000	0.500	19.00 482.6	20	1.500	22.50 571.5	100
18	18.00	28.00	18.20	2.620 66.55	5.380	0.500	21.00	24	1.500	24.75 628.7	122
20	20.00	30.50 774.7	20.25	2.750	5.750	0.500	23.12	24	1.620	27.00 685.8	145
24	24.00 609.6	36.00 914.4	24.25 616.0	3.000 76.20	6.250 158.8	0.500	27.62 701.5	24	1.880	32.00 812.8	217

- Notes
  Weights are based on manufacturer's data and are approximate.
  For tolerances see page 8-4.






### Class 600 lb

F	Pipe	6	Flang	e Data		Lap	Hub		rilling Da	ta	Weight
nal ize	Ş	Α	В	0	О	R	F	Η	I		4I4
Nominal Pipe Size	Outside Diameter	Overall Diameter	Inside Diameter	Flange Thickness min	Overall Length	Lap Radius	Hub Diameter	Number of Holes	Bolt Hole Diameter	Diameter of Circle of Holes	kg/ plece
8.5	men	in mm	in mm	mm	in min	men	mm		mm .	in	piece
1/2	21.30	3.750	0.900 22.90	0.560	22.40	3.000	1,500	4	15.70	2.620 66.55	0.72
3/4	1.050 26.70	4.620	1.110 28.20	0.620 15.70	1.000	0.120 3.000	1,880 47,80	4	0.750	3.250 82.60	1.25
1	1.315	4.880	1.380	0.690	1.060	0.120	2,120		0.750	3.500	1100000
4	33.40	124.0	35.10	17.50	26.90	3.000	53.80	4	19.10	88.90	1.50
11/4	1.660 42.20	5.250	1.720 43.70	0.810	1.120	0.19D 4.80D	2.500 63.50	4	0.750 19.10	3.880 98.60	2.00
11/2	1.900 48.30	6.120 155.4	1.970	0.880	1.250	0.250 6.400	2.750 69.85	4	0.880	4.500 114.3	2.92
2	2.375	6.500	2.460 62.50	1.000	1,440 36.60	7.900	3.310 84.10	8	0.750	5.000	3.55
21/2	2.875	7.500	2.970 75.40	1.120	1.620	0.310 7.900	3.940	8	0.880	5.880 149.4	5.23
3	3.500 88.90	8.250	3.600	1.125	1.810	9.700	4.620	8	0.880	6.620	6.95
31/2	4.000	9.000	4,100	1.380	1.940	0.380	5.250	8	1.000	7.250	8.78
212	101.6	228.6	104.1	35.10	49.30	9.700	133.4		25,40	184.2	0.70
4	4.500 114.3	10.75 273.1	4.600 116.8	1.500 38.10	2.120 53.80	0.440 11.20	6.000 152.4	8	1.000 25.40	8.500 215.9	14.4
5	5.563 141.3	13.00	5.690 114.5	1.750 44.50	2.380 60.45	0.440	7.440 189.0	8	1.120 28.40	10.50 266.7	24.3
6	6.625 168.3	14.00 355.6	6.750 171.5	1.880 47.80	2.620	12.70	8.750	12	1.120	11.50	28.5
8	8.625 219.1	16.50	8.750 222.3	2.190	3.000 76.20	0.500	10.75	12	1.250	13.75	43.1
10	10.75 273.0	419.1 20.00 508.0	10.92	2.500 63.50	4.38D 111.3	0.500	13.50	16	1.380	17.00 431.8	70.5
12	12.75	22.00 558.8	12.92	2.620 66.55	4.620	0.500	15.75	20	1.380	19.25 489.0	85.1
14	14.00	23.75	14.18	2.750	5.000	0.500	17.00	20	1,500	20.75	100
16	355.6 16.00	603.3 27.00	360.2 16.19	3.000	127.0 5.500	0.500	431.8 19.50	20	38,10 1,620	527.1 23.75	145
150	406.4 18.00	685.8	411.2	76.20	139.7	12.70	495.3		41.10 1.750	603.3 25.75	
18	457.2	743.0	18.20 462.3	3.250 82.60	152.4	12.70	545.1	20	44.50	654.1	177
20	20.00 508.0	32.00 812.8	20.25 514.4	3.500 88.90	6.500 165.1	12.70	24.00 609.6	24	1.750 44.50	28.50 723.9	225
24	24.00 609.6	37.00 939.8	24.25 616.0	4.000	7.250 184.2	0.500	28.25 717.6	24	2.000	33.00 838.2	318

- Notes
   Weights are based on manufacturer's data and are approximate.
   For tolerances see page 8-4.






### Class 900 lb

F	ipe		Flang	e Data		Lap	Hub	D	rilling Dat	ta	Weight
ize	<b>⊘</b> ≻	Α	В	C	D	R	Щ	H		J	414
Nominal Pipe Size	Outside Diameter	Overall Diameter	Inside Diameter	Flange Thickness min	Oversit Length	Lap Radius	Hub Diameter	Number of Holes	Bolt Hole Diameter	Diameter of Circle of Holes	kg/ plece
	mm	(mm)	in mm	mm	in mm	mm	mm	2011/1000000	mm.	in mm	piece
1/2	21.30	4.750 120.6	0.900	0.880 22.30	1.250	3.000	1.500	4	0.880 22.30	3.250 82.50	1.71
3/4	1.050 26.70	5.120 130.0	1.110 28.20	1.000 25.40	1.380 35.00	0.120 3.000	1.750 44.40	4	0.880 22.30	3.500 88.90	2.30
1	1.315	5.880 149.3	1.380 35.10	1.120 28.40	1.620 41.10	0.120 3.000	2.060 52.30	4	1.000 25.40	4.000	3.40
11/4	1,660 42,20	6.250 158.7	1.720 43.70	1.120 28.40	1.620 41.10	0.190 4.800	2.500 63.50	4	1.000 25.40	4.380	3.85
11/2	1,900 48 30	7.000	1.970	1.250	1.750	0.250 6.400	2.750 69.85	4	1.120	4.880	5.28
2	2.375	8.500 215.9	2.460 62.50	1.500 38.10	2.250 57.15	0.310 7.900	4.120 104.6	8	1.000	6.500 165.1	9.78
21/2	2.875 73.00	9.620	2.970 75.40	1.620 41.10	2.500 63.50	0.310 7.900	4.880	8	1.120 28.40	7.500 190.5	13.6
3	3.500 88.90	9.500	3.600 91.40	1.500 38.10	2.120 53.80	0.380 9.700	5.000 127.0	8	1.000	7.500 190.5	11.3
4	4.500	11.50	4.600	1.750 44.40	2.750 69.85	0.440	6.250	8	1.250	9.250	19.2
5	5.563 141.3	13.75	5.690 114.5	2.000	3.120 79.25	0.440	7.500 190.5	8	1,380	11.00 279.4	31.20
6	6.625	15.00	6.750	2.190	3.380 85.80	0.500	9.250	12	1.250	12.50	40.50
8	8.625	18.50 469.9	8.750	2.500	4.500	0.500	11.75	12	1.500	15.50	71.5
10	10.75	21.50	10.92	2.750 69.85	5.000	0.500	14.50	16	1.500	18.50 469.9	104
12	12.75	24.00 609.6	12.92	3.120 79.25	5.620	0.500	16.50 419.1	20	1.500	21.00	139
14	14.00 355.6	25.25 641.3	14.18 360.2	3.380 85.80	6,120	0.500	17.75 450.8	20	1.620 41.10	22.00 558.8	161
16	16.00	27.75	16.19	3.500	6.500	0.500	20.00	20	1.750	24.25	194
18	18.00	704.8 31.00	18.20	88.90 4.000	7.500	0.500	508.0 22.25	20	2.000	615.9 27.00	267
20	457.2 20.00	787.4 33.75	462.3 20.25	101.6 4.250	190.5 8.250	0.500	565.1 24.50	20	2.120	685.8 29.50	334
24	24.00 609.6	857.2 41.00 1041.4	514.4 24.25 616.0	107.9 50.50 139.7	209.5 10.50 266.7	12.70 0.500 12.70	522.3 29.50 749.3	20	53,80 2,620 66,55	749.3 35.50 901.7	518

- Weights are based on manufacturer's data and are approximate.
   For tolerances see page 8-4.






### Class 1500 lb

F	Чре		Flang	e Data		Lap	Hub		idling Da	ta	Weight
ize	♦	Α	В	C	D	R	F	H		J	910
Nominal Pipe Size	Outside Diameter	Overall Diameter	inside Diameter	Flange Thickness min	Overall Length	Lop Radius	Hub Diameter	Number of Holes	Bot Hole Diameter	of Circle of Holes	kg/
	mm	mm	imm	TEMES.	III III	mm	mm	- Comm	mm	int mpm	piece
1/2	0.840 21.30	4.750 120.6	0.900	0.880	1.250	3.000	1.500	4	0,880 22,30	3.250 82.50	1.71
3/4	1.050 26.70	5.120 130.0	1.110 28.20	1.000 25.40	1.380	0.120 3.000	1.750 44.40	4	0.880	3.500 88.90	2.30
1	1.315	5.880 149.3	1.380 35.10	1.120 28.40	1.620 41.10	0.120 3.000	2.060 52.30	4	1.000	4.000	3.40
11/4	1.660 42.20	6.250 158.7	1.720 43.70	1.120	1.620	0.190	2.500	4	1.000	4.380	3.85
11/2	1.900 48.30	7.000	1.970	1.250 31.70	1.750	0.250 6.400	2.750 69.85	4	1.120	4.880 123.9	5.28
2	2.375	8.500 215.9	2,460 62,50	1.500 38.10	2.250	0.310 7.900	4.120 104.6	8	1.000	6.500	9.78
21/2	2.875 73.00	9.620	2.970 75.40	1.620	2.500 63.50	0.310 7.900	4.880	8	1.120	7.500	13.5
3	3.500 88.90	10.50	3.600 91.40	1.880	2.88D 73.15	0.38D 9.700	5.250	8	1.250	8.000	17.8
4	4.500	12.25	4.600	2.120	3.560 90.40	0.440	6.380	8	1.380	9.500	27.5
5	5.563 141.3	14.75 374.6	5.690 114.5	2.88D 73.15	4.120	0.440	7.750	8	1.620 41.10	11.50 292.1	51.5
6	6.625 168.3	15.50 399.7	6.750 171.5	3.250 82.50	4.69D 119.1	0.500	9.000	12	1.500	12.50	62.0
8	8.625 219.1	19.00 482.6	8.750 222.3	3.620 91.90	5.620	0.500	11.50	12	1.750	15.50	105
10	10.75 273.0	23.00 584.2	10.92 277.4	4.250	7.000	0.500	14.50	12	2.000	19.00	179
12	273.0 12.75 323.8	26.50 673.1	12.92 328.2	107.9 4.880 123.9	8.620 218.9	0.500 12.70	368.3 17.75 450.8	16	50.80 2.120 53.80	482.6 22.50 571.5	269
14	14.00 355.6	29.50 749.3	14.18 360.2	5.250 133.3	9.500 241.3	0.500	19.50 495.3	16	2.380 60.45	25.00 635.0	365
16	16.00	32.50 825.5	16.19	5.750	10.25	0.500	21.75	16	2.620 66.55	27.75	459
18	18.00	36.00	18.20	6.380 6.380	10.88	0.500	552.4 23.50 596.9	16	2.880	704.8 30.50	598
20	457.2 20.00	914.4 38.75	462.3 20.25	7.000	276.3 11.50	0.500	25.25	16	73.15 3.120	774.7 32.75	712
24	508.0 24.00 609.6	984.2 46.00 1168.4	514.4 24.25 615.0	177.8 8.000 203.2	292.1 13.00 330.2	12.70 0.500 12.70	641.3 30.00 762.0	16	79.25 3.620 91.90	831.8 39.00 990.6	1090

- Weights are based on manufacturer's data and are approximate.
   For tolerances see page 8-4.





## Class 2500 lb

E	Pipe		Flang	e Data		Lap	Hub	- 0	diling Da	ta	Weight
ize	<b>⊗</b> ≻	Α	В	C	D	R	F	H		J	<u> </u>
Nominal Pipe Size	Outside Diameter	Overall Diameter	Inside Diameter	Flange Thickness min	Overall Length	Lap Radius	Hub Diameter	Number of Holes	Bot Hole Diameter	Diameter of Circle of Holes	kg/
. <del></del>	in mm	mm	in	mm	in	mm	in mm	ut riones.	in	in mm	plece
1/2	0.840 21.30	5.255 133.4	0.900	1.190	1.560 39.60	3.000	1.690 42.90	4	0.880 22.40	3.500 88.90	2.92
3/4	1.050 26.70	5.500 139.7	1.110	1.250	1.690 42.90	0.120 3.000	2.000 50.80	4	0.880	3.750 95.30	3,40
1	1.315	6.250 158.8	1.380 35.10	1.38D 35.10	1.880 47.80	0.120 3.000	2.250 57.15	4	1.000 25.40	4.250 108.0	4.77
11/4	1.660 42.20	7.250 184.2	1.720 43.70	1.500 38.10	2.060	0.190	2.880 73.15	4	1.120	5.120 130.0	7,08
11/2	1.900 48 30	8.000	1.970	1.750 44.50	2.380	0.250 6.400	3.120 79.25	4	1.250	5.750 146.1	9,93
2	2.375	9.250 235.0	2.460 62.50	2.000	2.750	0.310 7.900	3.750 95.30	8	1.120	6.750	14.7
21/2	2.875 73.00	10.50	2.970 75.40	2.250 57.15	3.120 79.25	0.310 7.900	4.500 114.3	8	1.250	7.750 196.9	21.3
3	3.500 88.90	12.00	3.600 91.40	2.620	3.62D 91.90	0.380 9.700	5.250	8	1.380	9.000	32.3
4	4.500	14.00	4.600	3.000 76.20	4.250	0.440	6.500	8	1.620	10.75	52.5
5	5.563	16.50 419.1	5.690	3.620 91.90	5.120 130.0	0.440	8.000 203.2	8	1.880	12.75	82.6
6	6.625	19.00 482.6	6.750 171.5	4.250 108.0	6.000	0.500	9.250 235.0	8	2.120 53.80	14.50	127
8	8.625 219.1	21.75	8.750 222.3	5.000 127.0	7.000	0.500	12.00 304.8	12	2.120 53.80	17.25 438.2	186
10	10.75	26.50 673.1	10.92 277.4	6.500	9.000	0.500	14.75 374.7	12	2.620 66.55	21.25	352
12	12.75	30.00 762.0	12.92	7.250 184.2	10.00	0.500	17.38 441.5	12	2.880 73.15	24.38 619.3	501

- Notes
   Weights are based on manufacturer's data and are approximate.
   For tolerances see page 8-4.

Tianjin All Best International Trade Co., Ltd is a famous provider of steel pipe fittings.

Our business involves Oil & Gas Industry, Mining Industry, Automobile Industry, Che mical Industry and Construction Industry.

,

Our products include elbow, flange, reducer, pipe cap, tee and corrugated expansion joint and seamless steel line pipe. We have got good recognition from our customers in

South America, South East Asia and North Africa.

These pipe fittings can be made according to both GB and International standards, A SME, DIN, BS, JIS & GOST. In the last years, we got API 5L, and API Q1 international certification for the products. ISO9001, ISO14001, and OHAS18001 are three basic certification for the products.

cate for our quality, service, environment and workers' qualification.

Our factory covers an area of 70000 square meters in Xiwang New District, Mengcu n County, Cangzhou, Hebei, China. With advanced equipment, excellent management, s killed workers, and ambitious salesmen, we have great confidence to provide you with be tter products with the most reasonable price. To win customers's belief in us is the goal fo

r the whole company for ever.

Welcome you to visit us in China or send emails to us. We love friends and like the r eply buttons.

Contact us:

Litas Lee,

\_...,

Telephone: 02287802560

Mobile:8615522509091

Fax:02287808131

E-mail:sale01@tianjin-all-best.com

Skype: Litas.Lee

QQ:482171537

Tianjin All Best International Ltd

Sunny Plaza, Huanghe Road, Nankai District, Tianjin, China

Factory: Xiwang New District, Mengcun, Cangzhou, hebei, China

http://www.tianjin-all-best.com/