


Blind Flanges - ANSI B16.5




Class 150 lb

Nominal Pipe Size	Pipe	Flange Data			Raised Face	Drilling Data			Weight
		A	C	G	H	I	J		
	Outside Diameter	Overall Diameter	Flange Thickness	Face Diameter	Number of Holes	Bolt Hole Diameter	Diameter of Circle of Holes	kg/piece	
	in	in	in	in		in	in		
1/2	0.840	3.500	0.440	1.380	4	0.620	2.380	0.42	
	21.30	88.90	11.20	35.10		15.70	60.45		
3/4	1.050	3.880	0.500	1.690	4	0.620	2.750	0.61	
	26.70	98.60	12.70	42.90		15.70	69.85		
1	1.315	4.250	0.560	2.000	4	0.620	3.120	0.86	
	33.40	108.0	14.20	50.80		15.70	79.25		
1 1/4	1.660	4.620	0.620	2.500	4	0.620	3.500	1.17	
	42.20	117.3	15.70	63.50		15.70	88.90		
1 1/2	1.900	5.000	0.690	2.880	4	0.620	3.880	1.53	
	48.30	127.0	17.50	73.15		15.70	98.60		
2	2.375	6.000	0.750	3.620	4	0.750	4.750	2.42	
	60.30	152.4	19.10	91.90		19.10	120.7		
2 1/2	2.875	7.000	0.880	4.120	4	0.750	5.500	3.94	
	73.00	177.8	22.40	104.6		19.10	139.7		
3	3.500	7.500	0.940	5.000	4	0.750	6.000	4.93	
	88.90	190.5	23.90	127.0		19.10	152.4		
3 1/2	4.000	8.500	0.940	5.500	8	0.750	7.000	6.17	
	101.6	215.9	23.90	139.7		19.10	177.8		
4	4.500	9.000	0.940	6.190	8	0.750	7.500	7.00	
	114.3	228.6	23.90	157.2		19.10	190.5		
5	5.563	10.00	0.940	7.310	8	0.880	8.500	8.63	
	141.3	254.0	23.90	185.7		22.40	215.9		
6	6.625	11.00	1.000	8.500	8	0.880	9.500	11.3	
	168.3	279.4	25.40	215.9		22.40	241.3		
8	8.625	13.50	1.120	10.62	8	0.880	11.75	19.6	
	219.1	342.9	28.40	269.7		22.40	298.5		
10	10.75	16.00	1.190	12.75	12	1.000	14.25	28.8	
	273.0	406.4	30.20	323.9		25.40	362.0		
12	12.75	19.00	1.250	15.00	12	1.000	17.00	43.2	
	323.8	482.6	31.75	381.0		25.40	431.8		
14	14.00	21.00	1.360	16.25	12	1.120	18.75	58.1	
	355.6	533.4	35.10	412.8		28.40	475.3		
16	16.00	23.50	1.440	18.50	16	1.120	21.25	76.0	
	406.4	596.9	36.60	469.9		28.40	539.8		
18	18.00	25.00	1.560	21.00	16	1.250	22.75	93.7	
	457.2	635.0	39.60	533.4		31.75	577.9		
20	20.00	27.50	1.690	23.00	20	1.250	25.00	122	
	508.0	698.5	42.90	584.2		31.75	635.0		
24	24.00	32.00	1.880	27.25	20	1.380	29.50	185	
	609.6	812.8	47.80	692.2		35.10	749.3		

Notes

- Weights are based on manufacturer's data and are approximate.
- Flat face flanges may be provided at full thickness, C, or with raised face removed (the latter is nonstandard).
- For ring joint facings see page 8-6.
- For tolerances see page 8-4.

Blind Flanges - ANSI B16.5




Class 300 lb

Nominal Pipe Size	Pipe	Flange Data			Raised Face	Drilling Data			Weight
		A	C	G	H	I	J		
	Outside Diameter	Overall Diameter	Flange Thickness	Face Diameter	Number of Holes	Bolt Hole Diameter	Diameter of Circle of Holes	kg/piece	
	in	in	in	in		in	in		
1/2	0.840	3.750	0.560	1.380	4	0.620	2.620	0.64	
	21.30	95.20	14.20	35.10		15.70	66.55		
3/4	1.050	4.620	0.620	1.690	4	0.750	3.250	1.11	
	26.70	117.3	15.70	42.90		19.00	82.50		
1	1.315	4.880	0.690	2.000	4	0.750	3.500	1.39	
	33.40	123.9	17.50	50.80		19.00	89.90		
1 1/4	1.650	5.250	0.750	2.500	4	0.750	3.880	1.79	
	42.20	133.3	19.00	63.50		19.00	98.50		
1 1/2	1.900	6.120	0.810	2.880	4	0.880	4.500	2.66	
	48.30	155.4	20.60	73.15		22.3	114.3		
2	2.375	6.500	0.880	3.620	8	0.750	5.000	3.18	
	60.30	165.1	22.30	91.90		19.10	127.0		
2 1/2	2.875	7.500	1.000	4.120	8	0.880	5.880	4.85	
	73.00	190.5	25.40	104.6		22.30	149.3		
3	3.500	8.250	1.120	5.000	8	0.880	6.620	6.81	
	88.90	209.5	28.40	127.0		22.30	168.1		
3 1/2	4.000	9.000	1.190	5.500	8	0.880	7.250	8.71	
	101.5	228.5	30.20	139.7		22.30	184.1		
4	4.500	10.00	1.250	6.190	8	0.880	7.600	11.5	
	114.3	254.0	31.70	157.2		22.30	200.1		
5	5.563	11.00	1.380	7.310	8	0.880	9.250	15.6	
	141.3	279.4	35.00	185.7		22.30	234.9		
6	6.625	12.50	1.440	8.500	12	0.880	10.62	20.9	
	168.3	317.5	36.50	215.9		22.30	269.7		
8	8.625	15.00	1.620	10.62	12	1.000	13.00	34.3	
	219.1	381.0	41.10	269.7		25.40	330.2		
10	10.75	17.50	1.880	12.75	16	1.120	15.25	53.3	
	273.0	444.5	47.70	323.9		28.40	387.3		
12	12.75	20.50	2.000	15.00	16	1.250	17.75	78.8	
	323.8	520.7	50.80	381.0		31.70	450.8		
14	14.00	23.00	2.120	16.25	20	1.250	20.25	105	
	355.6	584.2	53.90	412.8		31.70	514.3		
16	15.00	25.50	2.250	18.50	20	1.380	22.50	137	
	406.4	647.7	57.15	469.9		35.00	571.5		
18	18.00	28.00	2.380	21.00	24	1.380	24.75	175	
	457.2	711.2	60.45	533.4		35.00	628.6		
20	20.00	30.50	2.500	23.00	24	1.380	27.00	221	
	508.0	774.7	63.50	584.2		35.00	688.8		
24	24.00	36.00	2.750	27.25	24	1.620	32.00	339	
	609.6	914.4	69.85	692.2		41.10	812.8		

Notes

- Weights are based on manufacturer's data and are approximate.
- Flat face flanges may be provided at full thickness, C, or with raised face removed (the latter is nonstandard).
- For ring joint facings see page 8-6.
- For tolerances see page 8-4.

Blind Flanges - ANSI B16.5




Class 400 lb

Nominal Pipe Size	Pipe	Flange Data		Raised Face	Drilling Data			Weight
		A	C	G	H	I	J	
	Outside Diameter	Overall Diameter	Flange Thickness min	Face Diameter	Number of Holes	Bot Hole Diameter	Diameter of Circle of Holes	kg/piece
	in mm	in mm	in mm	in mm		in mm	in mm	
1/2	0.840	3.750	0.560	1.380	4	0.620	2.620	0.76
	21.30	95.20	14.20	35.10		15.70	66.55	
3/4	1.050	4.620	0.620	1.690	4	0.750	3.250	1.28
	26.70	117.3	15.70	42.90		19.10	82.60	
1	1.315	4.890	0.690	2.000	4	0.750	3.500	1.60
	33.40	123.9	17.50	50.80		19.10	88.90	
1 1/4	1.560	5.350	0.810	2.500	4	0.750	3.880	2.23
	42.20	133.3	20.60	63.50		19.10	98.60	
1 1/2	1.900	6.120	0.880	2.880	4	0.880	4.500	3.25
	48.30	155.4	22.30	73.15		22.40	114.3	
2	2.375	6.500	1.000	3.620	8	0.750	5.000	4.15
	60.30	165.1	25.40	91.90		19.10	127.0	
2 1/2	2.875	7.500	1.120	4.120	8	0.880	5.880	6.13
	73.00	190.5	28.40	104.6		22.40	149.4	
3	3.500	8.250	1.250	5.000	8	0.880	6.520	8.44
	88.90	209.5	31.70	127.0		22.40	165.1	
3 1/2	4.000	9.000	1.380	5.500	8	1.000	7.250	11.0
	101.6	228.6	35.00	139.7		25.40	184.2	
4	4.500	10.00	1.390	6.190	8	1.000	7.880	13.7
	114.3	254.0	35.10	157.2		25.40	200.2	
5	5.563	11.00	1.500	7.310	8	1.000	9.250	18.5
	141.3	279.4	38.10	185.7		25.40	235.0	
6	6.625	12.50	1.620	8.500	12	1.000	10.62	25.5
	168.3	317.5	41.10	215.9		25.40	269.7	
8	8.625	15.00	1.880	10.62	12	1.120	13.00	42.6
	219.1	381.0	47.80	269.7		28.40	330.2	
10	10.75	17.50	2.120	12.75	16	1.250	15.25	64.5
	273.0	444.5	53.80	323.9		31.75	387.4	
12	12.75	20.50	2.250	15.00	16	1.380	17.75	94.30
	323.8	520.7	57.15	381.0		35.10	450.9	
14	14.00	23.00	2.390	16.25	20	1.380	20.25	124
	355.5	584.2	60.45	412.8		35.10	514.4	
16	16.00	25.50	2.500	18.50	20	1.500	22.50	162
	406.4	647.7	63.50	469.9		38.10	571.5	
18	18.00	28.00	2.620	21.00	24	1.500	24.75	205
	457.2	711.2	66.55	533.4		38.10	628.7	
20	20.00	30.50	2.750	23.00	24	1.620	27.00	254
	508.0	774.7	69.85	584.2		41.10	685.8	
24	24.00	36.00	3.000	27.25	24	1.880	32.00	386
	609.6	914.4	76.20	692.2		47.80	812.8	

- Notes
- Weights are based on manufacturer's data and are approximate.
 - For ring joint facings see page 8-6.
 - For tolerances see page 8-4.

Blind Flanges - ANSI B16.5




Class 600 lb

Nominal Pipe Size	Pipe	Flange Data		Raised Face	Drilling Data			Weight
		A	C	G	H	I	J	
	Outside Diameter	Overall Diameter	Flange Thickness	Face Diameter	Number of Holes	Bolt Hole Diameter	Diameter of Circle of Holes	kg/pcloe
	in mm	in mm	in mm	in mm		in mm	in mm	
1/2	0.840	3.750	0.580	1.380	4	0.620	2.620	0.76
	21.30	95.20	14.20	35.10		15.70	66.55	
3/4	1.050	4.620	0.620	1.690	4	0.750	3.250	1.28
	26.70	117.3	15.70	42.90		19.10	82.60	
1	1.315	4.880	0.890	2.000	4	0.750	3.500	1.60
	33.40	123.9	17.50	50.80		19.10	88.90	
1 1/4	1.660	5.250	0.810	2.500	4	0.750	3.880	2.23
	42.20	133.3	20.60	63.50		19.10	96.60	
1 1/2	1.900	6.120	0.880	2.880	4	0.880	4.500	3.25
	48.30	155.4	22.30	73.15		22.40	114.3	
2	2.375	6.500	1.000	3.620	8	0.750	5.000	4.15
	60.30	165.1	25.40	91.90		19.10	127.0	
2 1/2	2.875	7.500	1.120	4.120	8	0.880	5.880	6.13
	73.00	190.5	28.40	104.6		22.40	148.4	
3	3.500	8.250	1.250	5.000	8	0.880	6.620	8.44
	88.90	209.5	31.70	127.0		22.40	168.1	
3 1/2	4.000	9.000	1.380	5.500	8	1.000	7.250	11.0
	101.6	228.6	35.00	139.7		25.40	184.2	
4	4.500	10.75	1.500	6.190	8	1.000	8.500	17.3
	114.3	273.1	38.10	157.2		25.40	215.9	
5	5.563	13.00	1.750	7.310	8	1.120	10.50	29.4
	141.3	330.2	44.50	185.7		28.40	266.7	
6	6.625	14.00	1.880	8.500	12	1.120	11.50	36.1
	168.3	355.6	47.80	215.9		28.40	292.1	
8	8.625	16.50	2.190	10.62	12	1.250	13.75	58.9
	219.1	419.1	55.60	269.7		31.75	349.3	
10	10.75	20.00	2.500	12.75	16	1.380	17.00	97.5
	273.0	508.0	63.50	323.9		35.10	431.8	
12	12.75	22.00	2.620	15.00	20	1.380	19.25	124
	323.8	558.8	66.55	381.0		35.10	489.0	
14	14.00	23.75	2.750	16.25	20	1.500	20.75	151
	355.6	603.3	69.85	412.9		38.10	527.1	
16	16.00	27.00	3.000	18.50	20	1.620	23.75	214
	406.4	685.8	76.20	469.9		41.10	603.3	
18	18.00	29.25	3.250	21.00	20	1.750	25.75	272
	457.2	743.0	82.60	533.4		44.50	654.1	
20	20.00	32.00	3.500	23.00	24	1.750	28.50	349
	508.0	812.8	88.90	584.2		44.50	723.9	
24	24.00	37.00	4.000	27.25	24	2.000	33.00	533
	609.6	939.8	101.6	692.2		50.80	838.2	

- Notes
- Weights are based on manufacturer's data and are approximate.
 - For ring joint facings see page 8-6.
 - For tolerances see page 8-4.

Blind Flanges - ANSI B16.5




Class 900 lb

Nominal Pipe Size	Pipe	Flange Data		Raised Face	Drilling Data			Weight
		A	C	G	H	I	J	
	Outside Diameter	Overall Diameter	Flange Thickness	Face Diameter	Number of Holes	Bolt Hole Diameter	Diameter of Circle of Holes	kg/pc/ce
	in mm	in mm	in mm	in mm		in mm	in mm	
1/2	0.840	4.750	0.880	1.380	4	0.880	3.250	1.77
	21.30	120.6	22.30	35.10		22.30	82.50	
3/4	1.050	5.120	1.000	1.590	4	0.880	3.500	2.42
	26.70	130.0	25.40	42.90		22.30	89.90	
1	1.315	5.880	1.120	2.000	4	1.000	4.000	3.57
	33.40	149.3	28.40	50.80		25.40	101.6	
1 1/4	1.650	6.250	1.120	2.500	4	1.000	4.380	4.15
	42.20	158.7	28.40	63.50		25.40	111.2	
1 1/2	1.900	7.000	1.250	2.880	4	1.120	4.880	5.75
	48.30	177.8	31.70	73.15		28.40	123.9	
2	2.375	8.500	1.500	3.520	8	1.000	6.500	10.1
	60.30	215.9	38.10	91.30		25.40	165.1	
2 1/2	2.875	9.620	1.620	4.120	8	1.120	7.500	14.0
	73.00	244.3	41.10	104.6		28.40	190.5	
3	3.500	9.500	1.500	5.000	8	1.000	7.500	13.1
	88.90	241.3	38.10	127.0		25.40	190.5	
4	4.500	11.50	1.750	6.190	8	1.250	9.250	26.9
	114.3	292.1	44.50	157.2		31.70	234.9	
5	5.563	13.75	2.000	7.310	8	1.380	11.00	36.5
	141.3	349.2	50.80	185.7		35.00	279.4	
6	6.625	15.00	2.190	8.500	12	1.250	12.50	47.40
	168.3	381.0	55.60	215.9		31.70	317.0	
8	8.625	18.50	2.500	10.62	12	1.500	15.50	82.5
	219.1	469.9	63.50	269.7		38.10	393.7	
10	10.75	21.50	2.750	12.75	16	1.500	18.50	122
	273.0	546.1	69.85	323.9		38.10	469.9	
12	12.75	24.00	3.120	15.00	20	1.500	21.00	173
	323.8	609.6	79.25	381.0		38.10	533.4	
14	14.00	25.25	3.380	16.25	20	1.620	22.00	206
	354.8	641.3	85.80	412.9		41.10	559.8	
16	16.00	27.75	3.500	18.50	20	1.750	24.25	259
	406.4	704.8	88.90	469.9		44.40	615.9	
18	18.00	31.00	4.000	21.00	20	2.000	27.00	367
	457.2	787.4	101.6	533.4		50.80	685.8	
20	20.00	33.75	4.250	23.00	20	2.120	29.50	463
	508.0	857.2	107.9	584.2		53.80	749.3	
24	24.00	41.00	5.500	27.25	20	2.620	35.50	876
	609.6	1041.4	139.7	692.2		66.55	901.7	

Notes

- Weights are based on manufacturer's data and are approximate.
- For ring joint facings see page 8-6.
- For tolerances see page 8-4.

Blind Flanges - ANSI B16.5




Class 1500 lb

Nominal Pipe Size	Pipe	Flange Data		Raised Face	Drilling Data			Weight
		A	C	G	H	I	J	
	Outside Diameter	Overall Diameter	Flange Thickness	Face Diameter	Number of Holes	Bot Hole Diameter	Diameter of Circle of Holes	kg/piece
	in mm	in mm	in mm	in mm		in mm	in mm	
1/2	0.840	4.750	0.880	1.380	4	0.880	3.250	1.77
	21.30	120.6	22.30	35.10		22.30	82.50	
3/4	1.050	5.120	1.000	1.690	4	0.880	3.500	2.42
	26.70	130.0	25.40	42.90		22.30	88.90	
1	1.315	5.880	1.120	2.000	4	1.000	4.000	3.57
	33.40	149.3	28.40	50.80		25.40	101.6	
1 1/4	1.650	6.250	1.120	2.500	4	1.000	4.380	4.15
	42.30	158.7	28.40	63.50		25.40	111.2	
1 1/2	1.900	7.000	1.250	2.980	4	1.120	4.880	5.75
	48.30	177.8	31.70	73.15		28.40	123.9	
2	2.375	8.500	1.500	3.620	8	1.000	6.500	10.1
	60.30	215.9	38.10	91.90		25.40	165.1	
2 1/2	2.875	9.620	1.620	4.120	8	1.120	7.500	14.0
	73.00	244.3	41.30	104.6		28.40	190.5	
3	3.500	10.50	1.880	5.000	8	1.250	8.000	19.1
	88.90	266.7	47.70	127.0		31.70	203.2	
4	4.500	12.25	2.120	6.190	8	1.380	9.500	29.9
	114.3	311.1	53.80	157.2		35.00	241.3	
5	5.563	14.75	2.880	7.310	8	1.620	11.50	58.4
	141.3	374.6	73.15	185.7		41.30	292.1	
6	6.625	16.50	3.250	8.500	12	1.500	12.50	71.8
	168.3	393.7	82.50	215.9		38.10	317.5	
8	8.625	19.00	3.620	10.62	12	1.750	15.50	122
	219.1	482.6	91.90	269.7		44.40	393.7	
10	10.75	23.00	4.250	12.75	12	2.000	19.00	210
	273.0	584.2	107.9	323.9		50.80	482.6	
12	12.75	26.50	4.880	15.00	16	2.120	22.50	316
	323.8	673.1	123.9	381.0		53.8	571.5	
14	14.00	29.50	5.250	16.25	16	2.380	25.00	420
	355.6	749.3	133.3	412.8		60.45	635.0	
16	16.00	32.50	5.750	18.50	16	2.620	27.75	558
	406.4	825.5	146.0	469.9		66.65	704.8	
18	18.00	36.00	6.380	21.00	16	2.880	30.50	760
	457.2	914.4	162.0	533.4		73.15	774.7	
20	20.00	38.75	7.000	23.00	16	3.120	32.75	965
	508.0	984.2	177.8	584.2		79.25	831.8	
24	24.00	46.00	8.000	27.25	16	3.620	39.00	1558
	609.6	1168.4	203.2	692.2		91.90	990.6	

Notes

- Weights are based on manufacturer's data and are approximate.
- For ring joint facings see page 8-6.
- For tolerances see page 8-4.

Blind Flanges - ANSI B16.5



Class 2500 lb

Nominal Pipe Size	Pipe		Flange Data			Raised Face	Drilling Data		Weight
	Outside Diameter	Overall Diameter	Flange Thickness	Face Diameter	Number of Holes	Bolt Hole Diameter	Diameter of Circle of Holes	kg/piece	
in mm	in mm	in mm	in mm		in mm	in mm			
1/2	0.840	5.250	1.190	1.380	4	0.880	3.500	2.99	
	21.30	133.4	30.20	35.10		22.40	88.90		
3/4	1.050	5.500	1.250	1.690	4	0.880	3.750	3.50	
	26.70	139.7	31.70	42.90		22.40	95.30		
1	1.315	6.250	1.380	2.000	4	1.000	4.250	4.96	
	33.40	158.8	35.10	50.80		25.40	108.0		
1 1/4	1.660	7.250	1.500	2.500	4	1.120	5.120	7.35	
	42.30	184.2	38.10	63.50		28.40	130.0		
1 1/2	1.900	8.000	1.750	2.880	4	1.250	5.750	10.4	
	48.30	203.2	44.50	73.15		31.75	146.1		
2	2.375	9.250	2.000	3.620	8	1.120	6.750	15.6	
	60.30	235.0	50.80	91.90		28.40	171.5		
2 1/2	2.875	10.50	2.250	4.120	8	1.250	7.750	22.6	
	73.00	266.7	57.15	104.6		31.75	196.9		
3	3.500	12.00	2.620	5.000	8	1.380	9.000	34.8	
	88.90	304.8	66.55	127.0		35.10	228.6		
4	4.500	14.00	3.000	6.190	8	1.620	10.75	53.9	
	114.3	355.6	76.20	157.2		41.10	273.1		
5	5.563	16.50	3.620	7.310	8	1.888	12.75	90.8	
	141.3	419.1	91.90	185.7		47.88	323.9		
6	6.625	19.00	4.250	8.500	8	2.120	14.50	141	
	168.3	482.6	108.0	215.9		53.80	368.3		
8	8.625	21.75	5.000	10.62	12	2.120	17.25	214	
	219.1	552.5	127.0	269.7		53.80	438.2		
10	10.75	26.50	6.500	12.75	12	2.620	21.25	411	
	273.0	673.1	165.1	323.9		66.55	539.8		
12	12.75	30.00	7.250	15.00	12	2.880	24.38	592	
	323.8	762.0	184.2	381.0		73.15	619.3		

Notes

- Weights are based on manufacturer's data and are approximate.
- For ring joint facings see page 8-6.
- For tolerances see page 8-4.

Tianjin All Best International Trade Co., Ltd is a famous provider of steel pipe fittings.

Our business involves Oil & Gas Industry, Mining Industry, Automobile Industry, Chemical Industry and Construction Industry.

Our products include elbow, flange, reducer, pipe cap, tee and corrugated expansion joint and seamless steel line pipe. We have got good recognition from our customers in South America, South East Asia and North Africa.

These pipe fittings can be made according to both GB and International standards, ASME, DIN, BS, JIS & GOST. In the last years, we got API 5L, and API Q1 international certification for the products. ISO9001, ISO14001, and OHAS18001 are three basic certificates for our quality, service, environment and workers' qualification.

Our factory covers an area of 70000 square meters in Xiwang New District, Mengcun County, Cangzhou, Hebei, China. With advanced equipment, excellent management, skilled workers, and ambitious salesmen, we have great confidence to provide you with better products with the most reasonable price. To win customers's belief in us is the goal for the whole company for ever.

Welcome you to visit us in China or send emails to us. We love friends and like the reply buttons.

Contact us:

Litas Lee,

Telephone: 02287802560

Mobile:8615522509091

Fax:02287808131

E-mail:sale01@tianjin-all-best.com

Skype: Litas.Lee

QQ:482171537

Tianjin All Best International Ltd

Sunny Plaza,Huanghe Road,Nankai District,Tianjin, China

Factory: Xiwang New District, Mengcun, Cangzhou, hebei, China

<http://www.tianjin-all-best.com/>