



SHANDONG UT TRAILER PARTS CO.,LTD

TEL:0086-531-86616927
 WEBSITE:www.uniontrailerparts.com

FAX:0086-531-88065175
 EMAIL: arstonlee@126.com

American Type Mechanical Suspension



UTSA1 SINGLE AXLE SUSPENSIONS WITH SEVEN LEAF SPRINGS

TYPE OF SUSPENSIONS	HEIGHT OF TOWING PLATE	A* mm	B* mm	AXLE LOAD
UTSA10101A	1180	441	411	13
UTSA10102A	1220	481	451	13
UTSA10103A	1250	511	481	13

UTSA2 TANDEM SUSPENSIONS WITH SEVEN LEAF SPRINGS

TYPE OF SUSPENSIONS	HEIGHT OF TOWING PLATE	A1* mm	B1* mm	A2* mm	B2* mm	H AXLE	AXLE LOAD
UTSA20201A	1180	441	411	433	403	183	13*2
UTSA20202A	1220	481	451	473	443	223	13*2

SHANDONG UT TRAILER PARTS CO.,LTD

TEL:0086-531-86616927

WEBSITE:www.uniontrailerparts.com

FAX:0086-531-88065175

EMAIL: arstonlee@126.com

UTSA20201A	1250	511	481	503	473	253	13*2
UTSA20201B	1180	422	392	414	384	164	13*2
UTSA20202B	1220	462	432	454	424	204	13*2
UTSA20203B	1250	492	462	484	454	234	13*2
UTSA20201C	1180	591	561	583	553	333	13*2

UTSA3 TRI AXLE SUSPENSIONS WITH SEVEN LEAF SPRINGS

TYPE OF SUSPENSIONS	HEIGHT OF TOWING PLATE	A1*	B1*	A2*	B2*	A3*	B3*	H	AXLE LOAD
		mm	mm	mm	mm	mm	mm	AXLE	
UTSA30301A	1180	457	427	448	418	435	405	185	13*3
UTSA30302A	1220	497	467	488	458	475	445	225	13*3
UTSA30303A	1250	527	497	518	488	505	475	255	13*3
UTSA30301B	1180	438	408	429	399	416	386	166	13*3
UTSA30302B	1220	478	448	469	439	456	426	206	13*3
UTSA30303B	1250	508	478	499	469	486	456	236	13*3

OPTIONS

*CAPACITY 13 TONS, 16 TONS OR 18 TONS/AXLE

*Suspension can be over slung or under slung type

* LEAF SPRING SIZE 90MM WIDTH, 11, 12, 13 OR 16MM THICKNESS

*DIMENSION A: UNLADEN

*DIMENSION B: RATED LADED (FOR REFERENCE ONLY)



**"U"BOLT NUTSA TORQUE SETTINGS: 490N.M-588N.M

SHANDONG UT TRAILER PARTS CO.,LTD

TEL:0086-531-86616927
 WEBSITE:www.uniontrailerparts.com

FAX:0086-531-88065175
 EMAIL: arstonlee@126.com

Germany Type Mechanical Suspension



悬挂型号 Type of Suspensions	A(mm)		H(mm)	悬挂重量	承载能力
	空载 (Unladed)	满载(Laden)		Weight (Kg)	Axle Load (t)
UTSG1-500-141	500	470	100×14-14 片(piece)	≈420	20×1
UTSG1-470-142	470	440	100×12-14 片(piece)	≈387	16×1
UTSG1-490-121	490	460	100×12-12 片(piece)	≈363	14×1
UTSG1-464-111	464	434	100×12-11 片(piece)	≈338	12×1
UTSG2-1360-500-141	500	470	100×14-14 片(piece)	≈860	20×2
UTSG2-1360-470-142	470	440	100×12-14 片(piece)	≈794	16×2
UTSG2-1360-490-121	490	460	100×12-12 片(piece)	≈745	14×2
UTSG2-1360-464-111	464	434	100×12-11 片(piece)	≈696	12×2
UTSG3-1360-500-141	500	470	100×14-14 片(piece)	≈1300	20×3
UTSG3-1360-470-142	470	440	100×12-14 片(piece)	≈1202	16×3
UTSG3-1360-490-121	490	460	100×12-12 片(piece)	≈1127	14×3
UTSG3-1360-464-111	464	434	100×12-11 片(piece)	≈1054	12×3


Note:1) Dimension A (Laden) is for reference only 2) Optional spring available 3) Optional wheel base available.

SHANDONG UT TRAILER PARTS CO.,LTD

TEL:0086-531-86616927
 WEBSITE:www.uniontrailerparts.com

FAX:0086-531-88065175
 EMAIL: arstonlee@126.com

Casting Steel Type Mechanical Suspension



NOM.AXLE SPACING	DIMENSION				
	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)
1168	2102	953	953	567	1122
1651	2769	1286	1286	829	1664
1600	2724	1264	1264	810	1616
1524	2635	1219	1219	762	1524
1372	2502	1149	1149	694	1384
1270	2381	1092	1092	635	1270

还有其他款式/型号供选择。
 Other design/models are available.

