



TRACK UNDERCARRIAGE



STEEL TRACK UNDERCARRIAGE




MODEL	A	B	C	D	E	F	No. of roller	Dinamic capacity	Static capacity	Weight kg.	Reduct. Ratio	Hydr. engine Cc	Press. Bar	oil flow L/min	Torque Nm to engine	Grad.
ST-3500	2030	1500	485	1800	300	225	4+4	3500	4000	750	53.7	23.5/14.7	220	35	4723	60%
ST-6000	2467	1950	549	1700	300-400	240	5+5	6000	7000	1350	53.7	43.7/22.7	220	55	8330	60%
ST-8000	2783	2265	548	1800	400-450	255	8+8	8000	9500	1830	53.7	46.6/27.6	300	82	11700	60%
ST-10000	3800	3200	600	1700	400-500	280	9+9	10000	11300	2350	53.7	55.8/32.6	350	100	14800	60%
ST-12000	3282	2575	720	2000	400-600	345	9+9	12000	15000	2950	54	76.6/44.8	350	124	22500	60%
ST-15000	3666	2923	753	2000	500-800	360	8+8	15000	18000	3300	53.7	79.5/46.7	350	140	24000	60%
ST-20000	4065	3323	786		500-800	375	8+8	20000	25000	4850	48	146.5/95	350	220	38000	60%
ST-30000	4530	3730	836		500-800	405	9+9	30000	37000	5850	66.4	173/101	330	260	59000	60%
ST-40000	4888	4090	880		500-800	420	10+10	40000	480000	7300	70.1	185/114	350	290	72800	60%

* for above specification, it is for your reference.

We can also design and manufacturer the undercarriage based on your requirements for different kinds of dimensions.

Contact: Cathy Email: kemercn@hotmail.com Skype: kemercathy

TRACK UNDERCARRIAGE



RUBBER TRACK UNDERCARRIAGE

MODEL	A	B	C	D	E	F	N°of roller	Dinamic capacity	Static capacity	Weight kg.	Reduct. Ratio	Hydr. engine Cc	Press. Bar	oil flow L/min	Torque Nm to engine	Grad.
RT-1500	1420	1066	350	980	230	165	3+3	1200	1500	330	31	16.1	270	17	2000	60%
RT-2500	1850	1370	480	1220	250	245	4+4	2500	3000	380	53.7	23.5/14.7	220	35	4723	60%
RT-3500	1980	1511	500	1520	300	250	5+5	3500	4000	650	53.7	23.5/14.7	220	35	4723	60%
RT-5000	2500	1950	550	1800	350	265	6+6	5000	6000	900	53.7	43.7/22.7	220	55	8330	60%
RT-6000	2905	2355	550	1800	400	265	7+7	6000	7000	1280	53.7	43.7/22.7	220	55	8330	60%
RT-8000	2950	2450	600	1800	400	310	7+7	8000	9500	1550	53.7	46.6/27.5	300	82	11700	60%

* for above specification, it is for your reference.

We can also design and manufacturer the undercarriage based on your requirements for different kinds of dimensions.

Contact: Cathy Email: kemercn@hotmail.com Skype: kemercathy