



J&K IDEAL (HK) CO., LIMITED

Address: No.30, Aviation Road, Xixiang , Bao'an, Shenzhen, China ZIP:518126

Email:sales06@jkideal.com WEB: www.jkideal.com TEL:+86-15915429307

J&K IDEAL (HK) CO., LIMITED is Professional manufacturer, we design and sell sound module. Our main products:MP3 /MP5 module,Amplifier module,Wireless microphone module and bluetooth products and so on. With powerful R&D team, good quality, competitive price and unique design, we will present more advanced professional technology and sincere service for customers.

PRODUCTS CATALOG

CATEGORY	ITEM	PICTURE	FUNCTION
smart bluetooth led bulb speaker	JK102	<p>Bluetooth LED Bulb With Speaker</p> <p>CE JK102</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<ol style="list-style-type: none"> 1, Input voltage (V): 90-240V, 50 / 60HZ 2,Input power (W): 9W, 220V / 50HZ 3, Lamp power: 5W (integrated RGB lights) 4, Change color, warm/cool and brightness as you need; 5,Timer setting: auto light, auto music and alarm clock; 6,Mood lighting and music rhythm, enjoy music anywhere; 7,Sound effect setting: Pop, Classical, Jazz, Bass and Flat.
USB dongle	BT-01N	<p>USB Bluetooth Dongle</p> <p>BT-01N</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<ol style="list-style-type: none"> 1,With MIC:can communicate by bluetooth, and play mp3 by bluetooth device 2,without MIC: just play mp3 by bluetooth device.



<p>USB dongle</p>	<p>BT-03N</p>	 <p>Bluetooth Dongle Bluetooth Audio Receiver</p> <p>BT-03N</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<ol style="list-style-type: none"> 1,With Line in (AUX)/MIC 2,Output :USB port 3.5mm audio interface 3,receiving distance :not less 10m 4,Standard accessories:3.5mm audio cable 5,Power supply :USB 5V power supply
<p>Bluetooth recorder MP3 module</p>	<p>JK1530</p>	 <p>LCD Recorder Bluetooth USB SD FM AUX MP3 Player Module</p> <p>JK1530</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<ol style="list-style-type: none"> 1. Bluetooth / recorder /USB / SD /Line in(AUX)/ FM/Lcd display/DC5v(option12V) 2. IR remote control. (optional) 3,Format:MP3/WMA/WAV.
<p>usb mp5 module</p>		 <p>USB TF FM AUX MP5 MP4 MP3</p> <p>JK-P5001</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<ol style="list-style-type: none"> 1.USB/TF/MP3/MP4 /MP5 /Line in (AUX)/FM / video / photos 2.Support MP3/WMA/WAV..... 3.Power supply :DC5v(option12V)/ 4.IR remote control. 5.Pannel Size: 105*25.5 mm.
<p>MP3 module</p>	<p>JK6890</p>	 <p>J&K Ideal Electronic Co., Ltd</p> <p>JK6890</p> <p>OEM & ODM www.jkideal.com</p>	<ol style="list-style-type: none"> 1.USB / SD /Line in(AUX)/ FM/LED display/DC5v(option12V) 2. IR remote control. 3. IR remote control. 4.Pannel size: 75*50mm






<p>Bluetooth MP3 module</p>	<p>JK6890BT</p>	<p>J&K Ideal Electronic Co., Ltd www.jkideal.com JK6890BT OEM & ODM</p>	<ol style="list-style-type: none"> 1.USB / SD /Line in(AUX)/ FM/Bluetooth/LED display/DC5v(option12V) 2.Format:MP3/WMA/WAV. 3. IR remote control. 4.Pannel size: 75*50mm 6. PVC color :Black or Silvery
<p>MP3 module</p>	<p>JK6839</p>	<p>J&K Ideal Electronic Co., Ltd www.jkideal.com Optional:MP3/WMA JK6839 OEM & ODM</p>	<ol style="list-style-type: none"> 1.usb/sd/fm/line in/LED display/DC5v(option12V)/IR remote control 2. Format:MP3/WMA/MAV. 3. IR remote control. 4.Pannel size: 105*25.5mm
<p>Bluetooth MP3 module</p>	<p>JK6839BT</p>	<p>J&K Ideal Electronic Co., Ltd www.jkideal.com JK6839BT OEM & ODM</p>	<ol style="list-style-type: none"> 1. Bluetooth/usb/sd/fm/line in/LED display/DC5v(option12V)/IR remote control 2. Format:MP3/WMA/MAV. 3. IR remote control. 4.Pannel size: 105*25.5mm
<p>MP3 module</p>	<p>JK6839A</p>	<p>J&K Ideal Electronic Co., Ltd www.jkideal.com Amplifier 15Wx2ch Wireless for bass speaker JK6839A OEM & ODM</p>	<ol style="list-style-type: none"> 1.USB / SD /Line in(AUX)/ FM/LED display 2,Amplifier: 15W*2CH 3. Format:MP3 4. IR remote control. 5.Pannel size:105*25.5mm 6.Power supply:12v



<p>Recorder MP3 module</p>	<p>JK3090</p>	 <p>J&K Ideal Electronic Co., Ltd Recorder JK3090 OEM & ODM www.jkideal.com</p>	<ol style="list-style-type: none"> 1.Recorder/USB/TF/MP3/Line in (AUX)/FM 2.Support MP3/WMA/WAV. 3.Power supply :DC5v(option12V)/ 4.IR remote control. 5.Pannel Size: 105*25.5 mm.
<p>Recorder MP3 module</p>	<p>JK062</p>	 <p>J&K Ideal Electronic Co., Ltd JK062 OEM & ODM www.jkideal.com</p>	<ol style="list-style-type: none"> 1.Recorder/USB/ MP3 / /LCD/ 2.Support MP3/WMA/WAV. 3.Power supply DC5V(Optional 12V). 4.Pannel Size: 66*56 mm.
<p>Recoeder MP3 module</p>	<p>JK002L</p>	 <p>J&K Ideal Electronic Co., Ltd Recorder JK002L OEM & ODM www.jkideal.com</p>	<ol style="list-style-type: none"> 1.Recorder/USB/SD/MP3/Line in (AUX)/FM/LCD/ 2.Support MP3/WMA/WAV. 3.Power supply DC5V(Optional 12V). 4.IR remote control. 5.Pannel Size: 54*45 mm.
<p>MP3 module</p>	<p>JK6826</p>	 <p>J&K Ideal Electronic Co., Ltd JK6826 OEM & ODM www.jkideal.com</p>	<ol style="list-style-type: none"> 1.USB / SD /Line in(AUX)/ FM 2. Format:MP3 /WMA /WAV 3. IR remote control. 4.Pannel size: 83*24.5mm 5, DC5v(option12V)






<p>Bluetooth MP3 module</p>	<p>JK6826BT</p>	 <p>J&K Ideal Electronic Co., Ltd www.jkideal.com JK6826BT OEM & ODM</p>	<ol style="list-style-type: none"> 1. Bluetooth /USB / SD /Line in(AUX)/ FM 2. Format:MP3 /WMA / WAV 3. IR remote control. 4. Pannel size: 83*24.5 mm 5, DC5v(option12V)
<p>MP3 module</p>	<p>JK001</p>	 <p>J&K Ideal Electronic Co., Ltd www.jkideal.com JK001 OEM & ODM</p>	<ol style="list-style-type: none"> 1. USB / SD / FM (Optional) 2. Format:MP3 3. IR remote control. 4. Pannel size: 76*25mm 5, power supply:DC5V
<p>MP3 module</p>	<p>JK6836</p>	 <p>J&K Ideal Electronic Co., Ltd www.jkideal.com JK6836 OEM & ODM</p>	<ol style="list-style-type: none"> 1. USB / TF /Line in(AUX)/ FM 2. Format:MP3/WMA/WAV 3. IR remote control. 4. Pannel size: 105*25.5mm 5, power supply:DC5V
<p>Bluetooth MP3 module</p>	<p>JK6836BT</p>	 <p>J&K Ideal Electronic Co., Ltd www.jkideal.com JK6836BT OEM & ODM</p>	<ol style="list-style-type: none"> 1. Bluetooth /USB / TF /Line in(AUX)/ FM /led display 2. Format:MP3 /WMA /WAV 3. IR remote control. 4. Pannel size: 105*25.5mm 5, power supply:DC5V (optional 12v)






<p>MP3 module</p>	<p>JK9003BT</p>		<ol style="list-style-type: none"> 1. Bluetooth /USB / SD /Line in(AUX)/ FM/LED display/DC5v(option12V) 2. IR remote control. 3,Format:MP3/WMA/WAV. 4. IR remote control. 5.Pannel size: diameter: 80mm
<p>MP3 module</p>	<p>JK9003</p>		<ol style="list-style-type: none"> 1.USB / SD /Line in(AUX)/ FM/LED display/DC5v(option12V) 2. IR remote control. 3,Format:MP3/WMA/WAV. 4. IR remote control. 5.Pannel size: diameter: 80mm
<p>MP3 module</p>	<p>JK0061</p>		<ol style="list-style-type: none"> 1.USB / SD /Line in(AUX)/ FM /led display 2. Format:MP3 /WMA /WAV 3. IR remote control. 4.Pannel size: 92*35mm 5, power supply:DC5V (optional 12v)
<p>MP3 module</p>	<p>JK0061BT</p>		<ol style="list-style-type: none"> 1. Bluetooth /USB / SD /Line in(AUX)/ FM /led display 2. Format:MP3 /WMA /WAV 3. IR remote control. 4.Pannel size: 92*35mm 5, power supply:DC5V (optional 12v)



<p>Amplifier board</p>	<p>JK-AMP01</p>	 <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<p>1,All item mp3 module all can add amplifier function: Amplifier /Bluetooth /USB/SD /TF/ line in / FM /LED display /power supply :DC12V 2,Amplifier: 15W*2CH</p>
<p>wireless microphone</p>	<p>JK006B</p>	 <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<p>Receiver board DC9V / handheld microphone 9V + antenna VHF Frequency:220MHz-270MHz Channel:Single channel Frequency response: 60Hz-13kHz Stability: ±0.005% SNR: >70dB THD:≤0.5% (at 1kHz) Receiving Range:50 meters Antenna:Telescoping Receiving module power supply: external DC 9 V / 300 mAbypower adapter(Optional 12V) Launcher power supply: 9 V battery (1 PCS) Receiver board SMD size:72*47mm</p>
<p>VHF wireless microphone</p>	<p>JK006C</p>	 <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<p>Receiver board DC9V / Launcher power supply: 9 V battery (1 PCS) + antenna+collar microphone Receiver board size:106*60mm. VHF Frequency: 220MHz-270MHz Channel: Single channel Frequency response: 60Hz-13kHz Stability: ±0.005% SNR: >70dB THD: ≤0.5% (at 1kHz) Receiving Range: 50 meters Antenna: Telescoping Receiving module power supply: external DC 9 V / 300 mAbypower adapter Launcher power supply: 9 V battery (1 PCS)</p>



<p>VHF wireless microphone</p>	<p>JK006</p>	 <p>VHF wireless microphone</p> <p>JK006</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<p>Receiver board DC9V / handheld microphone 3V + antenna DIP Receiver board size:106*60mm. SMD receiver board size: 72*47mm VHF Frequency:220MHz-270MHz Channel:Single channel Frequency response: 60Hz-13kHz Stability: ±0.005% SNR: >70dB THD:≤0.5% (at 1kHz) Receiving Range:50 meters Antenna:Telescoping</p>
<p>VHF wireless microphone</p>	<p>JK006D</p>	 <p>VHF wireless microphone</p> <p>JK006D</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<p>Receiver board DC9V / handheld microphone 9V + antenna VHF Frequency:220MHz-270MHz Channel:Single channel Frequency response: 60Hz-13kHz Stability: ±0.005% SNR: >70dB THD:≤0.5% (at 1kHz) Receiving Range:50 meters Antenna:Telescoping Receiving module power supply: external DC 9 V / 300 mAbypower adapter(Optional 12V) Launcher power supply: 1.5V battery (2 PCS) Receiver board SMD size:72*47mm</p>
<p>VHF wireless microphone</p>	<p>JK007</p>	 <p>VHF Wireless microphone</p> <p>JK007</p> <p>OEM & ODM J&K Ideal Electronic Co.,Ltd www.jkideal.com</p>	<p>Receiver board DC 12V (2 channels) 1pcs + handheld microphone 9V 2pcs+ antenna 2pcs. Receive board dimension:146*40mVHF Frequency: 220MHz-270MHz Channel: Single channel Frequency response: 60Hz-13kHz Stability: ±0.005% SNR: >70dB THD: ≤0.5% (at 1kHz) Receiving Range: 50 meters Antenna: Telescoping Receiving module power supply: external DC12V / 300 mAbypower adapter Launcher power supply: 9 V battery (1 PCS) Receiver board size:146*40mm</p>

www.jkideal.com Email:sales06@jkideal.com



J&K IDEAL (HK) CO.,LIMITED
Shenzhen J&K Ideal Electronic Co.,Ltd
Sales Manager :Sunshine Liu
Phone: +86-15915429307
TEL:+86-755-36530850
Fax:+86-755-23003877
Email: sales06@jkideal.com
Skype:jkideal666@hotmail.com
Wehcat :Sunshine15915429307
QQ:2639743598

