





High-speed chip Mounting machine



Lead-free nitrogen wave soldering machine



Lead-free reflow machine



Plug-in production line



Unit modules aging furnace



Auto-crystal machine



Automatic irrigation plastic machine



Assembly and manufacture line



Hot Electronics Co., Ltd

Trustworthy Quality From The East

**TYPE : Outdoor P16 Mesh Curtain** 

#### **Technical Parameter**

Pixel Pitch(mm)	16	Drive Type	1/8	
Pixel Configuration	SMD 3in1	Color Processing	16.7	
Pixel Density (pixels/m²)	3906	Refresh Rate	2000HZ	
Cabinet Dimention	1024mm* 1024 mm*60mm	Data Transmission	CAT 5/ Optic Fiber	
Cabinet Resolution	64*64	Image Source	S-Video,PAL/NTSC	
Format	VideoCompatibilityDVI, VGA, omposite	Control System	Nova/Linsn	
Viewing Angle(H/V)	110/110	Lifetime	100000Hrs	
Viewing Distance(m)	16	MTBF	5000Hrs	
Brightness	≥6000 cd/m²	IP Rate	IP65	
Aver PowerConsumption	500 w/m²	Working Voltage	220V/110V	
Max Power Comsuption	800 w/m²	Working Temperature	-20°C-65°C	
Working Humidity	10%-90%	cabinet weight	35kg/sqm	



#### Hot Electronics Co., Ltd

Trustworthy Quality From The East

### Size:600sqm


Quotation								
No.	ltem	Qty.	Unit of measure	unit price	Sub total (USD)	Remark		
1	outdoor P16 Mesh led display		sqm					
2	Sending card (Linsn)		pcs	220.00		2 cards for this screen		
3	receiving card (Linsn)		pcs	55.00		1 card for 1 cabinet		
4	wooden case		pcs	0.00		6 cabinets in 1 case		
5	Graphic Card (with DVI)		pcs	70.00		1 card for 1 screen		
6	LED software		set	0		free for you		
Shipping cost (including insurence):								
Total cost :								




Hot Electronics Co., Ltd

Trustworthy Quality From The East

### **Photos for Mesh Screen**



Screen





#### Mesh Curtain Projects View

*Type: Indoor P7.8 Mesh Curtain For: a mall in Thailand Size: around 12sqm* 







## Service Goal: Fast, In time, Customer First

- 1. Free inquiry before and after sell;
- 2. TWO years warranty & 1% free sapre parts;
- 3. Maintain and repair. Respond in time (within 4 hours). Repair within hours for common failure, 72 hours for sever failure. Provide maintain regularly;
- 4. Provode spare parts and teahnical tolls for long-term;
- 5. Technical support for important action and programs;
- 6. Regularly free system upgrade;
- 7. Free training.

## **Our Service:**

- 1. Project consultation;
- 2. Structure construction suggestion;
- 3. On-site installation assistant;
- 4. Engineer regular operation training



# Thank you

## looking forward to our cooperation

