PELTIER AIR CONDITIONER

Model No. SD-070-12, SD-070-24, SD-070-48


Features:

- Extremely reliable solid state construction with long life span
- Maintenance-free with no moving parts (except fans)
- No compressor, refrigerant or filters
- Compact size, lightweight, convenient to install and operate
- Construction (Aluminum Alloy) for indoor or outdoor use
- Standard models to 55[°]C (High ambient models avail.)
- · Flush-mount or embedded-mount installation
- Recommended for vertical mounting only
- DC power configurations

Description

SANDA's 70 W DC solid state air conditioner models are designed to cool your electronic and electrical controls, instruments, computer terminals, printers, telecommunications equipment, surveillance devices, cameras, laser and optical equipment and many other electronics in variety of environments. Our electronic cabinet cooler is designed for use with a wide range of enclosures and transit cases. Models are available for both indoor and outdoor use in DC power configurations. Coolers feature corrosion-resistant stainless steel construction. All are available with a variety of options.

Principles of Operation



Options

Supplemental heating capability

- · Condensate drip pan with fittings and drain tubing
- · Powder coated aluminum construction
- Accessories: Switch power supply; temperature controller

Configurations

Model No	Cooling Capacity	Voltage (DC)	Rated Power
SD-070-12	70W	12V	150W
SD-070-24	70W	24V	150W
SD-070-48	70W	48V	150W




70W (DC) Peltier Air Conditioner

Specifications

Capacity	70W
Туре	Embedded mount
Rating	IP55
Construction	Aluminum Alloy (covers)
Size	230mm L x 120mm W x 150mm D body 180mm L x 100mm W mounting size
Operating Range	Up to 50 degrees C (high ambient models available)
Temperature Control	Adjustable thermostat
Power	12 VDC @ 12.5AMPS
	24 VDC @ 6.3 AMPS
	48 VDC @ 3.2 AMPS
Includes	Mounting hardware and manual
Weight	2.52kg
Warranty	One year

Thermal Performance



Drawings

