



ISO9001 & CE Certificate

LTF2000 SERIES

Strobe Lightbar



-  LTF201 Ultra-Thin Strobe Lightbar
-  LTF202 Ultra-Thin Strobe Lightbar
-  LTF203 Ultra-Thin Strobe Lightbar
-  LTF204 Ultra-Thin Strobe Lightbar
-  LTF205 Ultra-Thin Strobe Lightbar
-  LTF206 Ultra-Thin Strobe Lightbar

SPECIFICATION:

- Working voltage DC 12V/24V
- Materials: Aluminum Base and PC Dome
- Dome: PC material
- Bolt: 2 Black screw and 12 rivets
- Size Power: 80W, 100W, 150W
- Power: 27W
- Color Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 120*730*245
- N.W/G.W: 1.6/3.0KG/3.5KG
- QTY PER CARTON: 1PC

LTF2000 SERIES

Revolving Lightbar



-  LTF201 Ultra-Thin Revolving Lightbar
-  LTF202 Ultra-Thin Revolving Lightbar
-  LTF203 Ultra-Thin Revolving Lightbar
-  LTF204 Ultra-Thin Revolving Lightbar
-  LTF205 Ultra-Thin Revolving Lightbar
-  LTF206 Ultra-Thin Revolving Lightbar

SPECIFICATION:

- Working voltage DC 12V/24V
- Materials: Aluminum Base and PC Dome
- Bolt: 4 Rivets/bolts and 8 Flash/bolts
- Size Power: 80W, 100W, 150W
- Power: 26W
- Color Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 120*730*245
- N.W/G.W: 1.6/3.0KG/3.5KG
- QTY PER CARTON: 1PC



ISO9001 & CE Certificate

LTF2301

LED Lightbar



-  LTF231-RB LED Lightbar
-  LTF231-BB LED Lightbar
-  LTF231-RR LED Lightbar
-  LTF231-YW LED Lightbar
-  LTF231-BB LED Lightbar

SPECIFICATION:

- Working voltage DC 12V/24V
- Materials: Aluminum Base and PC Dome
- Bolt: 6 units/strobes and 8 LED series
- Size Power: 80W, 100W, 150W
- Power: 27W
- Color Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 120*730*245
- N.W/G.W: 1.6/3.0KG/3.5KG
- QTY PER CARTON: 1PC

LTF3000 SERIES

Strobe Lightbar



-  LTF301-RB Strobe Lightbar
-  LTF301-BB Strobe Lightbar
-  LTF301-RR Strobe Lightbar
-  LTF301-YW Strobe Lightbar
-  LTF301-BB Strobe Lightbar

SPECIFICATION:

- Working voltage DC 12V/24V
- Materials: Aluminum base and PC Dome
- Bolt: 12 screws 2 sets/bolts
- Size Power: 100W, 150W
- Power: 27W
- Color Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 120*730*245
- N.W/G.W: 1.6/3.0KG/3.5KG
- QTY PER CARTON: 1PC

Starway

ISO9001 & CE Certificate

LTF3000 SERIES

Revolving Lightbars

Technical drawings showing dimensions: 1000mm, 1600mm, 2000mm.

LTF3011-B/R	Revolving Lightbar
LTF3012-B/R	Revolving Lightbar
LTF3013-B/R	Revolving Lightbar
LTF3014-B/R	Revolving Lightbar
LTF3015-B/R	Revolving Lightbar
LTF3016-B/R	Revolving Lightbar

SPECIFICATION:

- Working voltage DC12V/24V
- COB: Imported high-strength PC material with excellent brightness and light penetrating-for ability
- BASE: Aluminum alloy material with high strength
- BILL: 4 Revolving heads, 8 rotators and 2 swing bars
- Size: Power: 85W, 100W, 150W
- Power: 250W
- Color Com: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1260*370*200
- N.W/G.W: 13Kg/17.5Kg
- GTG PER CARTON: 1PC

LTF3301

LED Lightbar

Technical drawings showing dimensions: 1000mm, 1600mm, 2000mm.

LTF3301-B/R	LED Lightbar
LTF3301-B/B	LED Lightbar
LTF3301-R/R	LED Lightbar
LTF3301-A/A	LED Lightbar
LTF3301-C/C	LED Lightbar

SPECIFICATION:

- Working voltage DC12V/24V
- Material: Aluminum, Blue and PC Sheet
- Bill: LED series
- Size: Power: 100W, 150W, Power: 300W
- Color Com: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1250*370*200
- N.W/G.W: 16Kg/18Kg

Starway

ISO9001 & CE Certificate

LTF8R900

LED Lightbar

Technical drawings showing dimensions: 1000mm, 1600mm, 2000mm.

LTF8R900-B/R	LED Lightbar
LTF8R900-B/B	LED Lightbar
LTF8R900-R/R	LED Lightbar
LTF8R900-A/A	LED Lightbar
LTF8R900-C/C	LED Lightbar

SPECIFICATION:

- Working voltage DC12V/24V
- Material: PC
- Bill: 8x 0.5W COB LED Module in upper layer, 4x 0.1W LED module in bottom
- LED Power: 0.5W*16P
- LED Color: Blue/Red, Red/Red, Amber/Amber
- Down Color: Blue/Red, Blue/Blue, Red/Red, Amber/Amber, Clear/Clear
- Packing Size: 1250*370*200
- N.W/G.W: 13Kg/17Kg
- GTG PER CARTON: 1PC

LTF3531

Ultra-Thin Profiled Strobe Lightbar

Technical drawings showing dimensions: 1000mm, 1600mm, 2000mm.

LTF3531-B/R	LED Lightbar
LTF3531-B/B	LED Lightbar
LTF3531-R/R	LED Lightbar
LTF3531-A/A	LED Lightbar
LTF3531-C/C	LED Lightbar

LTF3538

Directional Strobe Lightbar

Technical drawings showing dimensions: 1000mm, 1600mm, 2000mm.

LTF3538-B/R	LED Lightbar
LTF3538-B/B	LED Lightbar
LTF3538-R/R	LED Lightbar
LTF3538-A/A	LED Lightbar
LTF3538-C/C	LED Lightbar

SPECIFICATION:

- Halogen/Alley light: 100W/200W/300W with switch
- 100W: Speaker in 6mm and 10mm dia head (IP-55)
- Multiple warning light modes
- Traffic Advisor: Weather/Highway/constant
- Permanent sound
- 12 foot cord connects directly to battery, current limit function available with a button control box



LTF4000 SERIES

Strobe Lightbar



ISO9001 & CE Certificate

- LTF4200 Ultra-Thin Strobe Lightbar
- LTF4000 Ultra-Thin Strobe Lightbar

SPECIFICATION:

- Dome: PC material
- Body: Casted 20 aluminum die-casting in longitudinal
- Controlling eight strobes that work center-right to left
- Controlling four front rear lighting zones and two left-right lighting zones that work in turn
- Total lighting area (front work) 3000mm²
- Strobe Lightbar (front work) 1000mm²
- Strobe Power: 80W, 100W, 150W
- Power: 270W
- Color: Blue/Red, Blue/Blue, Red/Red, Amber/Clear, Amber/Clear, Clear/Clear
- Working Size: 1260*380*380mm
- N.W/G.W. 16.0KG/21.5KG

LTF4000 SERIES

Revolving Lightbars



- LTF4200 Ultra-Thin Revolving Lightbar
- LTF4000 Ultra-Thin Revolving Lightbar

SPECIFICATION:

- Dome: PC material
- Body: Aluminum alloy material with high strength
- Body: Body structure (3 part for easy assembly or together)
- Four rotation in the upper layer (each 90 degrees)
- Two left-right lighting bars work in turn
- Four lighting bars work in the inner-layer in turn
- Strobe Power: 100W, 150W
- Power: 252 W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Clear, Clear/Clear
- Working Size: 1260*380*380mm
- N.W/G.W. 18.0KG/21.5KG



LTF4402

Street-hawk Revolving Lightbar



ISO9001 & CE Certificate

- LTF4200 Ultra-Thin Revolving Lightbar
- LTF4000 Ultra-Thin Revolving Lightbar

SPECIFICATION:

- Outer: Impressed high-strength PC material with excellent luminous and logo presenting for ability
- Body: Aluminum alloy material with high strength
- Body: It can be used directly or splicing way
- Controlling four rotation (left work in the left and right down mode and top-down-left mode) that work inside the mode zone
- Two left-right lighting bars work commonly, 3 Controlling by sharing data that work in turn
- Power: 200W
- Color: Blue/Red, Blue/Blue, Red/Red, Amber/Clear, Clear/Clear
- Working Size: 1100*380*290mm
- N.W/G.W. 16.0KG/21.5KG

LTF4301

Street-hawk LED Lightbar



- LTF4200 Ultra-Thin LED Lightbar
- LTF4000 Ultra-Thin LED Lightbar

SPECIFICATION:

- Dome: Impressed high-strength PC material with excellent luminous and high consuming for ability
- Body: Aluminum alloy material with high strength
- Controlling Way: 3 separate colors switch or switch in matched mode
- Body: LED light With the features of high brightness low energy, low energy consumption
- Strobe Power: 80W, 100W, 150W
- Power: 270W
- Dome Color: Blue/Red, Blue/Blue, Red/Red, Amber/Clear, Clear/Clear
- Working Size: 1100*380*290mm
- N.W/G.W. 16.0KG/21.5KG



ISO9001 & CE Certificate

LTF5101

Silver Shark Strobe Lightbar

**SPECIFICATION**

- Cover: Imported high-strength PC material with excellent hardness and high permeability for safety.
- Base: Aluminum alloy material with high strength.
- Built: 12 strobes and over 10 flashes/second.
- Power: 180W
- Power: 38W
- Colors: Red/Blue, Blue/Red, Red/Red, Amber/Yellow, Clear/Clear
- Packing Size: 1270*350*22mm
- N.W/G.W: 1.5kg/3.0kg
- QTY PER CARTON: 1PC

LTF5201

Silver Shark Strobe Police Directional Strobe Lightbar



Front



Rear

**SPECIFICATION**

- Cover: Imported high-strength PC material with excellent hardness and high permeability for safety.
- Base: Aluminum alloy material with high strength.
- Built: 12 strobes and over 10 flashes/second.
- Power: 230W
- Colors: Blue/Blue, Blue/Red, Red/Red, Amber/Yellow, Clear/Clear
- Packing Size: 1270*350*22mm
- N.W/G.W: 4kg/6kg
- QTY PER CARTON: 1PC



ISO9001 & CE Certificate

LTF5401

All Directional Lightbar

**SPECIFICATION**

- Cover: Imported high-strength PC material with excellent hardness and high permeability for safety.
- Base: Aluminum alloy material with high strength.
- Built: 12 strobes and over 10 flashes/second.
- Packing Size: 1170*350*22mm
- Power: 320W
- Colors: Red/Blue, Blue/Red, Red/Red, Amber/Yellow, Clear/Clear
- QTY PER CARTON: 1PC

LTF5501

All Directional LED Lightbar

**SPECIFICATION**

- Cover: Imported high-strength PC material with excellent hardness and high permeability for safety.
- Base: Aluminum alloy material with high strength.
- Built: 4 LED light bars for maximum of high brightness and stability, low energy consumption.
- Packing Size: 1270*350*22mm
- Power: 300W
- Colors: Red/Blue, Blue/Red, Red/Red, Amber/Yellow, Clear/Clear
- QTY PER CARTON: 1PC

LTF5611

Dual Rotating Lightbar



ISO9001 & CE Certificate

**SPECIFICATION**

- Voltage DC12V 24V
- Power: 250W
- Frame: Imported high-strength PC material with excellent luminous and high penetrating-for safety
- Body: 4x4 Rotating lights, 12x2 Flash Lights, 2x2x2 Light & 2x2x2 Area Light, with high-quality Halogen-lamp/Amber Bulbs
- Egg shape outline design and 2 layer lights of acrylic materials
- High quality faceless Polycarbonate Lens with high impact and strong bounce impact
- Advanced gear driving mechanism with new bearing
- Excellent stability with special water release design, water-proof, dust-proof, and durable in different weather conditions
- Packing Size: 1210*525*285mm
- N.W/G.W: 20KG/22.8KG
- GTIN/CARTON: 18ET

LTF5621

Egg-Shape Stroke Lightbar

**SPECIFICATION**

- Voltage:DC12V 24V
- Frame: Imported high-strength PC material with excellent luminous and high penetrating-for safety
- Base: Aluminum alloy material with high strength
- Bulb: Nine-light sources in the upper steel, Fourteen-bearing lights, two-area lights and two-area lights in the lower-layer, achieve 100W speaker in the middle.
- Power: 300W
- Color: Blue/Red, Blue/Blue, Red/Red, Amber/Middle, Green/Green
- Packing Size: 1210*525*285mm
- N.W/G.W: 20KG/22.8KG

Starway

ISO9001 & CE Certificate

LTF5623


Egg-Shape Stroke Lightbar

**SPECIFICATION**

- Voltage: DC12V/24V
- Power: 260W
- Frame: Imported high-strength PC material with excellent luminous and high penetrating-for safety
- Bulb: 10pm Stroke Lights, 12x2 Flash Lights & 2x2x2 Area Light with high-quality Halogen-lamp/Bulbs
- Egg shape outline design and 2 layer lights of acrylic materials
- High quality faceless Polycarbonate Lens with high impact and strong bounce impact
- Advanced gear driving mechanism with new bearing
- Excellent stability with special water release design, water-proof, dust-proof and durable in different weather conditions
- Packing Size: 1210*525*285mm
- N.W/G.W: 20KG/22.8KG
- GTIN/CARTON: 18ET

LTF5702

Long Emergency Lightbar

**SPECIFICATION**


- Frame: Imported high-strength PC material with excellent luminous and high penetrating-for safety
- Base: Aluminum alloy material with high strength warning light or a kind of emergency caution light. It is made according to international advanced technology and innovative style. It has characteristics of advanced function, graceful, beautiful surface and so on. We used the PC materials as the frame, so make the light become more bright, transparent and using more perfect (reflects to the right, it is ideal warning equipment in the field of the police, fire and traffic protection, ambulance and other special vehicles)
- Color: Blue/Red, Blue/Blue, Red/Red, Amber/Middle, Green/Green
- Packing Size: 1275*425*260mm
- Power: 270W
- N.W/G.W: 18 KG/20KG
- GTIN/CARTON: 18ET



ISO9001 & CE Certificate

LTF5722


Emergency Lightbar

**SPECIFICATION :**

- Dome: Imported high-strength PC material with excellent luminous and high penetrating-far ability.
- Base: Aluminum alloy material with high strength warning light is a kind of super luxury design light. It is made according to international advanced technology and fashionable style. It has characteristics of advanced structure, graceful line, beautiful surface and so on. We adopt the PC materials as the chimney, so it makes the light become one bright, aesthetic and bring more perfect effects to the light. It is ideal warning equipment to the front of the police, fire proof, fire protection, ambulance car and other special vehicles.
- Dome Color: Blue/Red, Blue/White, Red/White, Yellow/White, White/Blue, Yellow/Red
- Packing Size: 1270*370*200mm
- Power: 270W
- N.W/G.W: 18.8KG/21KG
- QTY PER CARTON: 1PC

LTF6101

Traffic Revolving Lightbar

**SPECIFICATION :**

- Dome: Imported high-strength PC material with excellent luminous and high penetrating-far ability.
- Base: Aluminum alloy material with high strength warning
- Power: 150W
- Dome Color: Blue/Red, Blue/White, Red/White, Amber/Ambient, Clear/Clear
- Packing Size: 1200*350*300mm
- N.W/G.W: 15.3KG/17.5KG



ISO9001 & CE Certificate

LTF6301

Emergency Revolving Lightbar

**SPECIFICATION :**

- Power: 180W
- Light Source: Halogen Bulbs
- Color: Blue/Red, Blue/White, Red/White, Amber/Ambient, Clear/Clear
- Packing Size: 1200*370*200mm
- N.W/G.W: 14.3KG/16.3KG
- QTY PER CARTON: 1PC

LTF7100

Revolving Lightbar

**SPECIFICATION :**

- Dome: Imported high-strength PC material with excellent luminous and high penetrating-far ability.
- Base: Aluminum alloy material with high strength
- Body: 12 modules and over 10 flashes module
- Dome Color: Blue, Red, Amber, Clear
- Packing Size: 1290*880*275mm
- Power: 240W
- N.W/G.W: 23KG/25KG
- QTY PER CARTON: 1PC